

assortment informations new products

12.2021 EN

Tools. Next Level.



Brütsch/Rüegger Tools Ltd.

Heinrich Stutz-Strasse 20 · P.O. Box · 8902 Urdorf · Switzerland
Tel. +41 44 736 63 63 · Fax +41 44 736 63 00
www.brw.ch · info@brw.ch

152195 Accessories LEICA microscopes

Order ID	Designation	
152195.0100	Ocular adjustable for spectacle wearers 10x / 20B - serial E	
152195.0200	Ocular adjustable for spectacle wearers 16x / 15B - serial E/S	
152195.1000	Pair eyecups for spectacle wearers	
152195.2100	Ring light LED3000 RL with control unit Ø 58/24 - serial A+M	
152195.2110	Polarization set for avoiding reflections on shiny surfaces	
152195.2120	Diffusor to reduce reflections	
152195.3010	10" HDMI monitor for swivel arm with power supply. Resolution 1024 x 600	
152195.3020	24" Full HD screen, interfaces: VGA, DVID, HDMI, 4-port USB hub (USB 2.0+3.0) Resolution 1920 x 1080	

155046 Batteries ANSMANN

Primary batteries, non-rechargeable.

Note:
Dispose of batteries separately to prevent harm to the environment.



Order ID	IEC code	Size	Type	Voltage V	Dimensions mm	Material	Sales unit pieces
155046.0100	LR08	AAAA	LR08	1.5	Ø 8 x 42	Zn/KOH-H2O/MnO2	2
155046.0200	LR03	AAA	LR03	1.5	Ø 10.4 x 44.4	Zn/KOH-H2O/MnO2	1
155046.0300	LR06	AA	LR06	1.5	Ø 14.4 x 50.4	Zn/KOH-H2O/MnO2	1
155046.0400	LR14	C	LR14	1.5	Ø 26 x 50	Zn/KOH-H2O/MnO2	1
155046.0500	LR20	D	LR20	1.5	Ø 34 x 61	Zn/KOH-H2O/MnO2	1
155046.0600	6LR61	9 V	6LR61	9	48.5 x 26.5 x 17.5	Zn/KOH-H2O/MnO2	1
155046.2100	3R12	4.5 V	3R12	4.5	62 x 22 x 67	Zn/NH4Cl/ZnCl2/MnO2	1
155046.2200	A 23	12 V	A 23	12	Ø 10.6 x 28.5	Zn/KOH-H2O/MnO2	1
155046.2300	LR1	N	LR1	1.5	Ø 12 x 30.2	Zn/KOH-H2O/MnO2	1
155046.2400	CR17345	2/3A	CR123A	3	Ø 17 x 34.5	Li/MnO2	1
155046.4100	CR1225	–	CR1225	3	Ø 12 x 2.5	Li/MnO2	1
155046.4200	CR1620	–	CR1620	3	Ø 16 x 2	Li/MnO2	1
155046.4300	CR2450	–	CR2450	3	Ø 16 x 2	Li/MnO2	1
155046.4400	CR2477	–	CR2477	3	Ø 24.5 x 7.7	Li/MnO2	1
155046.4500	CR11108	–	CR1/3N	3	Ø 11.6 x 10.8	Li/MnO2	1

418545 Angle magnet

Holding magnet with strong adhesive force. Stick to any ferrous metal object and leave both hands free to work safely. Ideal for quick setup and precise holding during all welding and assembly work. For flat, round and profile materials, with angles of 135°, 90° and 45°.

Order ID	Dimensions mm	Adhesive strength kg
418545.0100	120 x 83 x 16.5	11
418545.0200	152 x 102 x 17.3	22
418545.0300	188 x 122 x 25	36



418715 Magnetic wiper NERIOX

For quickly and easily **cleaning iron waste from floors**; nails, swarf, screws and iron grinding dust are safely wiped up. With extendable telescopic handle. Easily remove the magnetised parts using the push handle.

Order ID	Cleaning width mm	Stick length mm
418715.0100	330	700...1000

NERIOX



418745 Handheld magnetic pick-up tool NERIOX

For removing steel parts from liquids or trovalising drums, separating steel from non-ferrous metals or plastics, cleaning the swarf tray on machines etc.; release the steel parts from the magnetic rod by pulling the connecting rod back.

Order ID	Length mm
418745.0100	400

NERIOX



418755 Telescopic magnetic pick-up tool

Pocket magnet with extendable telescopic shaft and clip, powerful neodymium magnet.

Order ID	Magnet Ø mm	Length mm
418755.0100	6	145...635
418755.0200	13	135...585



457055 STANLEY FatMax universal knife

Universal knife **with integrated break-off mechanism**, quick and safe removal of used blade segments thanks to the innovative, one-handed snap mechanism with a magnet to catch the old blade segment. Stainless steel blade barrel, bi-material handle for maximum durability. Good control of blade depth thanks to the blade slider. With eyelet for additional safety when working at heights.



Appropriate accessories:

- 457190 Replacement blades FUTURO
- 457195 Replacement blades NERIOX
- 457305 Snap-Off Knife Blades TAJIMA
- 457310 Snap-Off Knife Blades STANLEY
- 457340 Snap-Off Knife Blades TiN

Order ID	Length mm
457055.0100	180

533163 Respirator UVEX

silver-Air lite 4200

FFP2 - EN 149:2001+A1:2009

FFP2 Folding mask for breathing protection, in practical individual packaging, marked for **use in areas with high dust levels (D)**, flexible headband, soft material for more comfort. Soft fabric edges for more comfort and individually adjustable nose clip.

Box of 30 units



Order ID	Filter class	up to MAK value
533163.0100	FFP2	10x

537503 Industrial first aid kit IVF Hartmann

Vario 2

34 x 24 x 12 cm

Contents:

- 10 DermaPlast® Clean
- 1 DermaPlast® plaster case
- 1 pack of DermaPlast® Express fabric plasters
- 1 DermaPlast® fabric finger dressing
- 1 DermaPlast® fabric finger tip dressing
- 1 DermaPlast® fabric dressing 10 x 6 x 10 cm
- 1 DermaPlast® fabric dressing 10 x 8 x 10 cm
- 1 pack of DermaPlast® Protect Plus plasters
- 1 pack of DermaPlast® Quick Zip plasters
- 2 DermaPlast® Comprigel wound dressings, sterile 7.5 x 10 cm
- 1 DermaPlast® Sparablanc fabric 2.5 cm x 5 m
- 1 DermaPlast® CombiFix body bandage
- 4 DermaPlast® CombiFix finger dressings
- 1 DermaPlast® Active CoolFix 6 cm x 4 m
- 2 DermaPlast® Active SportFix 6 cm x 4 m
- 1 pack of DermaPlast® Effect burn plasters
- 1 trauma bandage — pressure bandage
- 4 Cosmopor® E sterile wound dressing 5 x 7.2 cm
- 3 Cosmopor® E sterile wound dressing 8 x 10 cm
- 3 MediSet® compresses 5 x 5 cm
- 1 scissors/tweezers case with safety needle
- 2 packs of finger stalls (size 5)
- 2 pairs of Sempercare gloves
- 1 triangular bandage
- 2 face shields
- 1 emergency blanket

With wall bracket and mounting material — can be used as a case or cabinet, 90° locking.



Order ID	Type
537503.0100	Vario 2

547115 STANLEY storage bins

Modern design **made of impact-resistant polypropylene**. Enables full nesting for optimum shelf and storage efficiency, boxes can be stacked with access to contents. Wide mouth design for easy access to contents, suitable for storing small parts, tools and accessories.

Order ID	Type	Color	Dimensions mm
547115.0100	2R	red	164 x 119 x 74
547115.0200	3R	red	238 x 175 x 126
547115.0300	4R	red	328 x 229 x 155
547115.0400	5R	red	450 x 306 x 179
547115.0500	2B	blue	164 x 119 x 74
547115.0600	3B	blue	238 x 175 x 126
547115.0700	4B	blue	328 x 229 x 155
547115.0800	5B	blue	450 x 306 x 179



550248 STANLEY portable tool rucksack



Stanley Essential, practical tool rucksack with telescopic handle and wheels for easily transporting heavy tools. The telescopic handle conveniently slides into the rucksack. Raised base with plastic feet: provides protection on wet floors. Carry handle offers an alternative way to transport the rucksack. Made from tough 600 denier fabric for durability, long life and tear resistance. Removable organiser allows you to clearly store small hand tools. Also acts as a rucksack partition. Padded shoulder straps for extra comfort when carrying heavy tools.

Order ID	Type	Load capacity kg	Dimensions mm
550248.0100	Essential	15	570 x 340 x 200



550437 STANLEY rolling workshop

Stanley Quiklink, 3-part rolling workshop: 1. Shallow toolbox module, 2. Deep toolbox with tray, 3. Spacious, easily accessible tool case. Rubberised wheels for durability and comfort. 35-cm wide telescopic handle for easy and comfortable transport. Durable closures with metal clips. „Auto-lock“ front latch for easy stacking and separation of modules.

Order ID	Type	Volume l	Load capacity kg	Size mm
550437.0100	Quiklink	80	45	500 x 400 x 740



551567 Shoe and boot cleaner ZEINTRA

Zeintra ShoeCleaner, with metal grid, ideal for construction sites, farms, sports fields, campsites, riding stables, restaurants and hotels. ShoeCleaner is also suitable for private homes and apartments.

Order ID	Dimensions mm	Weight kg
551567.0100	750 x 410 x 265	7.7



557315 STANLEY staples

Type G 4/11/140, made of flat wire for type G electric tackers and hand tackers. Sturdy and resealable packaging, compatible with most products from well-known manufacturers. Stainless, coated steel. Durable and long-lasting.

Usable with:
557345 STANLEY FatMax hammer tacker

Order ID	Length mm	Type	Contents pieces
557315.0100	6	G 4/11/140	1000
557315.0200	8	G 4/11/140	1000
557315.0300	10	G 4/11/140	1000



557345 STANLEY FatMax hammer tacker

FatMax hammer tacker extra light set, versatile hammer tacker, ideal for roofers, attaching insulation materials, floor layers and industrial use (e.g. pallets). Ideal for regular and prolonged use thanks to the **extra light**, durable nylon composite material. Easy-to-use, **extra-long staple compartment** — convenient and time-saving reloading. **Non-rebound and anti-jam** (AntiJam™ technology). High degree of precision and control thanks to the ergonomically shaped and rubberised handle.

Appropriate accessories:
557315 STANLEY staples

Order ID	Type	for staple length mm
557345.0100	Extra Light Set	Typ G / 6...10



561538 Battery-powered LED torch NERIOX



With a main light equipped with state-of-the-art chip-on-board (COB) LED strip technology, this torch is eminently suitable as a workplace light. (Produces a single shadow only). Its slim design makes it ideally suited for use in **confined spaces**. Rotary knob for **adjusting the brightness along a continuous scale**, suspension hook, powerful magnet, **can be rotated 360°** thanks to the **ball-and-socket joint** between the magnet and lamp. Additional top light makes targeted illumination of specific areas possible. Rechargeable via integrated micro USB port.

Appropriate accessories:
564055 USB charging unit

Order ID		561538.0100
Battery voltage	V	3.7
Battery capacity	Ah	2.6
Battery		Li-Ion
Luminous flux	lm	120...600
Luminous period	h	1.8...15
Light temperature	K	6500
Protection class		IP54
Working temperature	°C	-10...+40
Dimensions	mm	384 x 40 x 44.5

656116 Cordless pole pruner STIHL HTA 135

Rechargeable battery system AP



The most powerful STIHL cordless pole pruner.

Quiet and low vibration. For professional users in tree maintenance, fruit growing and communities. For pruning trees, removing dead wood and storm breakages as well as for cutting fruit trees. ¼" PM3 saw chain, lightweight magnesium gear with cast-on, robust branch hook for easy removal of loose clippings from the tree. Particularly rigid, professional, telescopic shaft with quick adjustment for precision placement and high cutting performance. Fitting in the device housing for retrofitting the STIHL Smart Connector 2 A. Total length 285–405 cm.

Order ID		656116.0100	656116.0200
Type		HTA 135 (SET)	HTA 135 (SOLO)
Battery included		With AP 300S	Battery not included
Charger included		With AL 300	Charger not included
Rail length	cm	30	30
STIHL Oilomatic saw chain type		Picco Micro 3 (PM3)	Picco Micro 3 (PM3)
Saw chain pitch		1/4"P	1/4"P
Nominal voltage	V	36	36
Total length	cm	285...405	285...405
Sound pressure level	dB(A)	83	83
Sound power level	dB(A)	96	96
Vibration level on the left/right	m/s²	4.3 / 5.1	4.3 / 5.1
Weight without battery	kg	6.6	6.6



HTA 135