


Nothing but **HEAVY DUTY.**[™]



2024/25





TO DEVELOP AND PRODUCE NOTHING BUT HEAVY DUTY" POWER TOOLS IS ONLY ONE PART OF THE MILWAUKEE® PROMISE.

These tools need to last day in and day out. For this reason, serviceability is incorporated into every tool produced.

All power tools leave the factory with a complete documentation package including instructions for use, listing of customer service centres and safety instructions. MILWAUKEE[®] has a worldwide service network.

Should a problem arise requiring assistance or support at short notice, you can rely on our service centres/agents worldwide.

The global network ensures that our customers' needs and requirements are shared to influence future product development.

Expertise and competence gained over many years ensures a fast and efficient professional repair service.

MILWAUKEE® strive to meet and surpass all international and European standards and directives for both design and safety. Constant research and development programs aim to anticipate and fulfil future market trends in all regulatory and efficiency requirements. MILWAUKEE® is, amongst others, an active member of EPTA (European Power Tool Association) and so is proudly aligned to all industry measurement standards agreed by the organisation.

EXPERIENCE THE HEAVY DUTY DIFFERENCE

TOOLS BUILT TO DO THE JOB BETTER.

At MILWAUKEE® Heavy Duty is more than just a slogan. It is a promise to offer the best to professional users. Engineers at MILWAUKEE® don't just design tools.

They design tools to get the job done better, faster, reliably and safely.

www.milwaukeetool.eu

ALL YOU HAVE TO DO TO TAKE ADVANTAGE OF OUR EXTRA GUARANTEE OFFER IS TO REGISTER ONLINE. NOTHING BUT HEAVY DUTY™

NOTHING BUT HEAVY DUTY GUARANTEE:



From 1st of February 2024 the extended guarantee for MILWAUKEE® power tool(s), outdoor power equipment and REDLITHIUM[™] batteries will only be granted if the product is new and purchased via an Authorised MILWAUKEE® Distributor. The same applies to the guarantee for MILWAUKEE® hand tool(s) as well. Rights already established before 1st of February 2024 shall remain unaffected.

For full terms and conditions for each of the above mentioned guarantees, please see the link below; https://www.milwaukeetool.eu/service



MILWAUKEE[®] power tool(s), outdoor power equipment & batteries come with a standard 1 year guarantee. Guarantee extensions are available by visiting www.milwaukeetool.eu.

MILWAUKEE® power tool(s) and outdoor power equipment guarantee can be extended from 1 year to a maximum of 3 years (1+2). With the exception of MX FUEL[™] tools for which the guarantee can be extended from 1 year to a maximum of 2 years (1+1).

All MILWAUKEE[®] REDLITHIUM[™] batteries including MX FUEL[™] batteries come with a standard 1 year guarantee which can be extended to a maximum of 2 years (1+1).

All guarantee extensions are subject to registering online within 30 days of the purchase date.

Every MILWAUKEE® is tested according to a comprehensive certified process before leaving the factory and is guaranteed to







be NOTHING BUT HEAVY DUTY[™] qualified. At MILWAUKEE® we take great pride in the products and services we offer to our professional customers

The guarantee extension is only available in those countries listed on our warranty registration website. The extended guarantee offer excludes products used in the hire industry, battery chargers and accessories supplied.

MILWAUKEE® hand tool lifetime guarantee Certain MILWAUKEE® hand tools come with a lifetime guarantee which means they can be replaced or repaired free of charge should they break during normal usage due to material or manufacturing fault.

MILWAUKEE[®] Levels - 30 year accuracy guarantee The following MILWAUKEE[®] levels are sold with a 30 year accuracy guarantee: MILWAUKEE[®] BACKBONE™; Compact box levels; and the Block Torpedo level.*

MILWAUKEE® Levels - 10 year accuracy guarantee The following MILWAUKEE[®] levels are sold with a 10 year accuracy guarantee: MILWAUKEE[®] Slim box level; REDCAST[®] level; Minibox level; Billet Torpedo; and I-Beam level.*

*For full terms and conditions for each of the above mentioned guarantees, please see the link below; https://www.milwaukeetool.eu/service/





The MX FUEL[™] Screed is the ideal solution when working on larger areas, delivering petrol like performance without petrol headaches Power to pull blades up to 4.9 m The push-button start delivers instant power. eliminating the repetitive motions of a pull start and reducing downtime, allowing you to get jobs done faster without sacrificing the power and run time you expect

	MXF PSC-0	MXF PSC-302	MXF PSCKIT-302
Standard equipment	-	-	3 m blade
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x MXF CP203 Battery packs, MXF C Charger, No kitbox or bag supplied	2 x MXF CP203 Battery packs, MXF C Charger, No kitbox or bag supplied
Article Number	4933479771	4933479772	4933479774
EAN Code	4058546375652	4058546375669	4058546375683

MXF CVBP MX FUEL[™] BACKPACK CONCRETE VIBRATOR



The MX FUEL[™] Backpack Concrete Vibrator is the ideal solution when working on larger areas, delivering AC like performance without the hassle of laying cables or having the need for an AC socket on the jobsite It has the power to push up to Ø63 mm head at over 11,200 VPM for optimal consolidation, even in the stiffest concrete

MX

Standa

Kit inc Article EAN C

	MXF CVBP-0	MXF CVBP-602	MXF CVBPKIT-602
Standard equipment	Remote control	Remote control	Remote control, 2 m vibrator shaft, 38 mm vibrator head
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x MXF XC406 Battery packs, MXF C Charger, No kitbox or bag supplied	2 x MXF XC406 Battery packs, MXF C Charger, No kitbox or bag supplied
Article Number	4933479595	4933479591	4933479593
EAN Code	4058546373894	4058546373856	4058546373870









 Compact and slim design for increased mobility suiting stationary as well as mobile applications Carrying strap and handle for increased flexibility on site and easy transport Equipped with a ring for easy attachment of the vibrator to the scaffolding or the formwork

FUEL

	MXF CVBC-0	MXF CVBC-602	MXF CVBCKIT-602
ard equipment	Remote control	Remote control	Remote control, 4 m vibrator shaft, 38 mm vibrator head
cluded	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x MXF XC406 Battery packs, MXF C Charger, No kitbox or bag supplied	2 x MXF XC406 Battery packs, MXF C Charger, No kitbox or bag supplied
e Number	4933479607	4933479608	4933479610
Code	4058546374013	4058546374020	4058546374044

SCAN TO VIEW OUR SYSTEM ATTACHMENTS FOR MX FUEL[™] DIAMOND CORE DRILL



EA

ONE



MXF DCD150 MX FUEL[™] 150 MM DIAMOND CORE DRILL

 Core with confidence by delivering AC ONE KEY performance with a maximum core diamete capacity of 152 mm wet & dry 2 speed gearing for a wide range of applications, with laser etched speed and capacity markings into the metal body Speed 1: up to 75 mm diameter wet & drv Speed 2: 76 to 152 mm diameter wet & dry . coring 800 rpm MXF DCD150-302C MXF DCD150-0C MXF DCD150-302C KIT Trigger lock-on, side handle, Standard equipment Trigger lock-on, side handle Trigger lock-on, side handle

MXF DR255TV drill stand 2 x MXF CP203 Battery 2 x MXF CP203 Battery No batteries supplied. No Kit included packs, MXF C Charger, packs, MXF C Charger, charger supplied, Kitbox Kitbox Kitbox 4933464 Article Number 4933478 493347183 EAN Code 4058546362683 4058546228323 4058546297343

SCAN TO VIEW OUR CUT-**OFF SAW DISCS**







For further technical specifications, including noise and vibration data, please visit our website: www.m

MXF DCD350 MX FUEL[™] 350 MM DIAMOND CORE DRILL



- Rig-mounted diamond coring up to 350 mm diameter. Core with confidence by delivering AC performance
- 4 speed gearing for a wide range of applications, with laser etched speed and capacity markings into the metal body
- Speed 1: up to 51 mm / Speed 2: 51 76 mm
- / Speed 3: 76 152 mm / Speed 4: 152 350 mm

	MXF DCD350 KIT-0	MXF DCD350 KIT-122
Standard equipment	MXF DCD350 DR rig stand	MXF DCD350 DR rig stand
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x MXF HD812 Battery packs, MXF SC Charger, No kitbox or bag supplied
Article Number	4933493142	4933493143
EAN Code	4058546480134	4058546480141

MXF DR255TV



MX

PREMIUM DIAMOND DRILLING STAND FOR MX FUEL[™] DIAMOND CORE DRILL



- Height-adjustable insulated drive handle and easy to reach depth adjustment handle to facilitate one-handed operation
- Universal hinged motor clamp with 60 mm collar diameter
- Tool-free machine and watertank attachment compatible with M18[™] SWITCH TANK[™] 15 I water supply

	MXF DR255TV
rticle Number	4933472247
AN Code	4058546338930

MXF COS350G2 MX FUEL[™] 350 MM CUT-OFF SAW



- Battery powered, it can be used indoors due to zero fume emissions Anti-kickback system prevents users from
- being injured in case of a kickback
- BAPID STOP[™]/ blade brake: blade stops within < 3 sec
- Petrol equivalent performance with a maximum no load speed of 5370 rpm and a full 125 mm depth of cut

	MXF C0S350G2-0	MXF C0S350G2-802
Standard equipment	HUDD 350mm SPEEDCROSS [™] diamond	HUDD 350mm SPEEDCROSS [™] diamond
	blade (4932471985) & contractor bag	blade (4932471985) & contractor bag
Kit included	No batteries supplied, No charger supplied	d, 2 x MXF XC608 Battery packs, MXF SC
KIL IIICIUUEU	No kitbox or bag supplied	Charger, No kitbox or bag supplied
Article Number	4933480478	4933480480
EAN Code	4058546407636	4058546407650









MXF DH2528H MX FUEL [™] 25 KG CLAS HAMMER	S 28 MM HEX DEMOLITION
	 The industry's first cordless 28 mm Hex demolition hammer, delivering the power of petrol, corded and pneumatic Heavy Duty hammer provides 64 blow Joules of impact energy for toughest demolition applications

 Floating body anti-vibration technologies allows the user to work all day without reaching dangerous exposure levels

	MXF DH2528H-0	MXF DH2528H-602
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x MXF XC406 Battery packs, MXF C Charger, No kitbox or bag supplied
Article Number	4933478985	4933464877
EAN Code	4058546362676	4058546228224



SCAN TO VIEW OUR

MXF DHT BREAKER TROLLEY FOR MX FUEL™ DEMOLITION



Article Number

EAN Code

MX

 Lightweight demolition hammer cart with large rubber wheels for easy transport across uneven terrain Integrated demolition hammer retention strap

and full-metal fastening locations • On-board spring-loaded storage locations for

FUEL

Battery & charger storage dock with charger cable hook for transport

MXF DHT
4933464879
4058546228248

MXF PTR2

MX FUEL[™] PIPE THREADING MACHINE 2[™] WITH ONE-KEY[™]



MXF LSDP

POWERTREDZ[™]

ONE KEY

Standard equipment

Kit included

Article Number EAN Code

0	MXF PTR2-601
	 One tool Outstanding performance with 2 speed settings of 39 RPM and 59 RPM matching corded speed Maximum mobility thanks to foldable wheel cart with tool free setup Integrated auto oil system with oil pump and reservoir
	 One stop shop: Cut, Ream and Thread with
	 Threading capacity from 1/8" all the way up to 2

The MX FUEL[™] large sewer drum machine

MXF PTR2-0	MXF PTR2-601
1/2"-3/4" BSPT HS die set, 1"-2" BSPT	1/2"-3/4" BSPT HS die set, 1"-2" BSPT
HS die set	HS die set
No batteries supplied, No charger	1 x MXF XC406 Battery pack, MXF C
supplied, No kitbox or bag supplied	Charger, No kitbox or bag supplied
4933498324	4933492100
4058546521936	4058546414672
	1/2-3/4" BSPT HS die set, 1"-2" BSPT HS die set No batteries supplied, No charger supplied, No kitbox or bag supplied 4933498324

stairs

to 60 m down the line MXF LSDP-301

or bag supplied 4933471851

405854629750

MX FUEL[™] LARGE SEWER DRUM MACHINE WITH

SYSTEM ATTACHMENTS FOR MX FUEL™ PIPE THREADING MACHINE 2″ WITH ONE-KEY™	
- A - Product - A	





MXF TL MX FUEL[™] TOWER LIGHT

	 TRUEVIEW[™] high definition light output with up to 27,000 lumens in AC and up to
	20,000 lumens in DC mode for both task and area lighting • Has the ability to manoeuvre the light heads in multiple orientations, allowing the user to direct light to wherever it's needed
4	

MXF TL-601
1 x MXF XC406 Battery pack, Integrated charger, No
kitbox or bag supplied
4933471844
4058546297435

MXF PS MX FUEL[™] POWER SUPPLY



Building on the strengths of the FUEL[™] technology, MX FUEL[™] system reaches new levels of cordless performance. Focused on petrol, corded and pneumatic performance, these tools deliver without the hazards associated with emissions, noise, vibration, tripping hazards and the frustrations of complex maintenance

FUEL

	MXF PS-0	MXF PS-602
Kit included	No batteries supplied, Integrated charger, No kitbox or bag supplied	2 x MXF XC406 Battery packs, Integrated charger, No kitbox or bag supplied
Article Number	4933493922	4933479266
EAN Code	4058546510824	4058546370602

MX FUEL[™] BATTERIES



	MXF HD812	MXF XC608	MXF XC406	MXF XC-2406	MXF CP203	MXF CP-2203
System	MX FUEL [™]	MX FUEL [™]	MX FUEL TM	MX FUEL [™]	MX FUEL [™]	MX FUEL [™]
Battery pack capacity (Ah)	12.0	8.0	6.0	6.0	3.0	3.0
No. of batteries supplied	1	1	1	2	1	2
Charge time MXF C charger	160 min	110 min	90 min	90 min	45 min	45 min
Charge time MXF SC charger	65 min	45 min				
Weight (kg)	5.9	4.5	4.8	4.8	2.7	2.7
Supplied in	No kitbox or bag supplied					
Article Number	4932492128	4932492130	4933471837	4933479162	4933471838	4933479161
EAN Code	4058546414955	4058546414979	4058546297367	4058546369569	4058546297374	4058546369552

MX FUEL[™] CHARGERS



MXF SC	MXF C
1 x MX FUEL™	1 x MX FUEL™
Single	Single
AC	AC
Yes	Yes
No	Yes
8.9	2.7
No kitbox or bag supplied	No kitbox or bag supplied
4932492848	4933471839
4058546477196	4058546297381
	1 x MX FUEL™ Single AC Yes No 8.9 No kitbox or bag supplied 4932492848



	MXF NRG-406	MXF FORGENRG-802	MXF FORGENRG-122
Kit included	$2 \ {\rm x} \ {\rm MXF} \ {\rm XC406} \ {\rm Battery} \ {\rm packs}, \ {\rm MXF} \ {\rm C} \ {\rm Charger}, \ {\rm No} \ {\rm kitbox} \ {\rm or} \ {\rm bag} \ {\rm supplied}$	$2 \ \mathrm{x} \ \mathrm{MXF} \ \mathrm{XC608} \ \mathrm{Battery} \ \mathrm{packs}, \ \mathrm{MXF} \ \mathrm{SC} \ \mathrm{Charger}, \ \mathrm{No} \ \mathrm{kitbox} \ \mathrm{or} \ \mathrm{bag} \ \mathrm{supplied}$	2 x MXF HD812 Battery packs, MXF SC Charger, No kitbox or bag supplied
Article Number	4933479160	4933493548	4933493549
EAN Code	4058546369545	4058546484194	4058546484200

MX













NEXT GENERATION M18 FUEL



DRIVEN TO OUTPERFORM, LIMITS REDEFINED.

M18 FUEL[™] NEXT GENERATION. MORE COMPACT. UNRIVALLED ACCURACY. **REDEFINED PERFORMANCE.**

M18[™] Next Generation FUEL[™], packs a mighty punch in a smaller package. More compact, yet more powerful, the range is perfect for those hard to reach areas, and ideal for working at height, due to the reduced size and weight, better balance and easier handling.





MORE COMPACT.

UNRIVALED ACCURACY.

REDEFINED PERFORMANCE.



NEXT GENERATION

THE EASIEST WAY TO KEEP TRACK OF YOUR INVENTORY

ONERKEY

UNLOCKING THE DIGITAL JOBSITE.

TRACK. MANAGE. CUSTOMISE.

With ONE-KEY[™] you can add tools and equipment no matter the brand to your inventory and get a full overview of ALL your assets. Add unlimited users for free, assign tools to different employees and see which tools that are currently in use, ready for use or perhaps at the service centre.

Follow a digital trace of when, where and how your tools have been used to optimise effiency and usage, or use it to track and lock your tools and equipment if it's missing.

Print professional reports and get documentation on the tool quality and usage.

All of this and much more FOR FREE!

DOWNLOAD THE 1 **MILWAUKEE® ONE-KEY™ APP** FOR FREE App Store

► Google play

er technical specifications, including noise and vibration data, please visit our website: www.milwauke



REGISTER YOUR PROFILE FAST & EASY

WWW.MILWAUKEETOOL.EU IMILWAUKEETOOLEU













GET THE RIGHT HAMMER FOR THE JOB

 For the more demanding, heavy duty applications. Including dry coring and medium duty chipping in both concrete block and reinforced concrete



(4)

- Excellent performance, ideal for repetitive and fast drilling
- Balanced performance weight ratio, ideal for light chiseling applications
- Fixing hammers, ideal for tight spaces and all day use

For heavy duty applications, ideal for plumbing or formwork





SDS-MAX

		Battery system	Technology	Feature	ONE-KEY™	Blow energy (EPTA)(J)	Full load hammer action (bpm)	No load speed (rpm)	Optimised drilling capacity in concrete (mm)	Vibration drilling (m/s²	Vibration chis- eling (m/s²)	Weight with battery pack (EPTA) (kg)	Fits MILWAUKEE® Dust Extractors
	M18 FHM-121C	M18 FUEL™	HIGH OUTPUT™	AUTOSTOP™	ONE-KEY™	11.0	0 - 2900	0 - 380	20 - 40	9.4	9.4	10.2 (M18 HB12)	PHDE72
1.	M18 CHM-0C	M18 FUEL™		-	-	6.1	0 - 3000	0 - 450	16 - 32	10.6	9.6	7.1 (M18 HB12)	PHDE72

SDS-PLUS

		Battery system	Technology	ONE-KEY™	FIXTEC™	Blow energy (EPTA)(J)	Max. per- cussion rate (bpm)	No load speed (rpm)	Optimised drilling capacity in concrete (mm)	Vibration drilling (m/s²)	Vibration chis- eling (m/s²)	Weight with battery pack (EPTA) (kg)	Fits MILWAUKEE® Dust Extractors
2.	M18 ONEFHP-0X	M18 FUEL™		ONE-KEY™		5.0	0 - 4600	0 - 800	8 - 24	6.9	7.4	5.0 (M18 HB5.5)	M18 FPDDEXL
2.	M18 ONEFHPX-552X	M18 FUEL™		ONE-KEY™	v	5.0	0 - 4600	0 - 800	8 - 24	6.9	7.4	5.2 (M18 HB5.5)	M18 FPDDEXL
2.	M18 FHAC0D32-0C	M18 FUEL [™]		ONE-KEY [™]		4.9	0 - 4600	0 - 800	8 - 24	10.5	9.4	5.9 (M18 HB5.5)	M18 FDDEL32
3.	M18 FH-0X	M18 FUEL™				2.5	0 - 4800	0 - 1330	8 - 24	12.9	14.2	4.3 (M18 HB5.5)	M18 FCDDEXL/ M18 FDDEXL
3.	M18 FHX-552X	M18 FUEL™		-	¥	2.5	0 - 4800	0 - 1330	6 - 20	12.9	14.2	4.4 (M18 HB5.5)	M18 FCDDEXL/ M18 FDDEXL
3.	M18 ONEFH-0X	M18 FUEL™		ONE-KEY™	-	2.5	0 - 4800	0 - 1330	6 - 20	12.9	14.2	4.3 (M18 HB5.5)	M18 FCDDEXL/ M18 FDDEXL
3.	M18 ONEFHX-552X	M18 FUEL™		ONE-KEY™	¥	2.5	0 - 4800	0 - 1330	6 - 20	12.9	14.2	4.5 (M18 HB5.5)	M18 FCDDEXL/ M18 FDDEXL
4.	M18 BLH-502X	M18™	Brushless			2.3	0 - 5100	26/ 13/ 26	6 - 18	8.9	9.5	3.3 (M18 B5)	M18 CDEX
4.	M18 BLHX-502X	M18™	Brushless		¥	2.3	0 - 4900	26/ 13/ 26	6 - 18	8.9	9.5	3.5 (M18 B5)	M18 CDEX
4.	M18 BLHACD26-402X	M18™	Brushless	-	-	2.6	0 - 4600	28/ 13/ 26	6 - 18	13.9	13.2	3.1 (M18 B4)	M18 CDEX
5.	M12 CH-602X	M12 FUEL™		-	-	1.1	-	0 - 900	Ø 5.5 - 12	4.4	-	1.9 (M12 B6)	M12 UDEL
5.	M18 BH-402C	M18™		-	-	1.2	7000	0 - 1300	Ø 5.5 - 13	10.3	-	2.5 (M18 B4)	M12 UDEL





SCAN HERE TO VIEW COMPATIBLE DRILL BITS



For further technical specifications, including noise and vibration data, please visit our website: www.milwaukeetool.eu

M18 FHM M18 FUEL M18 FUEL" ONE-KEY" 8 KG SDS-MAX DRILLING AND BREAKING HAMMER

The M18 FHM is the most productive SDS-Max tool MILWAUKEE® has produced, delivering AC power with the flexibility of the cordless M18¹⁰ platform
 The HIGH OUTPUT^{III} system of tools elevates the M18 FUEL^{III} technologies to a new level and delivers extended performance and extended run time. These tools are designed to maximise the partnership with HIGH OUTPUT^{III}

	M18 FHM-0C	M18 FHM-121C
Kit included	No batteries supplied, No charger supplied, Kitbox	1 x M18 HB12 Battery pack, M12 18 FC Charger, Kitbox
Article Number	4933464893	4933464894
EAN Code	4058546228385	4058546228392

M18 ONEFHPX M18 FUEL M18 FUEL" HIGH PERFORMANCE 4-MODE 32 MM SDS-PLUS HAMMER WITH ONE-KEY" AND FIXTEC" CHUCK



 Hardest hitting cordless SDS-Plus hammer in its class. Powerful hammer mechanism delivers 5.0 J (EPTA) of impact energy at low 6.9 m/s² vibrations
 Drills up to 10 Ø18 x 100 mm holes on a M18[™]

HIGH OUTPUT[™] 5.5 Ah battery charge • AUTOSTOP[™] shuts down the tool to protect the user of sharp movement in bind up situations

18 HB5.5 Battery packs, M12-
10 11D3.3 Dattory packs, W12
Charger, HD Box
178496
546346898

M18 FDDEL32 M18 DEDICATED DUST EXTRACTION FOR M18 FUEL[™] 32 MM SDS-PLUS D-HANDLE HAMMER WITH AUTOPULSE[™]

AUTOPULSE	 Designed to collect dust efficiently with automatic operation from the tools on/ off trigger switch
	 AUTOPULSE[™] industry's first on-board automatic filter cleaning mechanism for an on- tool dust extractor, which increases the air flow efficiency as well as the filter life time The highly efficient HEPA filter collects 99.97% of airborne particles down to 0.3 microns

	M18 FDDEL32-0	
Article Number	4933492142	
EAN Code	4058546415099	

M18 FPDDEXL M18 DEDICATED DUST EXTRACTION FOR M18 FUEL[™] 32 MM

SDS-PLUS HAMMERS WITH AUTOPULSE"



	MI8 FPDDEXL-0	
Article Number	4933478509	
EAN Code	4058546347024	

10

M18 CHM M18 FUEL M18 FUEL[™] 5 KG SDS-MAX DRILLING AND BREAKING HAMMER



- The world's first 18V 5 kg SDS-Max hammer for maximum versatility and portability with equal performance to an AC tool
- equal performance to an AC tool • Brushless POWERSTATE" motor provides corded drilling performance • REDLINK PLUS" intelligence system delivers
- REDLINK PLUS[™] intelligence system delivers an advanced digital overload protection for tool and battery and uniquely enhances the tool performance under load

M18 CHM-OC

Kit included	No batteries supplied, No charger supplied, Kitbox
Article Number	4933451362
EAN Code	4002395159208

M18 FUEL[™] 32 MM SDS-PLUS D-HANDLE HAMMER WITH



M18 FHACOD32

for increased end user comfort • Powerful hammer mechanism and the brushless motor design delivers 4.9 J of impact energy

D-handle with compact and ergonomic design

M18 FUEL

- 4-mode operation: rotary hammer, hammer only, rotation only and variolock for maximum versatility
- Anti-vibration side handle for lower vibration exposure

M18 FHACOD32-0C

	M18 FHACOD32-OC	M18 FHACOD32-0
Kit included	No batteries supplied, No charger supplied, Kitbox	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933492140	4933492141
EAN Code	4058546415075	4058546415082

M18 ONEFHP M18 FUEL M18 FUEL" HIGH PERFORMANCE 4-MODE 32 MM SDS-PLUS HAMMER WITH ONE-KEY"



Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933478884
EAN Code	4058546361662



ONE KEY



 M18 ONEFHPX - M18 FUEL[™] high performance 4-mode 32 mm SDS-Plus hammer with ONE-KEY[™] and FIXTEC[™] chuck
 M18 FPDDEXL - Dedicated dust extraction for M18 FUEL[™] 32 mm SDS-Plus hammers with AUTOPIU SE[™]

M18 ONEFHPXDEL-552C

Kit included	2 x M18 HB5.5 Battery packs, M12-18 FC Charger, Kitbox
Article Number	4933478498
EAN Code	4058546346911



M18 FUEL M18 ONEFHX M18 FUEL[™] 4-MODE 26 MM SDS-PLUS HAMMER WITH FIXTEC[™] CHUCK AND ONE-KEY[™]



 The fastest drilling rotary hammer in its class leading to increased productivity Powerful hammer mechanism delivers 2.5 J of impact energy at low 12.9 m/s² vibrations Drills up to 125 Ø10 x 50 mm holes on a M18[™] HIGH OUTPUT[™] 5.5 Ah battery charge AUTOSTOP[™] shuts down the tool to protect the user of sharp movement in bind up

	M18 ONEFHX-OX	M18 ONEFHX-552X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 HB5.5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933478503	4933478504
EAN Code	4058546346966	4058546346973

situations



M18 FUEL M18 ONEFH M18 FUEL[™] 4-MODE 26 MM SDS-PLUS HAMMER WITH

 The fastest drilling rotary hammer in its class leading to increased productivity Powerful hammer mechanism delivers 2.5 J of impact energy at low 12.9 m/s² vibrations Drills up to 125 Ø10 x 50 mm holes on a M18[™] HIGH OUTPUT[™] 5.5 Ah battery charge • AUTOSTOP[™] shuts down the tool to protect the user of sharp movement in bind up situations

M18 ONEFH-OX

Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933478886
EAN Code	4058546361686

M18 FHX

M18 FUEL M18 FUEL[™] 4-MODE 26 MM SDS-PLUS HAMMER WITH



The fastest drilling rotary hammer in its class leading to increased productivity Powerful hammer mechanism delivers 2.5 J of impact energy at low 12.9 m/s² vibrations Drills up to 125 Ø10 x 50 mm holes on a M18[™] HIGH OUTPUT[™] 5.5 Ah battery charge AUTOSTOP[™] shuts down the tool to protect the user of sharp movement in bind up situations

	M18 FHX-0X	M18 FHX-552X
Kit included	No batteries supplied, No charger	2 x M18 HB5.5 Battery packs, M12-
Kit Included	supplied, HD Box	18 FC Charger, HD Box
Article Number	4933478888	4933478889
EAN Code	4058546361709	4058546361716

M18 FH M18 FUEL[™] 4-MODE 26 MM SDS-PLUS HAMMER



M18 FCDDEXL

FUEL[™] 26 MM SDS-PLUS HAMMERS

 The fastest drilling rotary hammer in its class leading to increased productivity Powerful hammer mechanism delivers 2.5 J of impact energy at low 12.9 m/s² vibrations Drills up to 125 Ø10 x 50 mm holes on a M18[™] HIGH OUTPUT[™] 5.5 Ah battery charge AUTOSTOP[™] shuts down the tool to protect the user of sharp movement in bind up situations

Designed to collect dust efficiently with automatic operation from the tools on/ off

of airborne particles down to 0.3 microns

trigger switch The highly efficient HEPA filter collects 99.97%

Manual filter cleaning mechanism increases the

air flow efficiency as well as the filter life time

M18 FUEL

M18

M18 FH-0X

COMPACT DEDICATED DUST EXTRACTION FOR M18

Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933478500
EAN Code	4058546346935

M18 FDDEXL

DEDICATED DUST EXTRACTION FOR M18 FUEL[™]26 MM SDS-PLUS HAMMERS WITH AUTOPULSE[™]



Designed to collect dust efficiently with automatic operation from the tools on/ off

trigger switch • AUTOPULSE™ industry's first on-board automatic filter cleaning mechanism for an on-tool dust extractor, which increases the air flow efficiency as well as the filter life time The highly efficient HEPA filter collects 99.97% of airborne particles down to 0.3 microns

M18 FUEL

M18

	M18 FDDEXL-0		M18 FCDDEXL-0	
Article Number	4933478508	Article Number	4933478507	
EAN Code	4058546347017	EAN Code	4058546347000	

M18 ONEFHXDEL

M18 FUEL[™] 4-MODE 26 MM SDS-PLUS HAMMER WITH FIXTEC™ CHUCK, ONE-KEY™ AND WITH DEDICATED DUST EXTRACTOR




SDS-Plus hammer with $\mathsf{FIXTEC}^{\scriptscriptstyle \rm IM}$ chuck and ONE-KEY™

\$ M18 FDDEXL - Dedicated dust extraction for M18 FUEL[™]26 mm SDS-Plus hammers with AUTOPULSE[™]

M18 ONEFHX - M18 FUEL[™] 4-mode 26 mm

	M18 ONEFHXDEL-552C
Kit included	2 x M18 HB5.5 Battery packs, M12-18 FC Charger, Kitbox
Article Number	4933478506
EAN Code	4058546346997
EAN Code	4058546346997



M18 BLHX M18[™] BRUSHLESS 4-MODE 26 MM SDS-PLUS HAMMER

WITH FIXTEC[™] CHUCK



Powerful hammer mechanism and the brushless motor design delivers 2.3 J of impact Compact, ergonomic design for increased end user comfort FIXTEC[™] system for keyless chuck changing between SDS-Plus and 13 mm metal chuck All metal gear case - optimum seating of the gears for enhanced tool life

	M18 BLHX-0X	M18 BLHX-502X	
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box	
Article Number	4933478891	4933478892	
EAN Code	4058546361730	4058546361747	

M18 CDEX

M18

M18

HŊ

M18

M18 FUEL[™] SDS-PLUS DUST EXTRACTOR

	ust extraction aluminium tube is adjustable coording to the size of the drill bit and length 6 mm max and 90 mm depth 18 CDEX-0
N	b batteries supplied, No charger supplied, No kitbox or
Kit included ba	ig supplied 133447450


4002395006243

M18 BH M18[™] COMPACT 2-MODE SDS-PLUS HAMMER



EAN Code

EAN Code



M18 BH-0	M18 BH-402C
No batteries supplied, No charger	2 x M18 B4 Battery packs, M12-18 C
supplied, No kitbox or bag supplied	Charger, Kitbox
4933443320	4933443330
4002395003730	4002395003747
	supplied, No kitbox or bag supplied 4933443320

M18 FPM M18 FUEL[™] PADDLE MIXER

M18 FUEL

ł	 POWERSTATE[™] brushless motor delivers the power to mix heavy compounds, such as concrete and mortar Ultimate speed control: 3 different ways of controlling speed for clean and consistent mixes (8-speed setting dial, variable speed trigger and a lock on button) 180° adjustable handle with 16 adjustable settings for user to optimise the handle position based on preference and comfort M18 FPM-0X
Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933459719
EAN Code	4058546028916

M18 BLH M18 M18[™] BRUSHLESS 4-MODE 26 MM SDS-PLUS HAMMER

BRUSHLESS



- Powerful hammer mechanism and the brushless motor design delivers 2.3 J of impact
- energy · Compact, ergonomic design for increased end user comfort
- All metal gear case optimum seating of the gears for enhanced tool life • 4-mode operation: rotary hammer, hamme
- only, rotation only and selectable work position of the chisel (variolock) for maximum versatility

	M18 BLH-0	M18 BLH-502X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933479426	4933478894
EAN Code	4058546372200	4058546361761

M18 BLHACD26

M18

M18[™] BRUSHLESS 26 MM SDS-PLUS D-HANDLE HAMMER

BRUSHLESS



- D-handle with lightweight and ergonomic design for increased end user comfort Powerful hammer mechanism and the
- brushless motor design delivers 2.6 J of impact energy 4-mode operation: rotary hammer, hammer
- only, rotation only and variolock for maximum versatility
- Anti-vibration system (AVS) for decreased user fatigue and lower vibration exposure

	M18 BLHACD26-0X	M18 BLHACD26-402X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B4 Battery packs, M12-18 C Charger, HD Box
Article Number	4933492482	4933492480
EAN Code	4058546418496	4058546418472



ONERKEY



- The world's first 18V 230 mm battery powered cut-off saw, delivers the power to cut reinforced concrete, whilst being 50% lighter
- than other petrol comparisons Starts up instantly, eliminates the need to
- mix petrol and oil, and avoids petrol engine maintenance
- Can be used indoors due to zero fume

	M18 FC0S230-0	M18 FC0S230-121 1 x M18 HB12 Battery pack, M12- 18 FC Charger, No kitbox or bag supplied	
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied		
Article Number 4933471696		4933471697	
EAN Code	4058546295950	4058546295967	

M18 FCVN M18 FUEL M18 FUEL[™] NEEDLE CONCRETE VIBRATOR



M18 FUEL[™] Needle Vibrator for consolidation of concrete with a compact design 1.2 m whip length execution recommended for footings or small flatwork (M18 FCVN12)

- 2.4 m whip length execution recommended for walls or columns (M18 FCVN24) 25 mm² head design and 12,500 VPM for an improved consolidation power
- Variable speed trigger for ideal adaption to
- each material and formwork size M18 FCVN24-0 M19 E

No batteries supplied, 1 x M18 HB5.5 BatteryNo batteries supplied, 1 y No charger supplied, pack, M12-18 FC No charger supplied, pa	W18 FGVN24-551
Kit included No kitbox or bag Charger, No kitbox or No kitbox or bag Ch	I x M18 HB5.5 Battery back, M12-18 FC Charger, No kitbox or bag supplied
Article Number 4933479596 4933479597 4933479599 49	1933479600
EAN Code 4058546373900 4058546373917 4058546373931 40	4058546373948



GET THE RIGHT PERCUSSION DRILL FOR THE JOB

FUEL™



BRUSHLESS



COMPACT BRUSHLESS



		Battery system	Technology	ONE-KEY™	Feature	No load speed (rpm)	Max. drilling wood/ steel/ masonry (mm)		Max. torque (Nm)	Chuck capacity (mm)	Weight with battery pack (EPTA) (kg)
1.	M18 ONEPD3-502X	M18 FUEL [™]		ONE-KEY™	-	0 - 500/ 0 - 2100	89/ 16/ 16	0 - 33,000	158	13	2.2 (M18 B5)
	M18 FPD3-502X	M18 FUEL™			AUTOSTOP™	0 - 500/ 0 - 2100	89/ 16/ 16	0 - 33,000	158	13	2.2 (M18 B5)
1.	M12 FPD2-602X	M12 FUEL [™]		-	-	0 - 450/ 0 - 1,550	35/ 13/ 13	0 - 22,500	45	13	1.4 (M12 B6)
2.	M18 BLPD2-502X	M18™	Brushless	-	-	0 - 550/ 0 - 1800	76/ 13/ 16	0 - 28,800	82	13	2.1 (M18 B5)
3.	M18 BLPDRC-502C	M18 [™]	Compact Brushless	-	-	0-550/ 0-1700	52/ 13/ 16	0 - 25,500	60.5	13	1.5 (M18 B5)



SCAN HERE TO VIEW **OUR PPE RANGE**

SCAN HERE TO VIEW **COMPATIBLE DRILL BITS**



ations, including noise and vibration data, please visit our website

M18 ONEPD3 M18 FUEL M18 FUEL[™] ONE-KEY[™] PERCUSSION DRILL



 Higher power efficiency under load -outstanding torque of 158 Nm Extremely compact design of 175 mm length for access into tight spaces Connect via Bluetooth[®] with the ONE-KEY[™] app Save up to 3 custom settings to the tools

memory for fast selection on the jobsite

	M18 ONEPD3-0X	M18 ONEPD3-502X	
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box	
Article Number	4933492798	4933492801	
EAN Code	4058546476694	4058546476724	

M18 FPD3 M18 FUEL[™] PERCUSSION DRILL

M18 FUEL

-	
	N

Kit included

EAN Code

EAN Code

Article Number

 Higher power efficiency under load with outstanding torque of 158 Nm • Extremely compact design of 175 mm length for access into tight spaces AUTOSTOP[™] control mode offers enhanced safety for the operator by preventing overrotation in a bind-up 13 mm metal chuck for quick bit changes and bit retention

	M18 FPD3-0X	M18 FPD3-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933479859	4933479860
EAN Code	4058546376536	4058546376543

M18 BLPD2 M18[™] BRUSHLESS PERCUSSION DRILL

405854622461

 New brushless motor design delivers 40% BRUSHLESS more torque than previous model - up to 82 Nm Compact design (180 mm in length) provides excellent balance and control, ideal for overhead applications or work in tight spaces Advanced 13 mm heavy duty metal chuck for quick bit changes and superior bit retention Optimised speed for faster drilling & fastening (0 - 550/ 0 - 1800 rpm) M18 BLPD2-0X M18 BLPD2-402X M18 BLPD2-502X 2 x M18 B4 Battery packs, 2 x M18 B5 Battery packs No batteries supplied, No
 charger supplied, HD Box
 M12-18 FC Charger, HD Box M12-18 FC Charger, HD Box

 4933464516
 4933464560
 4933464517
 4933464560 4933464517

4058546225056

M18 BLPDRC M18 M18[™] COMPACT BRUSHLESS PERCUSSION DRILL

COMPACT BRUSHLESS		 Compact brushless percussion drill measuring 145 mm in length for access into tight spaces Advanced 13 mm heavy duty metal chuck for quick bit changes and superior bit retention 60 Nm of torque - best power to size ratio All metal reversible belt clip to hang your tool quickly and easily On board fuel gauge and LED light 		
	M18 BLPDRC-0X	M18 BLPDRC-202C	M18 BLPDRC-502C	
Kit included	No batteries supplied, No	2 x M18 B2 Battery packs,	2 x M18 B5 Battery packs,	
	charger supplied, HD Box	M12-18 C Charger, Kitbox	M12-18 C Charger, Kitbox	
Article Number	4933492821	4933492822	4933492826	

4058546476939

4058546476922

M18 ONEDD3 M18 FUEL[™] ONE-KEY[™] DRILL DRIVER



- Higher power efficiency under load -
- outstanding torque of 158 Nm Extremely compact design of 173 mm length for access into tight spaces
- Connect via Bluetooth[®] with the ONE-KEY[™]

4058546376574

app Save up to 3 custom settings to the tools memory for fast selection on the jobsite

	M18 ONEDD3-0X	M18 ONEDD3-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933492799	4933492802
EAN Code	4058546476700	4058546476731

M18 FDD3 M18 FUEL[™] DRILL DRIVER

EAN Code

EAN Code

EAN Code

M18

4058546224622

4058546476977

M18 FUEL

M18 FUEL

AUTOSTOP	• Extreme for acce • AUTOST safety for rotation • Fastest of	bower efficiency under load with ding torque of 158 Nm ly compact design of 173 mm length ss into tight spaces 'OP [™] control mode offers enhanced or the operator by preventing over- in a bind-up drilling and driving applications under
	0	LED workspace illumination
	M18 FDD3-0X	M18 FDD3-502X
Kit included	No batteries supplied, No cha supplied, HD Box	rger 2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933479862	4933479863

4058546376567

M18 BLDD2 M18[™] BRUSHLESS DRILL DRIVER

BRUSHLESS		 New brushless motor design delivers 40% more torque than previous model - up to 82 Nm Compact design (180 mm in length) provides excellent balance and control, ideal for overhead applications or work in tight spaces Advanced 13 mm heavy duty metal chuck for quick bit changes and superior bit retention Optimised speed for faster drilling & fastening (0 - 550/ 0 - 1800 rpm) 		
	M18 BLDD2-0X	M18 BLDD2-402X	M18 BLDD2-502X	
Kit included	No batteries supplied, No charger supplied, HD Box		2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box	
Article Number	4933464514	4933464559	4933464515	

4058546225049

M18 BLDDRC M18[™] COMPACT BRUSHLESS DRILL DRIVER

4058546224592

4058546477035

M18

4058546224608

4058546477066

M18

BRUSHLESS		 Compact brushless drill driver measuring 145 mm in length for access into tight spaces Advanced 13 mm heavy duty metal chuck for quick bit changes and superior bit retention 60 Nm of torque - best power to size ratio All metal reversible belt clip to hang your tool quickly and easily On board fuel gauge and LED light 		
	M18 BLDDRC-0X	M18 BLDDRC-202C	M18 BLDDRC-502C	
Kit included	No batteries supplied, No	2 x M18 B2 Battery packs,	2 x M18 B5 Battery packs,	
	charger supplied, HD Box	M12-18 C Charger, Kitbox	M12-18 C Charger, Kitbox	
Article Number	4933492832	4933492833	4933492835	

4058546477042



GET THE RIGHT IMPACT DRIVER FOR THE JOB

FUEL[™]



COMPACT BRUSHLESS







BRUSHED



		Battery system	Technology	ONE-KEY™	No load speed (rpm)	Impact rate (ipm)	Max. torque (Nm)	Tool reception	Max. bolt diameter	Weight with battery pack (EPTA) (kg)
1.	M18 ONEID3-502X	M18 FUEL™		ONE-KEY™	1750/3000/4000/0-4000	1200/3400/4300/0-4400	119/176/226/0-226	1⁄4″ Hex	M16	1.7 (M18 B5)
	M18 FID3-502X	M18 FUEL [™]			1750/3000/3900/0-3900	1400/3600/4400/0-4400	226	1⁄4" Hex	M16	1.7 (M18 B5)
1.	M12 FID2-602X	M12 FUEL [™]		-	1700/2900/3600/3600	1300/3500/4000/0-4000	170	1⁄4″ Hex	M14	1.1 (M12 B6)
	M18 FQID-502X	M18 FUEL™	SURGE™		900/2100/3000/0-3000	1800/2900/4000/0-4000	50	1⁄4" Hex	M14	1.7 (M18 B5)
1.	M12 FQID-202X	M12 FUEL™	SURGE™	-	1100/2200/3200/3200	950/2200/3400/3400	50	1⁄4" Hex	M14	1.1 (M12 B2)
2.	M18 BLIDR-502X	M18™	Brushless	-	1250/2400/3600	2500/4700/4900	190	1⁄4″ Hex	M14	1.3 (M18 B5)
3.	M18 BLIDRC-402C	M18 [™]	Compact Brushless	-	0 - 3600	0 - 4900	190	1⁄4″ Hex	M14	1.3 (M18 B4)
4.	M18 BRAID-0	M18 [™]		-	1500/ 2250	2400/3400	41/81	1⁄4″ Hex	M14	1.8 (M18 B5)
4.	M12 BRAID-0	M12™		-	0 - 2425	0 - 3300	68	1⁄4″ Hex	M12	1.2 (M12 B2)



SCAN HERE TO VIEW OUR PPE RANGE







M18 FRAD2 M18 FUEL M18 FUEL[™] SUPER HAWG[®] 2-SPEED RIGHT ANGLE DRILL **DRIVER GEN II**



 Extremely long run time, up to 100 holes with a 65 mm auger bit into wood
 POWERSTATE[™] brushless motor provides constant power under load to power through 450 mm ted to 152 mm holes Mechanical clutch protects the tool in the event of a stall Compact design allows working in confined spaces • On board fuel gauge and LED light

	M18 FRAD2-0
Kit included	No batteries supplied, No charger supplied, No kitbox or
Kit liiciudeu	bag supplied
Article Number	4933471207
EAN Code	4058546288358

C18 RAD M18 [™] COMPACT RIGH	M18
1	 Optimised performance: 1500 rpm at 20 Nm REDLINK[™] overload protection electronics in tool and battery pack deliver best in class system durability Perfect speed to power ratio for fast application completion 10 mm single sleeve ratcheting chuck provides maximum versatility and grip 100 mm compact head designed to fit in the tightest work areas
	C18 RAD-0

bag supplied 4933427189

400239523

M18 FID3
M18 FUEL [™] 1/4" HEX IMPACT DRIVER

Kit included

Article Number EAN Code

M18 FUEL

No batteries supplied, No charger supplied, No kitbox or

•	outstanding 1 • Faster driving 3900 rpm an • Extremely co 113 rm for a • DRIVE CONT four different	mpact design, total length of just access into tight spaces ROL allows the user to shift into speed and torque settings to plication versatility
	M18 FID3-0X	M18 FID3-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933479864	4933479865
EAN Code	4058546376581	4058546376598

M18 BLIDR M18[™] BRUSHLESS 1/4" HEX IMPACT DRIVER

M18

EAN Code

EAN Code

2	M18 BLIDR-0X	3-Mode DRIVE CONTROL allows the user to shift into three different speed and torque settings to maximise application versatility One-handed bit insert with retention lock, for faster, easier changing of bits M18 BLIDR-502X
BRUSHLESS		 Brushless impact driver measures only 112 mm in length making it ideal for working within confined spaces Brushless motor technology delivers 190 Nm of torque, 3600 rpm and 4900 ipm

M18 BLIDR-0X	M18 BLIDR-502X
No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
supplied, HD Box	18 FC Charger, HD Box
4933492842	4933492843
4058546477134	4058546477141
	No batteries supplied, No charger supplied, HD Box 4933492842

M18 CRAD2 M18 FUEL[™] RIGHT ANGLE DRILL

M18 FUEL



- Delivers corded power and speed (1500 rpm) in wood drilling applications
- All metal gear case and 13 mm keyed chuck Extremely long run time with a 5.5 Ah battery
- pack drills up to 200 holes with a 22 mm auger bit into 50 x 100 mm wood

	M18 CRAD2-0X
Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933471641
EAN Code	4058546295400

M18 ONEID3	M18 FUEL
M18 FUEL [™] ONE-KEY [™] 1/4 [™] HEX IN	IPACT DRIVER

	 Save up to 3 custom settings to the tools memory for fast selection on the jobsite Connect via Bluetooth® with the ONE-KEY[™] app Faster driving speed vs. previous model, up 1 3900 rpm and 4400 ipm Extremely compact design of 113 mm length for access into tight spaces Adjustable trigger control for all applications with ONE-KEY[™] 	
	M18 ONEID3-0X	M18 ONEID3-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933492800	4933492804
EAN Code	4058546476717	4058546476755

M18 FUEL M18 FQID M18 FUEL" SURGE" 1/4" HEX HYDRAULIC IMPACT DRIVER

	driver is N • FLUID-DD metal on delivering performa standard • Delivers s	FUEL [®] SURGE [®] 1/4" Hex hydraulic MILWAUKEE [®] 's quietest impact driver RIVE [®] hydraulic powertrain reduces metal contact within the tool, g quieter operation, smoother nee and increased durability over a impact same performance in wood fastening ard brushless impact drivers
	M18 FQID-0X	M18 FQID-502X
Kit included	No batteries supplied, No charg supplied, HD Box	ger 2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933459187	4933451790

4002395289226



4002395277636

4058546477110

BRUSHLESS	 Brushless impact driver measures only 112 mm in length making it ideal for workin within confined spaces Brushless motor technology delivers 190 N of torque, 3600 rpm and 4900 ipm One-handed bit insert with retention lock, f faster, easier changing of bits Heavy duty full metal gearbox and gears fo superior durability and maximum torque On board fuel gauge and LED light 	
	M18 BLIDRC-0	M18 BLIDRC-402C
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 B4 Battery packs, M12-18 C Charger, Kitbox
Article Number	4933492839	4933492840

4058546477103



GET THE RIGHT IMPACT WRENCH FOR THE JOB







Working in and around semi trucks on the construction site for high torque applications



Perfect match of power, size and functionality for the machinery technician to mounting bolt on a steel juction plate



° MID SIZE

Tyre change on cars to mounting larger bolts to the chassis



	Battery system	Technology	ONE-KEY™	No load speed (rpm)	Impact rate (ipm)	Tool reception	Max. torque (Nm)	Nut-busting torque (Nm)	Max. bolt diameter	Weight with battery pack (EPTA) (kg)
1. M18 FHIWF1R-122C	M18 FUEL™	HIGH OUTPUT™		1000/ 1400/ 1670/ 1670	1750/ 2150/ 2500/ 2500	1 ^{°′} square	730/ 1500/ 2000	2000	M42	7.8 (M18 HB12)
1. M18 ONEFHIWF1D-121C	M18 FUEL [™]		ONE-KEY [™]	600/ 700/ 900/ 1200	750/ 930/ 1200/ 1440	1" square	1180/ 1254/ 1966/ 2576	2711	M42	12.7 (M18 HB12)
1. M18 ONEFHIWF1DS-121C	M18 FUEL™		ONE-KEY™	600/ 700/ 900/ 1200	750/ 930/ 1200/ 1440	1" square	1180/ 1254/ 1966/ 2576	2711	M42	11.1 (M18 HB12)
1. M18 ONEFHIWH716-502X	M18 FUEL™		ONE-KEY [™]	0-900/ 0-1200/ 0-1800/ 0-2300	0-800/ 0-1300/ 0-2600/ 0-2800	7/16" Hex	1017	1017	M24	3.3 (M18 B5)
2A. M18 ONEFHIWF34-502X	M18 FUEL™		ONE-KEY [™]	0-800/ 0-1300/ 0-1800/ 0-1800	0-850/ 0-1850/ 0-2400/ 0-2400	³/₄″ square	702/ 1138/ 1627/ 1627	2034	M33	3.5 (M18 B5)
2B. M18 ONEFHIWF1-802X	M18 FUEL™		ONE-KEY™	0-950/ 0-1080/ 0-1370/ 0-1670	1350/ 1650/ 2100/ 0-2500	1 [~] square	530/ 1020/ 1800/ 2033	2400	M42	5.9 (M18 HB8)
2C. M18 ONEFHIWF12-502X	M18 FUEL™		ONE-KEY [™]	0-550/ 0-1400/ 0-1750/ 0-1750	0-950/ 0-1750/ 0-2100/ 0-2100	1/2" square	130/ 400/ 1356/ 1356	1898	M33	3.3 (M18 B5)
2C. M18 ONEFHIWF12E-0X	M18 FUEL™		ONE-KEY [™]	0-1200/ 0-1800/ 0-1800/ 0-1800	0-1600/ 0-2400/ 0-2400/ 0-2400	1/2" square	102/203/610/1017	1500	M33	3.3 (M18 B5)
2C. M18 ONEFHIWP12-502X	M18 FUEL™		ONE-KEY™	0-950/ 0-1500/ 0-1800/ 0-1800	0-1150/ 0-2100/ 0-2400/ 0-2400	1/2" square	190/ 400/ 1017/ 1017	1491	M24	3.2 (M18 B5)
3. M18 FHIW2F12-502X	M18 FUEL™		-	0-700/ 0-1300/ 0-2000/ 0-2000	0-1300/ 0-2200/ 0-2400/ 0-2400	1/2" square	881 / 1220 / 1491 / 68	2034	M36	3.4 (M18 B5)
3. M18 FHIW2P12-502X	M18 FUEL™		-	0-700/ 0-1300/ 0-2000/ 0-2000	0-1400/ 0-2500/ 0-2700/ 0-2700	½" square	475 / 1017 / 1220 / 68	1491	M36	3.4 (M18 B5)
3. M18 BLHIWF12-0X	M18™	Brushless	-	0 - 1750	0 - 2000	½" square	1085	1627	M36	3.4 (M18 B5)
4. M18 ONEIWF12-502X	M18 FUEL™		ONE-KEY™	900/ 1400/ 1900/ 2500	1300/ 2100/ 2550/ 3200	1/2" square	40/ 120/ 220/ 300	300	M16	1.8 (M18 B5)
4. M18 ONEIWP12-502X	M18 FUEL™		ONE-KEY™	900/ 1400/ 1900/ 2500	1300/ 2100/ 2550/ 3200	½" square	40/ 120/ 220/ 300	300	M16	1.8 (M18 B5)
4. M18 FIW2F12-502X	M18 FUEL™			0-900/ 0-1650/ 0-2400/ 0-1200	0-1000/ 0-2400/ 0-3500	½" square	102/ 203/ 339/ 34	339	M16	1.8 (M18 B5)
4. M18 FIW2P12-502X	M18 FUEL™			0-900/ 0-1650/ 0-2400/ 0-1200	0-1000/ 0-2400/ 0-3500	1/2" square	102/ 203/ 339/ 34	339	M16	1.8 (M18 B5)
4. M18 FIW2F38-0X	M18 FUEL™			0-800/ 0-1650/ 0-2400/ 0-1000	0-1000/ 0-2400/ 0-3500	³ /s [°] square	102/ 203/ 339/ 34	339	M16	1.8 (M18 B5)
4. M18 FMTIW2F12-502X	M18 FUEL™			0-1200/ 0-1950/ 0-2575/ 0-1325	0-900/ 0-2100/ 0-3100	½" square	475/ 610/ 745/ 47	881	M22	2.3 (M18 B5)
4. M18 FMTIW2P12-502X	M18 FUEL™			0-1250/ 0-1950/ 0-2575/ 0-1325	0-900/ 0-2100/ 0-3100	1/2" square	475/ 610/ 745/ 47	881	M22	2.3 (M18 B5)
4. M18 FMTIW2F38-502X	M18 FUEL™			0-1200/ 0-1950/ 0-2575/ 0-1325	0-900/ 0-2100/ 0-3100	³/ɛ̃ square	475/ 610/ 745/ 47	813	M22	2.3 (M18 B5)
4. M12 FIWF12-422X	M12 FUEL™			1200/ 1800/ 2700/ 2700	1100/ 2100/ 3200	1/2" square	339	339	M16	1.1 (M12 B4)
4. M12 FIW14-0	M12 FUEL™			1300/ 1900/ 3200/ 3200	1300/ 2000/ 4300	1/4" square	136	136	M12	0.90 (M12 B4)
4. M12 FIW38-0	M12 FUEL™			1200/ 1800/ 2700/ 2700	1100/ 2100/ 3200	³/₅″ square	339	339	M16	1.1 (M12 B4)
4. M18 BIW12-402C	M18™			0 - 2450	0 - 3350	1/2" square	240	240	M14	1.9 (M18 B4)
4. M18 BIW38-0	M18™			0 - 2450	0 - 3350	3/8" square	210	210	M14	1.9 (M18 B4)
4. M12 BIW12-202C	M12™			0 - 2550	0 - 3400	1/2" square	138	138	M12	1.0 (M12 B2)
4. M12 BIW38-0	M12 [™]			0 - 2500	0 - 3300	3/8 square	135	135	M12	1.0 (M12 B2)



nnical specifications, including noise and vibrat

For further tecl

COMPACT 6 Engine works and getting into the hard to reach spots on the undercarrige









M18 FSG

Kit included

EAN Code

Article Numbe

M18 FUEL[™] SCREW GUN

M18 BRAID M18 [™] RIGHT ANGLE	M18 E IMPACT DRIVER	M18 FSGC M18 FUEL [™] SCREW GUI ATTACHMENT	M18 FUEL. N WITH A COLLATED
Ì	 Compact right angle impact driver measures 307 mm in length making it ideal for working within confined spaces REDLINK[™] overload protection electronics in tool and battery pack deliver best in class system durability Full metal gearbox and gears for superior durability and maximum torque Compact 53 mm head design 		 Fine adjustment nose cone for setting desired countersink levels in single screw applications Removable collated attachment allows the user to use the gun as a stand alone screwdriver or a collaged screw gun Reinforced collated attachment to protect against dropping of tool
	M18 BRAID-0		M18 FSGC-202X
Kit included	No batteries supplied, No charger supplied, No kitbox or	Kit included	2 x M18 B2 Battery packs, M12-18 FC Charger, HD Box
Kit liiciudeu	bag supplied	Article Number	4933459199
Article Number	4933447891	EAN Code	4002395289943
FAN Code	4002395006663		

M18 FUEL

M18 FUEL

Fine adjustment nose cone for setting desired

AUTO-START[™] technology: When activated the power only engages when the screw gun

is pushed into the material during application,

No batteries supplied, No charger supplied, HD Box

delivering outstanding run time

On board fuel gauge and LED light

countersink levels in single screw applications Quick release 1/4" Hex chuck allows for easy

M18 FHIWF1R

RING

HD

Kit included

EAN Code

Article Number

etting desired applications allows the use screwdriver or o protect

M18 FUEL

• The M18 FUEL[™] 1" railway impact wrench with

With a weight of only 6.1 kg it allows fatigue-

free working even over long periods of time Three different speed settings ensure that work

can always be done at the optimum speed • The auto shut-off function integrated in mode 4

M18 FHIWF1R-122C

18 FC Charger, Kitbox 4933493141

40585464801

2 x M18 HB12 Battery packs, M12-

prevents over-tightening of bolts

replace petrol solutions

2000 Nm of maximum torque has the power to

M18 FUEL M18 ONEFHIWF12 M18 FUEL[™] ONE-KEY[™] 1/2" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING

ONE KEY

 The M18 FUEL[™] high torque impact wrench with ONE-KEY[™] technology delivers 1356 Nm of fastening torque in a compact size of 213 mm, which gives more access in tight spaces

The 4 -Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

	M18 ONEFHIWF12-0X	M18 ONEFHIWF12-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933459726	4933459727
EAN Code	4058546028985	4058546028992

M18 FUEL M18 ONEFHIWP12

M18 FUEL[™] ONE-KEY[™] 1/2⁻⁻⁻ HIGH TORQUE IMPACT WRENCH WITH PIN DETENT



 The M18 FUEL[™] high torque impact wrench with ONE-KEY[™] technology delivers 1017 Nm of fastening torque in a compact size of 206 mm, which gives more access in tight

spaces The 4 -Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

M18 ONEFHIWP12-0X	M18 ONEFHIWP12-502X
No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
supplied, HD Box	18 FC Charger, HD Box
4933459724	4933459725
4058546028961	4058546028978
	No batteries supplied, No charger supplied, HD Box 4933459724

M18 ONEFHIWF1D

M18 FUEL[™] ONE-KEY[™] 1[∞] HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL

bit change

M18 FSG-0X

4933459201

400239528996



• The M18 FUEL[™] D-handle high torque impact wrench with a 150 mm extended anvil delivers 2576 Nm of fastening torque replacing AC, petrol or pneumatic solutions Delivers up to 2711 Nm of nut-busting torque that enables bolts up to M42 to be unfastened The 4 -Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

	M18 ONEFHIWF1D-0C	M18 ONEFHIWF1D-121C
Kit included	No batteries supplied, No charger	1 x M18 HB12 Battery pack, M12-
Kit included	supplied, Kitbox	18 FC Charger, Kitbox
Article Number	4933471755	4933471756
EAN Code	4058546296544	4058546296551

M18 ONEFHIWF1DS M18 FUEL

M18 FHIWF1R-0C

supplied. Kitbox

4933493140

40585464801

No batteries supplied, No charge

M18 FUEL[™] ONE-KEY[™] 1[~] HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND SHORT ANVIL

M18 FUEL[™] 1[™] RAILWAY IMPACT WRENCH WITH FRICTION



• The M18 FUEL[™] D-handle high torque impact wrench delivers 2576 Nm of fastening torque replacing AC, petrol or pneumatic solutions Delivers up to 2711 Nm of nut-busting torque that enables bolts up to M42 to be unfastened The 4 -Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

	M18 ONEFHIWF1DS-0C	M18 ONEFHIWF1DS-121C	
Kit included	No batteries supplied, No charger	1 x M18 HB12 Battery pack, M12-	
	supplied, Kitbox	18 FC Charger, Kitbox	
Article Number	4933472071	4933472072	
EAN Code	4058546324674	4058546324681	

M18 FUEL M18 ONEFHIWF1 M18 FUEL[™] ONE-KEY[™] 1[™] HIGH TORQUE IMPACT WRENCH WITH FRICTION RING



• The M18 FUEL™ 1" T-handle high torque impact wrench has the power to replace AC, petrol or pneumatic solutions Delivering up to 2033 Nm of fastening torque at half the size and weight of AC, petrol or pneumatic solutions Packed with 2400 Nm of nut busting torque meaning those rusted stubborn old bolts wont stand a chance

	M18 ONEFHIWF1-0X	M18 ONEFHIWF1-802X
Kit included	No batteries supplied, No charger	2 x M18 HB8 Battery packs, M12-
	supplied, HD Box	18 FC Charger, HD Box
Article Number	4933459732	4933459733
EAN Code	4058546029043	4058546029050

M18 ONEFHIWF34 M18 FUEL M18 FUEL[™] ONE-KEY[™] 3/4" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING



Kit included Article Number

EAN Code

 The M18 FUEL[™] high torque impact wrench with ONE-KEY[™] technology delivers 1627 Nm of fastening torque in a compact size of 213 mm, which gives more access in tight spaces The 4 -Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

1000		
	M18 ONEFHIWF34-0X	M18 ONEFHIWF34-502X
	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
	supplied, HD Box	18 FC Charger, HD Box
	4933459729	4933459730
	4058546029012	4058546029029

M18 FHIW2F12 M18 FUEL M18 FUEL[™] 1/2" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING



M18 FMTIW2F12 M18 FUEL M18 FUEL[™] 1/2" MID-TORQUE IMPACT WRENCH WITH FRICTION RING

Most versatile cordless impact wrench in the MILWAUKEE® impressive arsenal with an industry-leading performance at 881 Nm of nut-busting torque and 745 Nm of fastening toraue

Incredibly compact design for this performance level, with only 152 mm overall length ideal for applications in tight spaces

	M18 FMTIW2F12-0X	M18 FMTIW2F12-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933478449	4933478450
EAN Code	4058546346409	4058546346416

M18 FUEL M18 ONEFHIWF12E M18 FUEL[™] ONE-KEY[™] 1/2" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL



- The M18 FUEL[™] extended anvil high torque impact wrench with ONE - KEY™ technology delivering 1017 Nm of fastening torque with a 75 mm extended 1/2" anvil friction ring reception
- The 4 -Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

M18 ONEFHIWF12E-0X

No batteries supplied, No charger supplied, HD Box
4933478405
4058546345969



M18 ONEFHIWH716-0X

Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933479152
EAN Code	4058546369460

M18 FHIW2P12 M18 FUEL M18 FUEL[™] 1/2⁻⁻⁻HIGH TORQUE IMPACT WRENCH WITH PIN

DETENT



- Great power density: the M18 FUEL[™] high torque impact wrench delivers 1220 Nm fastening torque and 1491 Nm of nut-busting torque in a compact size of 193 mm, which gives more access in tight spaces
- 2000 RPMs of no-load speed to perform your
- task 35% faster than with the previous gen Next gen battery isolator to prevent vibration
- damage to battery fitment
- Robust gearcase for more durability

	M18 FHIW2P12-0X	M18 FHIW2P12-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933492785	4933492786
EAN Code	4058546476564	4058546476571





Most versatile cordless impact wrench in the MILWAUKEE® impressive arsenal with an industry-leading performance at 881 Nm of nut-busting torque and 745 Nm of fastening toraue

Incredibly compact design for this performance level, with only 152 mm overall length ideal for applications in tight spaces

	M18 FMTIW2P12-0X	M18 FMTIW2P12-502X
Kit included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
Kit Iliciuueu	supplied, HD Box	18 FC Charger, HD Box
Article Number	4933478452	4933478453
EAN Code	4058546346430	4058546346447



Kit included

EAN Code

Article Numbe

M18 FUEL **M18 FMTIW2F38** M18 FUEL[™] 3/8" MID TORQUE IMPACT WRENCH WITH FRICTION RING

Most versatile cordless impact wrench in the MILWAUKEE® impressive arsenal with an industry-leading performance at 813 Nm of nut-busting torque and 745 Nm of fastening

toraue Incredibly compact design for this performance level, with only 152 mm overall length ideal for applications in tight spaces

No batteries supplied, No charger supplied, HD Box

M18 FUEL **M18 ONEIWF12** M18 FUEL[™] ONE-KEY[™] 1/2" IMPACT WRENCH WITH FRICTION RING

ONERKEY



M18 FIWF12 but with ONE-KEY[™] technology Connect via Bluetooth® with the ONE-KEY app • Complete tool customisation via ONE-KEY™ app to tune the tool to your needs Control speed, torque, start - end speeds and

LED light Configure to any application choosing optimum

tool settings for repeatable precision • Program / save profiles for unmatched control

	M18 ONEIWF12-0X	M18 ONEIWF12-502X
Kit included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
Nit moluuou	supplied, HD Box	18 FC Charger, HD Box
Article Number	4933459198	4933451374
EAN Code	4002395289936	4002395160525

	M1	8	ON	IEIM	/P1	2
--	----	---	----	------	------------	---

M18 FUEL M18 FUEL[™] ONE-KEY[™] 1/2[™] IMPACT WRENCH WITH PIN DETENT

 M18 FIWP12 but with ONE-KEY[™] technology Connect via Bluetooth[®] with the ONE-KEY[™] app Complete tool customisation via ONE-KEY[™] app to tune the tool to your needs Control speed, torque, start and end speeds and LED Configure to any application choosing optimul tool settings for repeatable precision
 Program/save profiles for unmatched control

tool settings for repeatable precision Program/save profiles for unmatched control

M18 ONFIWP12-0

M18 FMTIW2F38-0X

4933479153

405854636947

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933451152
EAN Code	4002395138210

M18 FIW2F12

M18 FUEL™ 1/2" COMPACT IMPACT WRENCH WITH FRICTION RING



 Power efficiency under load - outstanding torque of 339 Nm Extremely compact design - total length of just 124 mm for access into tight spaces 4-Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility Bolt removal control delivers full torque output, then decreases RPMs once the bolt is loosened to prevent fastener drops

M18 FLIEL

	M18 FIW2F12-0X	M18 FIW2F12-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933478443	4933478444
EAN Code	4058546346348	4058546346355

M18 FIW2P12

M18 FUEL[™] 1/2²⁷ COMPACT IMPACT WRENCH WITH PIN DETENT



M18 BLHIWF12

WITH FRICTION RING

BRUSHLESS

Power efficiency under load - outstanding torque of 339 Nm • Extremely compact design - total length of just 124 mm for access into tight spaces 4-Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility Bolt removal control delivers full torque output, then decreases RPMs once the bolt is loosened to prevent fastener drops

Delivers 1085 Nm of fastening torque and

with most occasional applications

1627 Nm of nut-busting torque to easily work

222 mm body allows for more access in tight

Integrated LED light to illuminate the working

A speed of 1750 RPM to do your task quickly

No batteries supplied, No charger supplied, HD Box

M18 FUEL

		·····		
		M18 FIW2P12-0X	M18 FIW2P12-502X	
Kit included		No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box	
Article Number		4933478446	4933478447	
EAN Code		4058546346379	4058546346386	

M18[™] BRUSHLESS 1/2[‴] HIGH TORQUE IMPACT WRENCH

spaces

and efficiently

M18 BLHIWF12-0X

4933492787

4058546476588

area

M18 FUEL **M18 FIW2F38** M18 FUEL[™] 3/8" COMPACT IMPACT WRENCH WITH

FRICTION RING



Kit Arl

M18

• The most compact cordless impact wrench in its class, delivering the most access in tight spaces, with performance at 339 Nm of fastening torque

 Incredibly compact design for this performance level, with only 124 mm overall length ideal for applications in tight spaces 4-Mode DRIVE CONTROL allows the user to shift into four different speed and torque settings to maximise application versatility

M18 FIW2F38-0X

it included	No batteries supplied, No charger supplied, HD Box
rticle Number	4933478650
AN Code	4058546348434

M18 BIW12 M18[™] 1/2² IMPACT WRENCH



 Compact 1/2" impact wrench measures 155 mm in length making it ideal for working within confined spaces High performance 4-pole motor delivers maximum power whilst maximising the power to weight ratio REDLINK[™] overload protection electronics in tool and battery pack deliver best in class system durability

M18 BIW12-0 M18 BIW12-402C No batteries supplied, No charger 2 x M18 B4 Battery packs, M12-18 C Kit included supplied, No kitbox or bag supplied Charger, Kitbox 4933443607 Article Number 4933443590 EAN Code 4002395003266 400239500328

M18 BIW38 M18^{™ 3}/s" IMPACT WRENCH

Compact 3/8" impact wrench measures 152 mm in length making it ideal for working within confined spaces


M18

- REDLINK[™] overload protection electronics in tool and battery pack deliver best in class system durability
- Heavy duty full metal gearbox and gears for superior durability and maximum torque 3/8" square drive for use with universal sockets

M18 FUEL

	M18 BIW38-0	
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	
Article Number	4933443600	
EAN Code	4002395003273	

M18 ONEFLT M18 FUEL[™] LOCKBOLT TOOL WITH ONE-KEY



C18 PCG/600 M18[™] CAULK GUN WITH 600 ML TUBE

Up to 4500 N of force. Min 40% higher than previous MILWAUKEE® caulk gun REDLINK[™] overload protection electronics in tool and battery pack deliver best in class system durability Optimised performance with all adhesives and cool temperatures Anti-drip feature prevents unwanted dripping when trigger is released C18 PCG/600A-201B C18 PCG/600T-201B 1 x M18 B2 Battery pack, M12-18 C 1 x M18 B2 Battery pack, M12-18 C Kit included Charger, Tool bag 4933441808 Charger, Tool bag 4933441305 Article Number EAN Code 4002395001422 400239500237

C18 PCG/310 M18[™] CAULK GUN WITH 310 ML CANISTER

M18

M18

	Previous MIL • REDLINK" on in tool and b system dural • Optimised pur- cool tempera • Anti-drip fear when trigger	erformance with all adhesives and tures ture prevents unwanted dripping is released
	C18 PCG/310C-0B	C18 PCG/310C-201B
Kit included	No batteries supplied, No charger supplied, Tool bag	1 x M18 B2 Battery pack, M12-18 C Charger, Tool bag
Article Number	4933459637	4933441310

4002395001439

Kit included

EAN Code

Article Number

4058546028091



M18

EAN Code

M18 BRAIW M18[™] ³/[®] RIGHT ANGLE IMPACT WRENCH

 Compact right angle impact wrench measures 307 mm in length making it ideal for working within confined spaces REDLINK[™] overload protection electronics in tool and battery pack deliver best in class system durability Full metal gearbox and gears for superior durability and maximum torque Compact 53 mm head design
M18 BRAIW-0

Kit included	No batteries supplied, No charger supplied, No kitbox or	
KIL IIICIUUEU	bag supplied	
Article Number	4933447899	
EAN Code	4002395006670	

M18 ONEFPRT M18 FUEL[™] RIVET TOOL WITH ONE-KEY[™]



• The M18 FUEL[™] rivet tool with ONE-KEY[™] is an optimised cordless solution that delivers fast, easy riveting while maintaining performance, durability, and size

M18 FUEL

 Pulls up to 900 rivets with a rivet size of 4.8 mm in aluminium or 500 rivets with a size of 6.4 mm in aluminium on a fully charged M18[™] 2.0 Ah battery pack

	M18 ONEFPRT-OX	M18 ONEFPRT-202X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B2 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933478601	4933478602
EAN Code	4058546347949	4058546347956

C18 PCG/400 M18[™] CAULK GUN WITH 400 ML TUBE

M18

M18

- Up to 4500N of force. Min 40% higher than
- previous MILWAUKEE® caulk gun REDLINK[™] overload protection electronics in tool and battery pack deliver best in class system durability
- Optimised performance with all adhesives and cool temperatures
- Anti-drip feature prevents unwanted dripping when trigger is released

	C18 PCG/400T-201B	
Kit included	1 x M18 B2 Battery pack, M12-18 C Charger, Tool bag	
Article Number	4933441812	
EAN Code	4002395002368	





M18

- Powerful 18V motor delivers over 690 bar max. operating pressure
- REDLINK[™] overload protection electronics in tool and battery pack deliver best in class system durability
- Extreme long run time dispenses up to 7 cartridges per charge
- Strong handle balance and ergonomics only 355 mm long and 3.9 kg

.....

	M18 GG-0	M18 GG-201C
Kit included	No batteries supplied, No charger	1 x M18 B2 Battery pack, M12-18 C
	supplied, No kitbox or bag supplied	Charger, Kitbox
Article Number	4933440493	4933440490
EAN Code	4002395000357	4002395000340



GET THE RIGHT ANGLE GRINDER FOR THE JOB

- HIGH OUTPUT[™] designed for the heavy applications, from beveling to cleaning up welds
- 3 Variable speed. Maximum control, ideal for working with stainless steel and aluminium, and for rust and paint removal





2 Flat gear head design allows working within acute angles down to





SCAN HERE TO VIEW **OUR PPE RANGE**



SCAN HERE TO VIEW **COMPATIBLE CUTTING**



or further technical specifications, including noise and vibration data, please visit our website: www.milwauke

M18 ONEFLAG230XPDB M18 FUEL M18 FUEL[™] ONE-KEY[™] 230 MM BRAKING ANGLE **GRINDER WITH PADDLE SWITCH**



Delivering corded performance similar to a 2200 W grinder ONE-KEY[™] tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY[™] also features a remote locking functionality

RAPIDSTOP[™] for fastest disc brake in less that 3 seconds and best user protection

	M18 ONEFLAG230XPDB-0C	M18 ONEFLAG230XPDB-122C
Kit included	No batteries supplied, No charger supplied, Kitbox	2 x M18 HB12 Battery packs, M12- 18 FC Charger, Kitbox
Article Number	4933478782	4933478783
EAN Code	4058546360641	4058546360658

M18 FUEL M18 FHSAG150XPDB

M18 FUEL[™] HIGH PERFORMANCE 150 MM BRAKING **GRINDER WITH PADDLE SWITCH**



M18[™] HIGH OUTPUT[™] 150 mm small angle grinder that delivers the power to grind and makes up to 145 cuts per charge (5.5 Ah) in 2" electrical pipe RAPIDSTOP[™] for fastest disc brake in less than 3 seconds and best user protection

M18 FHSAG150XPDB-0X No batteries supplied, No charger supplied, HD Box Kit included Article Numbe 493347108 EAN Code 4058546287139

M18 FHSAG125XPDB M18 FUEL M18 FUEL[™] HIGH PERFORMANCE 125 MM BRAKING **GRINDER WITH PADDLE SWITCH**



• M18[™] HIGH OUTPUT[™] 125 mm small angle grinder that delivers the power to grind and makes up to 145 cuts per charge (5.5 Ah) in 2" electrical pipe BAPIDSTOP[™] for fastest disc brake in less that

2.5 seconds and best user protection

	M18 FHSAG125XPDB-0	M18 FHSAG125XPDB-0X	M18 FHSAG125XPDB-552X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied		2 x M18 HB5.5 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933471076	4933471078	4933471080
EAN Code	4058546287047	4058546287061	4058546287085

M18 FUEL **M18 FSAGSV0125X** M18 FUEL[™] SAFETY 125 MM GRINDER WITH VARIABLE SPEED AND ONE-KEY™

ONE

Dual trigger activation - requires the user to have always both hands on the tool and automatically shuts down the tool wheneve one hand is taken off RAPIDSTOP[™] for fastest disc brake in less than second and best user protection AUTOSTOP[™] shuts down the tool to protect the user in bind-up situations or any unnatura movement

	M18 FSAGSV0125X-0X	M18 FSAGSV0125X-502X
Kit included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
Kit included	supplied, HD Box	18 FC Charger, HD Box
Article Number	4933493552	4933493553
EAN Code	4058546484231	4058546484248





The world's first single 18V battery operated large angle grinder that delivers the power to grind, lighter than corded tools and makes up to 68 cuts per charge in 42 mm stainless steel pipe

	M18 FLAG230XPDB-0C	M18 FLAG230XPDB-121C
Kit included	No batteries supplied, No charger supplied, Kitbox	1 x M18 HB12 Battery pack, M12- 18 FC Charger, Kitbox
Article Number	4933464114	4933464115
EAN Code	4058546220594	4058546220600



M18 FHSAG150XB-0X

Kit included	No batteries supplied, No charger supplied, HD Box	
Article Number	4933471084	
EAN Code	4058546287122	

M18 FHSAG125XB M18 FUEL M18 FUEL[™] HIGH PERFORMANCE 125 MM BRAKING **GRINDER WITH SLIDE SWITCH**



- M18[™] HIGH OUTPUT[™] 125 mm small angle grinder that delivers the power to grind and makes up to 145 cuts per charge (5.5 Ah) in 2" electrical pipe
- BAPIDSTOP[™] for fastest disc brake in less than 2.5 seconds and best user protection

	M18 FHSAG125XB-0	M18 FHSAG125XB-0X	M18 FHSAG125XB-552X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, HD Box	2 x M18 HB5.5 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933471075	4933471077	4933471079
EAN Code	4058546287030	4058546287054	4058546287078

M18 ONEFSAG125XPDB M18 FUEL M18 FUEL[™] ONE-KEY[™] 125 MM BRAKING ANGLE **GRINDER WITH PADDLE SWITCH**



- Delivering corded performance similar to a 1200 W grinder • ONE-KEY[™] tool tracking & security offers a free
- of charge cloud-based tracking network and inventory management platform for your tools ONE-KEY[™] also features a remote locking functionality
- RAPIDSTOP[™] for fastest disc brake in less than 2 seconds and best user protection

M18 ONEFSAG1

	M18 ONEFSAG125XPDB-0X	M18 ONEFSAG125XPDB-502X
Kit included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
	supplied, HD Box	18 FC Charger, HD Box
Article Number	4933478434	4933478435
AN Code	4058546346256	4058546346263



M18 FUEL M18 ONEFSAG125XB M18 FUEL[™] ONE-KEY[™] 125 MM BRAKING ANGLE **GRINDER WITH SLIDE SWITCH**



M18 FSAG125X

SWITCH

Kit included

EAN Code

Article Numbe

Delivering corded performance similar to a 1200 W grinder ONE-KEY[™] tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools.

ONE-KEY[™] also features a remote locking functionality RAPIDSTOP[™] for fastest disc brake in less than 2 seconds and best user protection

Delivering corded performance similar to a

Reduced gearhead size and lower angle of battery slot - for better balance & ergonomics

compared to previous model Anti-vibration side handle for lower vibration

No batteries supplied, No charger supplied, HD Box

Integrated FIXTEC[™] system for tool-free wheel

1200 W grinder

Slim handle design

M18 FSAG125X-0X

4933478428

405854634619

change

M18 FUEL

M18 ONEFSAG125XB-0X

Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933478433
EAN Code	4058546346249

M18 FUEL[™] 125 MM ANGLE GRINDER WITH SLIDE

M18 FUEL M18 FSAG125XB M18 FUEL[™] 125 MM BRAKING ANGLE GRINDER WITH SLIDE SWITCH



M18 FSAGV125XPDB

GRINDER WITH PADDLE SWITCH

Kit included

Article Number EAN Code

RAPID STO

Kit included

EAN Code

Article Numbe

Delivering corded performance similar to a 1200 W grinder RAPIDSTOP[™] for fastest disc brake in less than 2 seconds and best user protection Reduced gearhead size and lower angle of battery slot - for better balance & ergonomics compared to previous model Anti-vibration side handle for lower vibration Integrated FIXTEC[™] system for tool-free wheel

M18 FUEL

Maximum control for every application - 5-step speed dial ideal for working with stainless steel

RAPIDSTOP™ for fastest disc brake in less than

and aluminium & for rust and paint removal

Delivering corded performance similar to a

Non-lockable safety paddle switch with line

No batteries supplied, No charger supplied, HD Box

lock-out function to prevent automatic start up • Anti-vibration side handle for lower vibration

2 seconds and best user protection

change M18 FSAG125XB-0X M18 FSAG125XB-502X No batteries supplied, No charger 2 x M18 B5 Battery packs, M12supplied, HD Box 4933478429 18 FC Charger, HD Box 4933478430 4058546346 405854634621

M18 FUEL[™] 125 MM VARIABLE SPEED & BRAKING ANGLE

1200 W arinder

M18 FSAGV125XPDB-0X

4933478437

40585463462

M18 BLSAG125XPD M18 BRUSHLESS 125 MM ANGLE GRINDER WITH PADDLE SWITCH

BRUSHLESS

11,000 RPM optimised for cutting applications Powerful brushless motor delivering corded performance similar to a 800 W grinder Most compact and lightest cordless angle grinder in the the range Safety clutch protects user the from kickback injuries Integrated FIXTEC[™] system for tool-free whee

	M18 BLSAG125XPD-0	M18 BLSAG125XPD-402X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 B4 Battery packs, M12-18 C Charger, HD Box
Article Number	4933492645	4933492646
EAN Code	4058546413958	4058546413965

change

M18 FROP21

M18 FUEL M18 FUEL[™] RANDOM ORBITAL POLISHER WITH 21 MM

STROKE



 Delivering equal performance as corded random orbital polishers to complete polishing and heavy-correction applications 8 position speed dial selection for maximum control and best finishing results 21 mm orbital function for fast and efficient polishing with a free hologram finish Large ergonomic front grip area with overmold for easy and comfortable handling, especially when working with the tool vertically

	M18 FROP21-0X	M18 FR0P21-502X
Standard equipment	150 mm backing pad, dust screen	150 mm backing pad, dust screen
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933478836	4933478837
EAN Code	4058546361181	4058546361198

M18 FSAGV125XB

M18 FUEL[™] 125 MM VARIABLE SPEED & BRAKING ANGLE **GRINDER WITH SLIDE SWITCH**



Maximum control for every application - 5-step speed dial ideal for working with stainless steel and aluminium & for rust and paint removal

M18 FUEL

Delivering corded performance similar to a 1200 W arinder RAPIDSTOP[™] for fastest disc brake in less than 2 seconds and best user protection Anti-vibration side handle for lower vibration Integrated FIXTEC[™] system for tool-free wheel change

M18 FSAGV125XB-0X

Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933478436
EAN Code	4058546346270

M18 FUEL M18 FSAGF125XPDB M18 FUEL[™] 125 MM FLATHEAD BRAKING ANGLE **GRINDER WITH PADDLE SWITCH**



 Flat gear head design - allows user working within acute angles down to 42° Delivering corded performance similar to a 1200 W grinder RAPIDSTOP[™] for fastest disc brake in less than seconds and best user protection

Non-lockable safety paddle switch with linelock-out function to prevent automatic start up Anti-vibration side handle for lower vibration
 FIXTEC[™] nut for tool-free wheel change

M18 FSAGF125XPDB-0X

it included	No batteries supplied, No charger supplied, HD Box
rticle Number	4933478439
AN Code	4058546346300

M18 FSAGF125XB M18 FUEL M18 FUEL[™] 125 MM FLATHEAD BRAKING ANGLE **GRINDER WITH SLIDE SWITCH**



vithin acute angles down to 42° Delivering corded performance similar to a 1200 W grinder PRAPIDSTOP[™] for fastest disc brake in less than seconds and best user protection Anti-vibration side handle for lower vibration FIXTEC[™] nut for tool-free wheel change Slim handle design

Flat gear head design - allows user working

M18 FSAGF125XB-0X

Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933478438
EAN Code	4058546346294

M18 BLSAG125X M18 M18 BRUSHLESS 125 MM ANGLE GRINDER WITH SLIDE SWITCH 11.000 RPM optimised for cutting applications



Powerful brushless motor delive ering corded performance similar to a 800 W grinder Most compact and lightest cordless angle arinder in the the range Safety clutch protects user the from kickback iniuries Integrated FIXTEC[™] system for tool-free wheel

M18 BLSAG125X-0 M18 BLSAG125X-402X No batteries supplied, No charger 2 x M18 B4 Battery packs, M12-18 C Kit included supplied, No kitbox or bag supplied Charger, HD Box 4933492644 Article Number 4933492643 4058546413934 EAN Code 405854641394

change

M18 FAP M18 FUEL[™] POLISHER

M18 FUEL

	 Cordless polisher with 8 position variable speed selection ranging from 360 - 2200 rpm Outstanding run time to polish one full size car per battery charge (on moderate to good paint, light scratches) Maximum polishing accessory diameter of 180 mm Constant speed electronics with soft start for smooth start up
M18 FAP180-0	M18 FAP180-502X

Polishing backing pad, dust screen, bale handle, AVS side handle	Polishing backing pad, polishing sponge white, polishing sponge orange, lambswool, dust screen, bale handle, AVS side handle
No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-18 FC Charger, HD
supplied, No kitbox or bag supplied	Box
4933451549	4933451550
4002395144518	4002395144525
	bale handle, AVS side handle No batteries supplied, No charger supplied, No kitbox or bag supplied 4933451549

M18 FMCS M18 FUEL M18 FUEL[™] 57 MM METAL CIRCULAR SAW

×,	burr-free met • Tool-free dep adjusts cuttin • Compact and comfortable u • Dual-action t • start up • Tool-free cutti	th adjustment, quickly and easily og depth from 0 to 57 mm I light weight design for most
	M18 FMCS-0X	M18 FMCS-502X
Kit included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
	supplied, HD Box	18 FC Charger, HD Box
Article Number	4933459192	4933459193
EAN Code	4002395289271	4002395289288

M18 BLSAG115XPD M18 BRUSHLESS 115 MM ANGLE GRINDER WITH PADDLE SWITCH

BRUSHLESS

M18



11,000 RPM optimised for cutting applications
 Powerful brushless motor delivering corded

M18

- performance similar to a 800 W grinder Most compact and lightest cordless angle
- grinder in the the range Safety clutch protects user the from kickback iniuries
- Integrated FIXTEC[™] system for tool-free wheel change

M18 BLSAG115XPD-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied		
Article Number	3.11		
Article Nutliber	4933492647		
EAN Code	4058546413972		

M18 FROP15 M18 FUEL[™] RANDOM ORBITAL POLISHER WITH 15 MM

STROKE

M18 FUEL

STHOKE			
7		rando and I • 8 por contr • 15 m polis • Large for ea	ering equal performance as corded om orbital polishers to complete polishing neavy-correction applications sition speed dial selection for maximum of and best finishing results m orbital function for fast and efficient hing with a free hologram finish e ergonomic front grip area with overmold asy and comfortable handling, especially n working with the tool vertically
	M18 FR0P15-0X	M18 FR0P15-502X	M18 FROP15-502X KIT
Standard equipment	125 mm backing pad, dust screen	125 mm backing pad, dust screen	125 mm backing pad, dust screen, 140 mm red sponge (hard), 140 mm yellow sponge (medium), red cloth, heavy compound, medium compound
Kit included	No batteries supplied No charger supplied, HD Box		2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933478834	4933478835	4933492352

M18 FMCS66 M18 FUEL M18 FUEL[™] 66 MM METAL CIRCULAR SAW



	WI 10 FING 500-00	W10 FW6300-1216
Kit included	No batteries supplied, No charger	1 x M18 HB12 Battery pack, M12-
KIL IIICIUUEU	supplied, Kitbox	18 FC Charger, Kitbox
Article Number	4933472110	4933472111
EAN Code	4058546325060	4058546325077

M18 CBS125 M18 FUEL[™] DEEP CUT BAND SAW





M18 CBS125-0 M18 CBS125-502C No batteries supplied, No charger 2 x M18 B5 Battery packs, M12-Kit included supplied, No kitbox or bag supplied 18 FC Charger, Kitbox 4933447150 4933448195 Article Number EAN Code 4002395006038 4002395262779



M18 FUEL M18 FDGROVPDB M18 FBS85 M18 FUEL[™] COMPACT BAND SAW M18 FUEL[™] BRAKING DIE GRINDER WITH ONE-KEY[™], VARIABLE SPEED AND PADDLE SWITCH 20% faster cutting compared to previous RAPID STOP ONE TKEY model Large cutting capacity up to a diameter of 85 mm Variable speed trigger for quick & easy speed adjustments Band saw cover protects user from injuries by preventing any access to the blade - tool-free installation and removal within seconds functionality M18 FDGROVPDB-0X M18 FBS85-0C M18 FBS85-202C 2 x M18 B2 Battery packs, M12-Kit included No batteries supplied, No charger Kit included Article Number supplied, Kitbox 18 FC Charger, Kitbox EAN Code Article Number 4933471497 4933471496

M18 FUEL

M18 FUEL

M18 FDGROVB

EAN Code

M18 FUEL[™] BRAKING DIE GRINDER WITH ONE-KEY[™], VARIABLE SPEED AND SLIDE SWITCH

405854629395



Maximum control for every application, 5-step speed dial ideal for working with stainless steel, carbide burrs & accessories up to 75 mm Delivering corded performance similar to a 1200 W grinder ONE-KEY[™] tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY[™] also features a remote locking functionalitv

405854629396

	M18 FDGROVB-0X	M18 FDGROVB-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933480955	4933480956
EAN Code	4058546412401	4058546412418

Maximum control for every application, 5-step speed dial ideal for working with stainless steel, carbide burrs & accessories up to 75 mm Delivering corded performance similar to a 1200 W arinder ONE-KEY[™] tool tracking & security offers a free

M18 FUEL

of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY[™] also features a remote locking

No batteries supplied, No charger supplied, HD Box
4933480957
4058546412425



M18 FLIEL M18 FUEL[™] BRAKING DIE GRINDER WITH SLIDE SWITCH



M18 FMDP M18 FUEL[™] MAGNETIC DRILLING PRESS WITH

PERMANENT MAGNET



FUEL[™] technology provides corded drilling performance with strongest magnet holding force on 1/4" steel and 40 x 18 mm holes per AUTOSTOP[™] lift-off detection: Detects excess rotation and automatically cuts power to the

drill for best user protection

	M18 FMDP-0C	M18 FMDP-502C
Kit included	No batteries supplied, No charger supplied, Kitbox	2 x M18 B5 Battery packs, M12- 18 FC Charger, Kitbox
Article Number	4933451636	4933451012
EAN Code	4002395142330	4002395136650

M18 BMS12 M18[™] METAL SHEAR

EAN Code

M18

M18

4058546412395



405854641237

1.2 mm in steel Unique 360° tool-free rotating head with 12 locking positions to access tight spaces and increasing user comfort REDLINK[™] overload protection electronics in tool and battery pack deliver best in class

system durability Individual battery cell monitoring optimises tool run time and ensures long term pack durability

M18 BMS12-0

405854641238

Kit included	No batteries supplied, No charger supplied, No kitbox or
	bag supplied
Article Number	4933447925
EAN Code	4002395006731

M18 BMS20 M18[™] METAL SHEAR



Accurate cuts with maximum cutting depth of 2.0 mm in steel
Unique 360° tool-free rotating head with 12 locking positions to access tight spaces
and increasing user comfort REDLINK [™] overload protection electronics
in tool and battery pack deliver best in class system durability
Individual battery cell monitoring optimises tool run time and ensures long term pack durability
M18 BMS20-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
	bag supplied
Article Number	4933447935
EAN Code	4002395006748



M18



 High performance heat coil allows the tool to reach 470 °C Reaches operational temperature in six seconds allowing the user to quickly complete his application REDLINK[™] overload protection electronics in tool and battery pack deliver best in class system durability Individual battery cell monitoring optimises tool

run time and ensures long term pack durability M18 BHG-5020

	WITO DRU-U	W10 DR0-3020
Kit included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-18 C
	supplied, No kitbox or bag supplied	Charger, Kitbox
Article Number	4933459771	4933459772
EAN Code	4058546029432	4058546029449

GET THE RIGHT MITRE SAW FOR THE JOB



Roofing, fencing, decking

CAPACITY



		Battery system	Technology	ONE-KEY™	No load speed (rpm)	Blade diamete (mm)	r Bevel capacity left (°)	Bevel capacity right (°)		Mitre capacity right (°)	Bore size (mm)		Weight with battery pack (EPTA) (kg)
	M18 FMS305-121	M18 FUEL™	HIGH OUTPUT™	ONE-KEY™	3600	305	48	48	55	60	30	96.5 x 340	22.5 (M18 HB12)
1.	M18 FMS254-0	M18 FUEL™		-	4000	254	48	48	50	60	30	91 x 289	20.0 (M18 B5)
2.	M18 SMS216-0	M18 [™]		-	2700	216	48	-2	50	50	30	-	14.8 (M18 B5)
2.	M18 FMS190-0	M18 FUEL™		-	5000	190	48	48	48	48	30	-	12.7 (M18 B5)

MITRE SAW EXTENDABLE LEGSTANDS

	Height (mm)	Base size (mm)	Extendable up to (mm)	Collapsed size (mm)	Bearing force (kg)	Weight (kg)
MSL 1000	850	1065	2125	1065	180	17.0
MSL 2000	860	1093	2542	1093	227	14.0
MSL 3000	810	1100	3000	1200	250	23.0
MSUV 280	850	1160	2800	1320	136	27.0



For further technical specifications, including noise and vibration data, ple

ase visit our we

WWW.MILWAUKEETOOL.EU O MILWAUKEETOOLEU





Second fix, smaller cuts, skirting boards, kitchen fitting, door and window surrounds

PORTABILITY







M18 FUEL M18 FMS305 M18 FUEL[™] ONE-KEY[™] 305 MM MITRE SAW · Delivers the power to cut at the same rate of ONERKEY an equivalent AC 305 mm saw, with the ability to cut up to 500 pieces of 78 mm pine base board on one 12.0 Ah battery charge • The HIGH OUTPUT[™] system of tools elevates the M18 FUEL[™] technologies to a new level and delivers extended performance and extended run time. These tools are designed to maximise the partnership with HIGH OUTPUT™ batteries M18 FMS305-0 M18 FMS305-121 1 x M18 HB12 Battery pack, M12-Kit inclu No batteries supplied. No charger Kit included 18 FC Charger, No kitbox or bag supplied, No kitbox or bag supplied Article supplied

4933471122

405854628

M18 FUEL

M18 FMS190

Article Number

EAN Code

M18 FUEL[™] 190 MM MITRE SAW

4933471205

40585462883



With a 190 mm blade it delivers accurate cut capacities Up to 299 cuts in 38 mm 89 mm soft wood with a 5.0 Ah battery gives the ability to work a full day without recharging the battery Quick release bevel setting allows the simple setting of bevel angles to the left and right Large sliding fences gives maximum support to the material being cut providing stability and accuracy

M18 FMS190-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933459619
EAN Code	4058546027919

M18 FMS254 M18 FUEL[™] 254 MM MITRE SAW



With a 254 mm blade it delivers large and accurate cut capacities Up to 430 cuts in 26 mm x 142 mm decking with a 12.0 Ah battery gives the ability to work a full day without recharging the battery • Quick release bevel setting with detents allows the simple setting of bevel angles to the left

M18 FUEL

M18 FMS254-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	
Article Number	4933451729	
EAN Code	4002395279418	

and right

MSL 1000 MITRE SAW STAND EXTENDABLE UP TO 2 M



MSL 2000 MITRE SAW STAND EXTENDABLE UP TO 2.5 M



MSL 3000 MITRE SAW STAND EXTENDABLE UP TO 3 M



provides portability on the jobsite Folds down to 1200 mm - thanks to the collapsible legs and compact design Extendable up to 3 m - makes it easy to cut Iarge workpieces to length
Heavy Duty - carries up to 250 kg
One point leg adjustment for leveling on uneven ground • Comfortable working height at 81 cm

Lightweight construction and wheel set -

MSL 3000 4933411565 4002395236213

MSUV 280 MITRE SAW STAND EXTENDABLE UP TO 2.8 M



• Upright folding design for easy storage and ransportation Easy one action foot pedal lock and single lift point allows the stand to be quickly setup with a mitre saw attached Universal quick release saw brackets compatible with all MILWAUKEE[®] mitre saws Extra wide work piece support rollers allows larger materials to be more easily handled 2.8 m extension width **MSUV 280**

	INCOV 200	
Article Number	4933478992	
EAN Code	4058546362744	

M18 FTS210 M18 FUEL[™] ONE-KEY[™] TABLE SAW

M18 FUEL



Kit included

Article Number EAN Code

• The ONE-KEY[™] M18 FUEL[™] table saw delivers the power to rip cut at the same feed rate of an equivalent AC saw, with the ability to cut 190 m of 19 mm OSB board on one 12.0 Ah battery charge

4933464225

4058546221706

M18 FTS210-0	M18 FTS210-121B
No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 HB12 Battery pack, M12- 18 FC Charger, No kitbox or bag supplied

GET THE RIGHT SAW FOR THE JOB





TABLE, PLUNGE AND CIRCULAR SAWS

	Battery system	Technology	ONE-KEY™	No load speed (rpm)	Blade diameter (mm)	Bevel capacity (°)	Max. cutting depth 45° (mm)	n Max. cutting depth 50° (mm)	Max. cutting depth 90° (mm)	Weight with battery pack (EPTA) (kg)
M18 FTS210-121B	M18 FUEL™	HIGH OUTPUT™	ONE-KEY™	6300	210	47	-	-	63.5	22.3 (M18 HB12)
M18 FPS55-552P	M18 FUEL™			2500 - 5600	165	-1 - 48	44		59	4.9 (M18 HB5.5)
M18 CCS55-502X	M18 FUEL™		-	5000	165	0 - 50	41	-	55	3.2 (M18 B5)
HD18 CS-402B	M18™		-	3500	165	0 - 50	39	-	55	3.8 (M18 B4)
M18 FCS66-0	M18 FUEL™	HIGH OUTPUT™	-	5800	190	0 - 56	48	-	66	5.4 (M18 HB12)
M18 FCSG66-121C	M18 FUEL™	HIGH OUTPUT™	-	5800	190	0 - 50	48	-	66	5.6 (M18 HB12)
M18 FCSRH66-0	M18 FUEL™	HIGH OUTPUT™	-	5800	190	0 - 53	48	45	66	5.2 (M18 HB12)
M18 BLCS66-502X	M18™		-	5000	190	0 - 50	48	-	66	4.0 (M18 B5)
M12 FCS442-502X	M12 FUEL™		-	3600	140	0 - 50	33	-	44	2.7 (M12 HB5)

[◎] SAWZALL[™], HACKZALL[™], JIGSAWS

	Battery system	Technology	ONE-KEY™	No load stroke rate (spm)	Stroke length (mm)	Weight with battery pack (EPTA) (kg)
M18 FSX-121C	M18 FUEL™	HIGH OUTPUT™	-	0 - 3000	32	5.5 (M18 HB12)
M18 ONEFSZ-502X	M18 FUEL™		ONE-KEY [™]	0-3000	32	3.8 (M18 B5)
M18 FSZ-502X	M18 FUEL™		-	0-3000	32	3.8 (M18 B5)
M18 BSX-402C	M18 [™]		-	3000	28.6	4.0 (M18 B4)
M18 FHZ-502X	M18 FUEL [™]		-	0 - 3000	22	2.6 (M18 B5)
C18 HZ-402B	M18™		-	0 - 3000	20	2.5 (M18 B4)
M18 FBJS-502X	M18 FUEL™		-	800 - 3500	25	2.8 (M18 B5)
M18 FJS-502X	M18 FUEL™		-	0 - 3500	25	2.9 (M18 B5)
M18 BJS-402C	M18 [™]		-	0 - 2800	25	2.5 (M18 B4)
M12 CHZ-602X	M12 FUEL [™]		-	0 - 3000	15.9	1.6 (M12 B6)
C12 HZ-202C	M12 [™]		-	0 - 3000	13	1.2 (M12 B2)
M12 FJS-422X	M12 FUEL™		-	800 - 3000	22	1.7 (M12 B2)

[®] MULTI-TOOLS

	Battery system	Oscillation angle left/ right (°)	No load speed (rpm)	Weight with battery pack (EPTA) (kg)
M18 FMT-502X	M18 FUEL™	2.1	10,000 - 20,000	1.9 (M18 B5)
M18 BMT-421C	M18™	1.7	12,000 - 18,000	1.7 (M18 B2)
M12 FMT-422X	M12 FUEL™	1.8	10,000 - 20,000	1.6 (M12 B2)
C12 MT-402B	M12™	1.5	5000 - 20,000	1.2 (M18 B4)



For further technical specifications, including noise and vibration data, ple



4933464722

405854622667



3 Multi-tools









M18 CCS55 M18 FUEL **TSS 1000** TABLE SAW STAND M18 FUEL[™] 55 MM CIRCULAR SAW FOR WOOD AND PLASTICS Light weight of only 6.6 kg - easy to transport Brushless POWERSTATE[™] motor for up to 3x onto the job site longer motor life and up to 2x more cuts per Will hold up to 82 kg charge Quick release bracket to hold the saw firmly Magnesium upper and lower guards provide in place best in class durability for impact resistance Integrated dust blower keeps cut line clear One point leg adjustment for leveling on uneven ground Comfortable work height at 559 mm To be used with M18 FUEL[™] ONE-KEY[™] table saw (M18 FTS210) TSS 1000

Sec.	maximises du	shoe reduces weight and
	M18 CCS55-0X	M18 CCS55-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933451429	4933451376
EAN Code	4002395162680	4002395160549

HD18 CS

Article Number EAN Code

M18[™] 55 MM CIRCULAR SAW FOR WOOD AND PLASTIC

4933464227

405854622172



 Powerful 3500 rpm motor easily cuts most timber construction materials BEDLINK[™] overload protection electronics in tool and battery pack deliver best in class system durability Large 50° bevel facility Magnesium upper guard provide best in class durability for impact resistance Excellent visibility of cutting line

	HD18 CS-0	HD18 CS-402B
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 B4 Battery packs, M12-18 C Charger, Tool bag
Article Number	4933419134	4933441400
EAN Code	4002395238248	4002395001613

M18 FCSRH66 M18 M18 FUEL[™] REAR HANDLE CIRCULAR SAW FOR WOOD



Kit included

EAN Code

Article Number

Delivers the power to rip cut at the same feed rate of an equivalent AC circular saw, with the ability to cross cut up to 570 pieces of 90 mm x 45 mm pine stud on one 12.0 Ah battery charge

M18 FUEL

M18 FCSRH66-0 No batteries supplied, No charger supplied, No kitbox or bag supplied 4933471444 40585462907

M18 FCS66

M18 FUEL[™] 66 MM CIRCULAR SAW FOR WOOD AND PLASTICS



The M18 FUEL[™] circular saw delivers the power to rip cut at the same feed rate of an equivalent AC circular saw - with the ability to cut 750 pieces of 90 mm x 45 mm pine stud on one 12.0 Ah battery charge

M18 FUEL

M18

M18 FCS66-0 No batteries supplied, No charger supplied, No kitbox or Kit included bag supplied 4933464725 Article Number EAN Code 405854622670

M18 FCSG66 M18 FUEL M18 FUEL[™] 66 MM CIRCULAR SAW FOR WOOD AND PLASTICS, GUIDE RAIL COMPATIBLE



The M18 FUEL[™] circular saw delivers the power to rip cut at the same feed rate of an equivalent AC circular saw - with the ability to cut 750 pieces of 90 mm x 45 mm pine stud on one 12.0 Ah battery charge • 190 mm blade which gives a 66 mm depth of cut, enabling the saw to cut 3 stacked OSB

	M18 FCSG66-0	M18 FCSG66-121C
Kit included	No batteries supplied, No charger	1 x M18 HB12 Battery pack, M12-
	supplied, No kitbox or bag supplied	18 FC Charger, Kitbox
Article Number	4933472163	4933471195
EAN Code	4058546325596	4058546288235

M18 BLCS66

M18™ BRUSHLESS 66 MM CIRCULAR SAW FOR WOOD AND PLASTICS



blade giving a 66 mm depth of cut which enables the saw to cut three stacked 19 mm OSB boards REDLINK[™] overload protection electronics in tool and battery pack deliver best in class system durability

M18[™] brushless circular saw with a 190 mm

M18 BLCS66-0X M18 BLCS66-502X No batteries supplied, No charge 2 x M18 B5 Battery packs, M12 Kit included supplied, HD Box 18 FC Charger, HD Box 4933464590 Article Number 4933464589 EAN Code 4058546225346 4058546225353

M18 FPS55 M18 FUEL[™] 55 MM PLUNGE SAW



• The M18 FUEL[™] plunge saw delivers the power to rip cut at the same feed rate of an equivalent AC circular saw - with the ability to cut 45 metres of 18 mm plywood on one 5.5 Ah battery charge The depth adjustment has two scales, one

for on the rail and one for off the rail, this can easily be adjusted by the press of a button

M18 FPS55-552

	M18 FPS55-0P	M18 FPS55-552P
Kit included	No batteries supplied, No charger supplied, PACKOUT [™] XL tool box	2 x M18 HB5.5 Battery packs, M12- 18 FC Charger, PACKOUT [™] XL tool box
Article number	4933478777	4933478778
EAN code	4058546360597	4058546360603

M18 ONEFSZ M18 FUEL[™] ONE-KEY[™] SAWZALL[™]



M18 FSZ but with ONE-KEY[™] technolog Connect via Bluetooth® with the ONE-KEY

M18 FUEL

app ONE-KEY[™] tool customisation allows the user to optimise their tool for specific applications ONE-KEY[™] tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY[™] also features a remote locking

	M18 ONEFSZ-0X	M18 ONEFSZ-502X
Kit included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
	supplied, HD Box	18 FC Charger, HD Box
Article Number	4933478296	4933478294
EAN Code	4058546344733	4058546344719

M18 FSX M18 FUEL[™] SUPER SAWZALL[™]

M18 FUEL



40585462266

M18 FHZ M18 FUEL[™] HACKZALL[™]

EAN Code

M18 FUEL

405854622429

	M18 FHZ-0X	M18 FHZ-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933459887	4933459885
EAN Code	4058546030599	4058546030575

M18 FBJS M18 FUEL[™] BODY GRIP JIGSAW

M18 FUEL

M18 FBJS-0X	M18 FBJS-502X
No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
supplied, HD Box	18 FC Charger, HD Box
4933464799	4933464800
4058546227449	4058546227456
	No batteries supplied, No charger supplied, HD Box 4933464799

M18 FSZ M18 FUEL[™] SAWZALL[™]

Brushless POWERSTATE[™] motor for up to 5x

M18 FUEL

- longer motor life and up to 30% faster cutting Patented gear protecting clutch - extends gear and motor life by absorbing high impact forces
- caused by sudden blade lock-ups Wear resistant lever actuated FIXTEC[™] blade clamp provides fast and easy blade changes
- Metal reinforced battery connection provides improved durability and battery retention over

	M18 FSZ-0X	M18 FSZ-502X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933478293	4933478291
EAN Code	4058546344702	4058546344689



M18



- High performance 4-pole motor delivers maximum power whilst maximising the power to weight ratio
- REDLINK[™] overload protection electronics in tool and battery pack deliver best in class system durability
- Patented FIXTEC[™] clamp for fast and easy keyless blade change
- Counter balance mechanism to reduce vibrations 15.2 m/s² in wooden beams

	M18 BSX-0	M18 BSX-402C
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 B4 Battery packs, M12-18 C Charger, Kitbox
Article Number	4933447275	4933447285
EAN Code	4002395006113	4002395006120



M18

- High performance compact one handed use HACKZALL™, measuring only 375mm in length, makes it ideal for working within confined spaces
- BEDLINK[™] overload protection electronics in tool and battery pack deliver best in class system durability
- Dual gear counter balance reduces vibration and increases tool life

	C18 HZ-0	C18 HZ-402B
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 B4 Battery packs, M12-18 C Charger, Tool bag
Article Number	4933416785	4933441340
EAN Code	4002395237982	4002395001491

M18 FJS M18 FUEL[™] TOP HANDLE JIGSAW



- Dust blower keeps the cut line free of wood dust
- Kevless bevel facility on the base plate allows
- for adjustment between 0 45° Patented FIXTEC[™] blade clamp for fast and easy blade change
- 5 stage pendulum action for increased cutting performance

	M18 FJS-0X	M18 FJS-502X
Kit included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-
	supplied, HD Box	18 FC Charger, HD Box
Article Number	4933464726	4933464727
EAN Code	4058546226718	4058546226725





M18 BJS M18[™] TOP HANDLE JIGSAW



High performance motor delivers 2800 spm for
fast cutting
REDLINK [™] overload protection electronics
in tool and battery pack deliver best in class
system durability
Patented FIXTEC [™] blade clamp for fast and
easy blade change
Keyless bevel facility on the base plate allows
for adjustment between 0 45°

	M18 BJS-0	M18 BJS-402C
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 B4 Battery packs, M12-18 C Charger, Kitbox
Article Number	4933451391	4933451389
EAN Code	4002395157990	4002395157976

M18 FMT

M18 BP

Kit included

EAN Code

Article Number

M18[™] PLANER

M18 FUEL



M18



aggressive oscillation angle of 2.1° (left/ right) and 10,000 - 20,000 OPM to deliver one of the fastest cut speeds in the industry Suitable for many demanding applications with ease, such as rip cuts through hardwoods and nail embedded wood 10-setting dial with an auto-load feature allows users to adjust the speed to the application

Adjustable depth of cut from 0 to 2 mm with

twenty locking positions allows the user to

accurately set the amount of material to be

High performance 4-pole motor delivers

14,000 rpm to achieve optimum surface finish

Faster material removal with two double edged

carbide blades over a planning width of 82 mm

2 x M18 B4 Battery packs, M12-18 C

M18 FUEL

M18 BP-402C

400239513738

removed in one pass

Up to 10.7 mm of rebate depth

POWERSTATE[™] brushless motor pairs with an

	M18 FMT-0X	M18 FMT-502X	
Kit included	No batteries supplied, No charger supplied, HD Box	r 2 x M18 B5 Battery packs, M12- 18 FC Charger, HD Box	
Article Number	4933478491	4933478492	
EAN Code	4058546346843	4058546346850	

M18 FR12 M18 FUEL[™] 12 MM ROUTER

M18 BMT-0

4933446203

400239500492

No batteries supplied, No charger

M18 BMT

Kit included

EAN Code

M18

Article Number

M18[™] MULTI-TOOL



POWERSTATE[™] brushless motor in combination with the HIGH OUTPUT[™] 5.5 Ah battery pack supplies constant power for faster cuts and reduced heat in high demand applications with the equivalent amount of power as a corded unit Variable speed from 12,000 RPM to 25,000 RPM for clean and accurate cutting in a wide range of material

Unique cutting depth stop adaptor to prevent over-cutting in material

included to accept all competitor blades 2 variable speed settings from 12,000

movement allows quick completion of

metal, wood and plastic

supplied, No kitbox or bag supplied packs, M12-18 C Charger, Kitbox

18 000 orbits per minute and 3 4° oscillation

M18 BMT-421C

493344621

400239500491

professional applications into materials such as

1 x M18 B4, 1 x M18 B2 Battery

M18 FUEL

M18

Productivity enhancing FIXTEC[™] tool free blade change with universal blade change adaptor

M18

	M18 FR12-0X	M18 FR12KIT-0P		
Standard equipment	1/4, 8 mm, 12 mm, 1/2 collets, side fence, sub base, wrench, dust extraction pipe	¹ /4, 8 mm, 12 mm, ¹ /2 collets, side fence, sub base, wrench, dust extrac- tion pipe and plunge base		
Kit included	No batteries supplied, No charger supplied, HD Box	No batteries supplied, No charger supplied, PACKOUT [™] box		
Article Number	4933493304	4933493305		
EAN Code	4058546481759	4058546481766		

M18 FTR8

M18 FUEL[™] TRIM ROUTER WITH 8 MM/ 6 MM COLLETS AND BASES

No batteries supplied, No charger

supplied, No kitbox or bag supplied Charger, Kitbox 4933451113 4933451114

M18 BP-0

400239513737



POWERSTATE[™] brushless motor delivers the power of AC trim routers, max. 31,000 rpm for powerful, smooth cutting Variable speed dial allows users to adjust the speed between 10.000 and 31.000 rpm to choose the best control for the application at hand All day run time on a single charge of an M18[™]
 5.0 Ah battery (up to 115 m)

M18 FTR8-0X

Kit included	No batteries supplied, No charger supplied, HD Box	
Article Number	4933479073	
EAN Code	4058546368678	

M18 BQSS M18[™] QUARTER SHEET SANDER



High performance motor delivers 11,000 to 13,000 sanding strokes per minute for faster material removal Variable speed wheel with 6 speed settings allows the correct speed to be set for different types of material

Universal hook and loop sanding pad allows easy changing of sanding sheets Paper retention clips for use with standard sheet sand paper

	M18 BUSS-0	M18 BUSS-502B		
Kit included	No batteries supplied, No charger	2 x M18 B5 Battery packs, M12-18 C		
	supplied, No kitbox or bag supplied	Charger, Tool bag		
Article Number	4933479966	4933479967		
EAN Code	4058546377601	4058546377618		

M18 FBTS75 M18 FUEL[™] 75 MM BELT SANDER

M18 FUEL



 Compact design, with a flat front and side edge allows flush sanding capability Captures 90% of dust either through the universal dust port or with the multi layered dust bag

Variable speed adjustable with a belt speed range from 230 to 410 m/s Tool-free adjustable pommel allows for adjustment of the front handle letting the user ind the optimum sanding position

	M18 FBTS75-0	M18 FBTS75-552X	
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 HB5.5 Battery packs, M12- 18 FC Charger, HD Box	
Article Number	4933479614	4933479615	
EAN Code	4058546374082	4058546374099	

M18 FAC M18 FUEL[™] AIR COMPRESSOR

M18 FUEL

 POWERSTATE[™] brushless motor delivers a maximum air pressure of 9.31 bar and 48 l/m at 2.8 bar which delivers enough performance to run common finish nailers and staplers At only 68 dB(A) this is one of the quietest cordless compressors on the market allowing for a more comfortable working environment on the jobsite

	M18 FAC-0
Kit included	No batteries supplied, No charger supplied, No kitbox or
Kit liiciudeu	bag supplied
Article Number	4933472166
EAN Code	4058546325626

M18 FUEL **M18 FFN** M18 FUEL[™] 34° FRAMING NAILER 2-MODE



M18 FUEL **M18 FN16GA** M18 FUEL[™] 16 GA ANGLED NAIL FINISH NAILER 2-MODE

 Fire 16 C Tool-free assure n No gas of designed to the m maintena Excellen flush to to

Gauge nails with a 20° pitch ee, quick and easy depth adjustment to nails are driven sub-flush cartridges and no cleaning required, ed to deliver durability and reliability nost demanding users with very little ance nt power to consistently seat nails subthe surface in hardwoods

	M18 FN16GA-0X	M18 FN16GA-202X		
Kit included	No batteries supplied, No charger	2 x M18 B2 Battery packs, M12-		
	supplied, HD Box	18 FC Charger, HD Box		
Article Number	4933478094	4933478092		
EAN Code	4058546340278	4058546340254		

M18 BOS125 M18[™] 125 MM RANDOM ORBITAL SANDER



- High performance motor delivers 14,000 to 24,000 sanding strokes per minute for faster material removal
- REDLINK[™] overload protection electronics in tool and battery pack deliver best in class system durability
- Variable speed wheel with 6 speed settings allows the correct speed to be set for different types of material

	M18 B0S125-0	M18 B0S125-502B	
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 B5 Battery packs, M12-18 C Charger, Tool bag	
Article Number	4933464228	4933464229	
EAN Code	4058546221737	4058546221744	

M18 FFN21 M18 FUEL[™] 21° FRAMING NAILER 2-MODE

M18 FUEL

M18



Kit included	No batteries supplied, No charger supplied, Kitbox
Article Number	4933478993
EAN Code	4058546362751

M18 FFNS M18 FUEL M18 FUEL[™] 34° FRAMING NAILER WITH SINGLE SHOT ONLY





	 Fires 15 gauge nails with a 34° pitch Fires up to 1200 nails per charge on a REDLITHIUM" 2.0 Ah battery pack for maximum productivity No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little maintenance Ready to Fire Nail Technology eliminates ramp- up time between each nail discharge M18 FN15GA-0X
Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933478091
EAN Code	4058546340247



GET THE RIGHT NAILER/ STAPLER FOR THE JOB

FRAMING NAILERS

Cut roofs, floor joists, stud walls, decking



FENCING UTILITY **STAPLER**



2 FINISHING NAILERS

Skirting boards, molding, flooring, deck railings, staircases, door and window casing, cabinet making



4 **STAPLERS** Fabric, plastic, beading, fascias & soffits



		Battery system	Collation angle (°)	Nail diameter (mm)	Nail type (mm)	Staple strip length (mm)	Staple strip width (mm)	Magazine capacity	Weight with battery pack (EPTA) (kg)
	M18 FFN21-0C	M18 FUEL™	20 - 22	2.8 - 3.7	50 - 90			51	5.0 (M18 B5)
1.	M18 FFN-502C	M18 FUEL [™]	30 - 34	2.8 - 3.3	50 - 90			51	5.1 (M18 B5)
1.	M18 FFNS-502C	M18 FUEL [™]	30 - 34	2.8 - 3.3	50 - 90	-	-	51	5.1 (M18 B5)
2,	M18 FN18GS-202X	M18 FUEL™		1.2	16 / 54			110	3.1 (M18 B2)
2,	M18 FN16GA-202X	M18 FUEL™	20	1.6	32 - 64	-	-	110	3.3 (M18 B2)
2,	M18 FN16GS-0X	M18 FUEL™	0	1.6	25 - 64	-	-	110	3.2 (M18 B2)
2,	M18 FN15GA-0X	M18 FUEL [™]	34	1.8	32 - 64	-	-	110	3.3 (M18 B2)
2,	M12 FCN18GS-202X	M12 FUEL [™]	0	1.2	15 - 38	-	-	110	2.1 (M12 B2)
3.	M18 FFUS-302C	M18 FUEL™		4		38 - 51	10.3	45	5.0 (M18 HB3)
4.	M18 FNCS18GS-202X	M18 FUEL™	0	-	-	9.5 - 38	5.7 - 6.35	108	2.8 (M18 B2)
4.	M12 BCST-0	M12™	0	-	-	25.4	19	45	2.3 (M12 B2)
4.	M12 BST-202X	M12™	0	-	-	6 - 14	10.6	89	1.6 (M12 B2)



SCAN HERE TO VIEW OUR PPE RANGE



AVAILABLE NAILS



or further technical specifications, including noise and vibration data, please visit our website: www.

M18 FN18GS M18 FUEL[™] 18 GS FINISH NAILER

M18 FUEL

Different shaped noses stored on board allows the user to get the best finish no matter what the application No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little maintenance Smaller nail hole, the exact size of the nail head leaving a neater finish

Fires 18 gauge straight nails with a 0° pitch

	M18 FN18GS-0X	M18 FN18GS-202X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B2 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933471409	4933471407
EAN Code	4058546290375	4058546290351

M18 FFUS M18 FUEL[™] FENCING UTILITY STAPLER

M18 FUEL

 Power to fire MILWAUKEE[®] 9 gauge barbed collated staples from 40 mm to 50 mm Fires up to 600 staples per charge on a REDLITHIUM[™] 3.0 Ah battery pack for maximum productivity No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little maintenance

	M18 FFUS-0C	M18 FFUS-302C
Kit included	No batteries supplied, No charger	2 x M18 HB3 Battery packs, M12-
	supplied, Kitbox	18 FC Charger, Kitbox
Article Number	4933479834	4933479832
EAN Code	4058546376284	4058546376260

M18 F2VC23L M18 FUEL[™] 23L L-CLASS VACUUM

M18 FUEL



• The M18 FUEL[™] 23 litre L class Wet/Dry Vacuum brings outstanding performance, durability, and versatility to jobsite cleanup With a maximum air flow of 3086 l/min and 192 mbar this provides excellent performance for both wet and dry clean up applications

	M18 F2VC23L-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933478964
EAN Code	4058546362461

M18 FPOVCL M18 FUEL M18 FUEL[™] PACKOUT[™] WET/ DRY VACUUM

PACKOUT	 The M18 FUEL[™] PACKOUT[™] wet/ dry vacuum is fully compatible with the MILWAUKEE[®] PACKOUT[™] Modular Storage System Delivers up to 30 minutes of run time on a HIGH OUTPUT[™] 8.0 Ah battery pack in high mode and over 50 minutes in low mode Extendable hose up to 1.6 m for extended reach and versatility
	M18 FPOVCL-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
Kitiliciuueu	bag supplied
Article Number	4933478187
EAN Code	4058546341206

M18 FUEL **M18 FN16GS** M18[™] FUEL[™] 16 GA STRAIGHT FINISH NAILER



- Fire 16 gauge straight nails with a 0° pitch from 25 mm - 64 mm long
- Quick and easy tool free adjustable nail driving depth
- Smaller nail hole. the exact size of the nail head leaving a neater finish Small work contact bracket allows the user to
- fire and sink nails at a more acute angle Dry-Fire lockout stops the tool being fired when there are no nails left in the magazine

M18 FN16GS-0X

	W10 FN1003-0A
Kit included	No batteries supplied, No charger supplied, HD Box
Article Number	4933493353
EAN Code	4058546482244

M18 FNCS18GS M18 FUEL M18 FUEL[™] NARROW CROWN STAPLER 2-MODE



- Accepts narrow crown staplers from 9.5 mm to 38 mm
- Ready to fire nail technology eliminates rampup time between each staple discharge
- No gas cartridges and no cleaning required, designed to deliver durability and reliability to the most demanding users with very little maintenance

M18 ENCS1865-0)

	M18 FNCS18GS-0X	M18 FNCS18GS-202X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M18 B2 Battery packs, M12- 18 FC Charger, HD Box
Article Number	4933471942	4933471940
EAN Code	4058546298418	4058546298395

M18 FBPV M18 FUEL[™] BACKPACK VACUUM



- HEPA filter will collect 99.97% of airborne
- particles down to 0.3 microns
- Dust class L. Standard MAK-factor > 1 mg/m³
- Low noise of only 76 db (operating sound level) DEK 26 compatible allows the vacuum to be
- easily connected to a powertool
- Cyclonic technology for longer filter life, extended peak performance and bag-less debris collection

M18 FBPV-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	
Article Number	4933464483	
EAN Code	4058546224288	



M18



Kit included bag supplied Article Number 4933464029 EAN Code 4058546219741



M18 CV M18 [™] HAND VAC	M18	M18 BBL M18 [™] BATTERY BLOWER	M18
	 Excellent suction power for wood, metal and common debris HEPA filter will collect 99.97% of airborne particles down to 0.3 microns Lock on switch reduces fatigue during sustained use Versatile accessories for small or large clean up areas Secure canister lock guards against unwanted spillage M18 CV-0 		 Compact body - clears dirt and debris in tight spaces Power control - 3 speed settings with variable speed trigger Versatile attachments - nozzle extension (228.6 mm), universal inflator/deflator attachment Removable nozzle for easy, convenient storage Lock-on switch Flexible battery system: works with all MILWAUKEE® M18[™] batteries
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933459204	Article Number	4933446216
EAN Code	4002395289998	EAN Code	4002395004942

M18

M18

M18

M18 ARFHP

M18[™] HIGH VELOCITY AIR FAN



 Three speed settings for optimised air flow up to 21.6 metres per hour Adjustable head allows the user to utilise the fan in various heights and positions over a range of 360° Efficient air circulation circulates the air up to 5 775 m³/m Compact design with integrated carry handle to maximise portability

M	18 A	RFHP-0	

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933492110
EAN Code	4058546414771

M18 AF M18[™] AIR FAN



AC/DC, allows the user to run on M18[™] REDLITHIUM[™] or AC power when available Three speed settings for optimised air flow up to 1290 meters per hour

M18

M18

M18

• Efficient air circulation circulates the air within a 3.6 m x 4 m room Adjustable head allows the user to utilise the

fan in various heights and positions over a range of 120°

Kit included	No batteries supplied, No charger supplied, No kitbox or
	bag supplied
Article Number	4933451022
EAN Code	4002395136971

M18 AF-0

M18 BI M18[™] INFLATOR



M18 RADDAB+G2

M18[™] JOBSITE RADIO DAB+

a line () and some

 Compact lightweight design for fast inflation of car, light truck and compact equipment tyres. Top off 235/65R16 sprinter tyres in under 1 minute Anti-vibration stand with all rubber feet for no

 or off up to 30 tyres on an M18[™] 5.0 battery pack

• High performance audio system - DAB+/ FM tuner with digital processor delivers high

36 m away from your smartphone, computer

Integrated handles and on board storage allow for easy transport and storage for phones • Dual 8.89 cm woofers provide balanced &

No batteries supplied, No charger supplied, No kitbox or

reception accuracy and signal clarity Digital Bluetooth® receiver, plays music up to

10.3 max bar capacity

	M18 BI-0
Kit included	No batteries supplied, No charger supplied, No kitbox or
Kit Iliciuueu	bag supplied
Article Number	4933478706
EAN Code	4058546348991

or tablet

clear sound M18 RADDAB+G2-0

bag supplied 4933492344

4058546417116

M18 PRCDAB+ M18[™] PACKOUT[™] RADIO CHARGER



 Premium 360° surround sound speakers with a 40 W amplifier producing rich and full sound for large and outdoor spaces • DAB+ and AM/FM tuner with the digital processor delivers highest reception accuracy, signal clarity and additional information like: song, artist and accurate time Digital Bluetooth® receiver: Plays music up to 30 m away from your smartphone, computer or tablet

M18 PRCDAB+-0

narger supplied, No kitbox or

M18 RC M18[™] JOBSITE RADIO CHARGER WITH BLUETOOTH®



Built in charger function allows for quick, convenient charging of any M18[™] battery or electronic devices via USB port Digital Bluetooth® receiver: play music up to 30 m away from your smartphone, computer, or tablet • AC/DC versatility: powered by MILWAUKEE® M18[™] batteries, or 230 V mains supply

M18 RC-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
	bag supplied
Article Number	4933446639
EAN Code	4002395005420

M12-18 JSSP M12[™] - M18[™] BLUETOOTH[®] SPEAKER

Advanced technology Bluetooth® jobsite speaker Bluetooth[®] wireless range of up to 30 m • Flexible battery system: works with all MILWAUKEE® M12th & M18th batteries • IP54 rated, water and debris resistant to withstand tough conditions on and off the jobsite

Loud, clear sounds at all volumes

M12-18 JSSP-0
No batteries supplied, No charger supplied, No kitbox or
bag supplied
4933459275
4058546002411

M18 ONEPP2A3 M18 FUEL[™] ONE-KEY[™] POWERPACK

M18 FUEL

M12 M18

ONERKEY

percussion drill • M18 ONEID3 - M18 FUEL™ ONE-KEY™ 1/4" Hex impact driver

M18 ONEPD3 - M18 FUEL[™] ONE-KEY[™]

	M18 ONEPP2A3-502X
Kit included	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box
Article Number	4933493244
EAN Code	4058546481155

M18 FPP6E3 M18 FUEL[™] POWER PACK

M18 FUEL



BRUSHLESS

 M18 FPD3 - M18 FUEL[™] percussion drill
 M18 FID3 - M18 FUEL[™] ¹/₄″ Hex impact driver
 M18 CCS55 - M18 FUEL[™] 55 mm circular saw for wood and plastics M18 FSZ - M18 FUEL[™] SAWZALL[™] M18 FSAG125X - M18 FUEL[™] 125 mm angle grinder with slide switch M18 TLED - M18[™] LED torch

	M18 FPP6E3-502B
Kit included	2 x M18 B5 Battery packs, M12-18 FC Charger, Tool bag
Article Number	4933480874
EAN Code	4058546411596

M18 BLCPP2A M18[™] COMPACT BRUSHLESS POWERPACK

,	M18 BLPDRC - M18 [™] compact brushless
	percussion drill
•	M18 BLIDRC - M18 [™] compact brushless ¹ /4″
	Hex impact driver

	M18 BLCPP2A-402C
Kit included	2 x M18 B4 Battery packs, M12-18 C Charger, Kitbox
Article Number	4933492827
EAN Code	4058546476984

dab+

Kit included

Article Number EAN Code



M18 FPP2A3 M18 FUEL[™] POWER PACK



M18 FUEL



M18 FPD3 - M18 FUEL[™] percussion drill
 M18 FID3 - M18 FUEL[™] 1/4" Hex impact driver

		A3·	

Kit included	2 x M18 B5 Battery packs, M12-18 FC Charger, HD Box	
Article Number	4933480873	
EAN Code	4058546411589	





- M18 FPD3 M18 FUEL[™] percussion drill
 M18 FIW2F12 M18 FUEL[™] ½″ compact impact wrench with friction ring

- M18 CCS55 M18 FUEL[™] 55 mm circular saw

- M18 FSAG125X M18 FUEL[™] 125 mm angle
- grinder with slide switch M18 TLED M18[™] LED torch

M18 FPP6F3-502B

Kit included	2 x M18 B5 Battery packs, M12-18 FC Charger, Tool bag
Article Number	4933480875
EAN Code	4058546411602



M18

BRUSHLESS

M18



• M18 BLDDRC - M18[™] compact brushless drill

M18 BLIDRC - M18[™] compact brushless ¹/4″ Hex impact driver

	M18 BLCPP2B-402C	M18 BLCPP2B-502C
Kit included	2 x M18 B4 Battery packs, M12-18 C	2 x M18 B5 Battery packs, M12-18 C
KIL IIICIUUEU	Charger, Kitbox	Charger, Kitbox
Article Number	4933492836	4933492837
EAN Code	4058546477073	4058546477080

DRIVEN TO OUTPERFORM.Th

M12 FUEL[™] is engineered for the most demanding tradesmen in the world. M12 FUEL[™] delivers extreme performance in a compact structure and features three MILWAUKEE® exclusive innovations - the POWERSTATE[™] brushless motor, REDLITHIUM[™] battery pack and REDLINK PLUS[™] intelligence hardware and software - that deliver incredible power, run time and durability.

Simply put, M12 FUEL[™] offers the best, full circle technology that drives, protects and powers your cordless tools.



MILWAUKEE[®] designed and built brushless motor

- Provides increased efficiency
- Lasts longer and delivers maximum power'





- INTELLIGENCE Individual cell monitoring to optimise tool
- run time and ensure long term pack durability Advanced system electronics with unique
- digital performance enhancement Total system communication with overload protection increases tool life



REDLITHIUM[™] **BATTERY PACKS**

- Total system communication with overload protection increases tool life
- Fade-free performance to deliver more run time and more work over pack life
- Fuel gauge displays remaining charge
- Operates down to -20°C



MORE CAPABLE.

LIGHTWEIGHT.

MORE COMPACT.

M12 PORTABL TRADE FO

M12 FUEL M12 CH M12 FUEL[™] SUB COMPACT SDS-PLUS HAMMER



 Industry's first brushless compact 12V rotary hammer with 1.1 Joules (EPTA), 0 - 6575 bpm & 0 - 900 rom Exceptionally low vibration value 4.4 m/s² can be used for 8 hours in a day Will drill over 60 50 mm x 6 mm holes per battery charge • Superior power to weight ratio in its class with brushless POWERSTATE[™] motor for up to 3x longer motor life and up to 2x more run time

	M12 CH-0	M12 CH-202C	M12 CH-602X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B2 Battery packs, C12 C Charger, Kitbox	2 x M12 B6 Battery packs, C12 C Charger, HD Box
Article Number	4933441947	4933441997	4933451510
EAN Code	4002395002719	4002395002665	4002395161584

M12 UDEL

M12[™] UNIVERSAL DUST EXTRACTOR

M12

• Fits all MILWAUKEE® SDS-plus and the majority of competitor's hammers between 41-61 mm neck size with just one adjustable side handle which can be mounted right or left of the hammer Delivering more than 40 min run time on a single M12 B2 2.0 Ah battery Due to telescopic nozzle capable of operating with up to 210 mm long SDS-plus drill bits

M12 UDEL-0B	M12 UDEL-201B
No batteries supplied, No charger	1 x M12 B2 Battery pack, C12 C
supplied, Tool bag	Charger, Tool bag
4933471460	4933471461
4058546290887	4058546290894
	No batteries supplied, No charger supplied, Tool bag 4933471460

M12 FDD2 M12 FUEL M12 FUEL[™] SUB COMPACT DRILL DRIVER

4	1	 Extremely compact de for access into tight sp 45 Nm of torque - sup 13 mm heavy duty me changes and bit retent Mechanical clutch with On board fuel gauge, r light 	paces erior power to size ratio tal chuck for quick bit ion 1 13 torque settings,
	M12 FDD2-0	M12 FDD2-202X	M12 FDD2-602X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B2 Battery packs, C12 C Charger, HD Box	2 x M12 B6 Battery packs, C12 C Charger, HD Box
Article Number	4933479872	4933479873	4933479875
EAN Code	4058546376666	4058546376673	4058546376697

M12 FPDX M12 FUEL M12 FUEL[™] SUB COMPACT PERCUSSION DRILL WITH REMOVABLE CHUCK

		drill system fo • Removable c heads for mu • Brushless PC 44 Nm of toro • REDLINK PLI an advanced	JS [™] intelligence system delivers digital overload protection for tool nd uniquely enhances the tool
	M12 FPDX-0	M12 FPDX-202X	M12 FPDXKIT-202X
t	Removable chuck	Removable chuck	Removable chuck, offset attach- ment, right angle attachment
	No batteries supplied, No	2 v M12 R2 Rattery nacks	C12 C 2 x M12 R2 Battery packs C12 C

Standard equipment	Removable chuck	Removable chuck	Removable chuck, offset attach- ment, right angle attachment
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B2 Battery packs, C12 C Charger, HD Box	2 x M12 B2 Battery packs, C12 C Charger, HD Box
Article Number	4933464135	4933464136	4933464138
EAN Code	4058546220808	4058546220815	4058546220839



M12 FPD2 M12 FUEL M12 FUEL[™] SUB COMPACT PERCUSSION DRILL

		 Extremely compact design of 152 mm length for access into tight spaces 45 Nm of torque - superior power to size ratio 13 mm heavy duty metal chuck for quick bit changes and bit retention Mechanical clutch with 13 torque settings, plus 1 for locked clutch drilling and 1 for locked clutch hammer On board fuel gauge, metal belt clip and LED light 	
	M12 FPD2-0	M12 FPD2-202X	M12 FPD2-602X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B2 Battery packs, C12 C Charger, HD Box	2 x M12 B6 Battery packs, C12 C Charger, HD Box
Article Number	4933479867	4933479868	4933479870
EAN Code	4058546376611	4058546376628	4058546376642

M12 FDDX M12 FUEL M12 FUEL[™] INSTALLATION DRILL/DRIVER WITH INTERCHANGEABLE HEADS



		attachment	attachment
Kit included	No batteries supplied, No charger	No batteries supplied, No	2 x M12 B2 Battery packs,
KIL IIICIUUEU	supplied, No kitbox or bag supplier	d charger supplied, HD Box	C12 C Charger, HD Box
Article Number	4933464978	4933471332	4933464979
EAN Code	4058546229238	4058546289607	4058546229245

M12 BDDX M12 M12[™] SUB COMPACT DRILL DRIVER WITH REMOVABLE сниск High performance sub compact 5-in-1 drill



driver system for extreme versatility Removable chuck system with 3 different

- heads for multiples of applications
- Standard 10 mm kevless chuck, full metal right angle 1/4" hex drive head and full metal offset 1/4" hex drive head
- ⁹ ¼″ hex drive behind chuck fitting, reduces drill length to 153 mm when required

M12 BDDXKIT-202C

Standard equipment	Removable FIXTEC [™] chuck, offset attachment, right angle	
Standard equipment	drill attachment, belt clip, 25 mm PZ2 bit	
Kit included	2 x M12 B2 Battery packs, C12 C Charger, Kitbox	
Article Number	4933447836	
EAN Code	4002395006601	



C12 RAD M12 M12 CD M12[™] SUB COMPACT RIGHT ANGLE DRILL M12 FUEL[™] SUB COMPACT DRIVER



Heavy Duty full metal gearbox and gears for superior durability and maximum torque REDLINK[™] overload protection electronics in tool and battery pack deliver best in class system durability Variable speed paddle switch trigger for comfortable working in any situation 10 mm chuck for quick bit changes and bit

	C12 RAD-0	C12 RAD-202B
Kit included	No batteries supplied, No charger supplied. No kitbox or bag supplied	2 x M12 B2 Battery packs, C12 C Charger, Tool bag
Article Number	4933416900	4933441215
EAN Code	4002395237678	4002395001248

retention



• 1/4" Hex chuck for quick easy one handed bit change On board fuel gauge and LED light Individual battery cell monitoring optimises tool run time and ensures long term pack durability

M12 FUEL

M12

M12 CD-0 No batteries supplied, No charger supplied, No kitbox or bag supplied 4933440450 40023950009

M12 BD

M12[™] SUB COMPACT DRIVER



 High performance sub compact screw driver measures 175 mm in length making it ideal for working within confined spaces REDLINK[™] overload protection electronics in tool and battery pack deliver best in class system durability 1/4" Hex chuck for quick easy one handed bit change Optimised handle for better control and improved grip

	M12 BD-0	M12 BD-202C
Kit included	No batteries supplied, No charger	2 x M12 B2 Battery packs, C12 C
	supplied, No kitbox or bag supplied	Charger, Kitbox
Article Number	4933441910	4933441900
EAN Code	4002395002566	4002395002559

M12 BSD M12 M12[™] SUB COMPACT SINGLE SPEED DRIVER

Kit included

EAN Code

EAN Code

Article Number

 High performance compact screw driver measures 169 mm in length making it ideal for working within confined spaces Metal planetary gears for superior durability and maximum torgue up to 20 Nm 1/4" Hex chuck for quick easy one handed bit change

REDLINK[™] overload protection electronics in tool and battery pack deliver best in class system durability

	M12 BSD-0	
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	
Article Number 4933447135		
EAN Code	4002395006021	

M12 FID2 M12 FUEL M12 FUEL[™] SUB COMPACT 1/4" IMPACT DRIVER



127 mm is ideal for working in confined spaces Outstanding power to size ratio with 170 Nm of torque Fast driving speed with up to 3,600 rpm and 4,000 ipm Tri-LEDs deliver high definition lighting to increase workspace visibility

The compact design with a length of only

	M12 FID2-0	M12 FID2-202X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B2 Battery packs, C12 C Charger, HD Box
Article Number	4933479876	4933479877
EAN Code	4058546376703	4058546376710

M12 FQID M12 FUEL M12 FUEL[™] SURGE[™] 1/4⁻⁻ HEX HYDRAULIC IMPACT DRIVER



• The M12 FUEL[™] SURGE[™] 1/4" Hex hydraulic impact driver is MILWAUKEE®'s quietest 12V impact driver, delivers best in class sound at only 76 dB(A) in wood fastening applications FLUID-DRIVE[™] hydraulic powertrain reduces. metal on metal contact within the tool, delivering quieter operation, smoother performance and increased durability over a

	M12 FQID-0	M12 FQID-202X		
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B2 Battery packs, C12 C Charger, HD Box		
Article Number	4933464972	4933464973		
EAN Code	4058546229177	4058546229184		

standard impact

M12 BRAID M12 M12[™] SUB COMPACT RIGHT ANGLE IMPACT DRIVER

> Compact right angle impact driver measures 287 mm in length making it ideal for working within confined spaces REDLINK[™] overload protection electronics delivers best in class system durability Full metal gearbox and gears for superior durability and maximum torque of 68 Nm Compact head design with diameter of 35.6 mm

M12 BRAID-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied		
Article Number	4933451247		
EAN Code	4002395167715		





 More power, more compact, more control Up to 339 Nm of maximum torque 3/8" anvil with friction ring for quick and easy socket changes • Brushless POWERSTATE[™] motor delivers more power in a more compact size REDLINK PLUS[™] intelligence system delivers an advanced digital overload protection for tool and battery and uniquely enhances the tool performance under load

	M12 FIW38-0	M12 FIW38-422X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, HD Box
Article Number	4933464612	4933464613
EAN Code	4058546225575	4058546225582

M12 FUEL M12 FIWF12 M12 FUEL[™] SUB COMPACT 1/2" IMPACT WRENCH



 More power, more compact, more control
 Up to 339 Nm of maximum torque 1/2" anvil with friction ring for quick and easy socket changes Better access in tight spaces with an overall length of only 124.5 mm 4-Mode DRIVE CONTROL with auto-shut off mode, offers the user precise control Bright LED workspace illumination

M12 FIWF12-0	M12 FIWF12-422X		
No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, HD Box		
4933464615	4933464616		
4058546225605	4058546225612		
	No batteries supplied, No charger supplied, No kitbox or bag supplied 4933464615		

M12 BIW12

M12

M12

M12[™] SUB COMPACT 1/2" IMPACT WRENCH

7		measures 171 working within • REDLINK [™] ove in tool and bat system durabi • Heavy duty ful superior durab	Il metal gearbox and gears for bility and maximum torque ve with pin detent for use with
	M12 BIW12-0		M12 BIW12-202C
	No hottorioo our	plied No oberger	2 x M12 D2 Pottony pooks C12 C

	W12 BIW12-0	M12 BIW12-2026
Kit included	No batteries supplied, No charger	2 x M12 B2 Battery packs, C12 C
	supplied, No kitbox or bag supplied	Charger, Kitbox
Article Number	4933447134	4933447133
EAN Code	4002395006014	4002395006007

M12 BPRT M12[™] SUB COMPACT RIVET TOOL

Up to 325 x 4.8 mm stainless steel rivets on a single charge with a 2.0 Ah battery pack Suitable for all aluminium, steel, stainless steel and copper rivets up to 4.8 mm Rivets in one stroke with a 20.32 mm stroke length Retention nose pieces hold rivets in any

	M12 BPRT-0	M12 BPRT-201X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M12 B2 Battery pack, C12 C Charger, HD Box
Article Number	4933464404	4933464405
EAN Code	4058546223496	4058546223502

orientation

M12 FUEL M12 FRAIWF38 M12 FUEL[™] 3/8" RIGHT ANGLE IMPACT WRENCH WITH FRICTION RING

I HIOTION HING	
	 Delivers up to 270 Nm fastening torque and 300 Nm nut-busting torque 4-Mode DRIVE CONTROL includes Auto Shut-Off Mode and Bolt Removal Mode which prevents over-tightening and provides more control after bolt breakaway The long body profile allows for more access in hard to reach spaces Only 71 mm head profile design allows for more access in tight spaces
Kit included	No batteries supplied, No charger supplied, No kitbox or
	bag supplied
Article Number	4933471700
EAN Code	4058546295998

M12 FUEL M12 FIW14 M12 FUEL[™] SUB COMPACT 1/4" IMPACT WRENCH



- More power, more compact, more control
- Up to 115 Nm of maximum fastening torque
- $^{\circ}$ Up to 136 Nm of maximum nut busting torque $^{\circ}$ $^{\prime}\!/_{4}$ " anvil with friction ring for quick and easy
- socket changes Brushless POWERSTATE[™] motor delivers more power in a more compact size

M12 FIW14-0 No batteries supplied, No charger supplied, No kitbox or Kit included bag supplied 4933464611 Article Number EAN Code 405854622556

M12 BIW38 M12[™] SUB COMPACT 3/8" IMPACT WRENCH

M12

1	 High performance sub compact impact wrench measures 165 mm in length making it ideal for working within confined spaces REDLINK" overload protection electronics in tool and battery pack deliver best in class system durability Heavy duty full metal gearbox and gears for superior durability and maximum torque */s[*] square drive with friction ring for use with universal sockets M12 BIW38-0
	No batteries supplied, No charger supplied, No kitbox or
Kit included	bag supplied
Article Number	4933441985
EAN Code	4002395002603

M12 FRAIWF12 M12 FUEL M12 FUEL[™] 1/2" RIGHT ANGLE IMPACT WRENCH WITH FRICTION RING

	 Delivers up to 270 Nm fastening torque and 300 Nm nut-busting torque 4-Mode DRIVE CONTROL includes Auto Shut-Off Mode and Bolt Removal Mode which prevents over-tightening and provides more control after bolt breakaway The long body profile allows for more access in hard to reach spaces Only 71 mm head with anvil profile design allows for more access in tight spaces
ncluded	No batteries supplied, No charger supplied, No kitbox or bag supplied

KIT INCIUDED	bag supplied
Article Number	4933471699
EAN Code	4058546295981





M12 ONEFTR12-201C M12 ONEFTR12-0C No batteries supplied, No charger 1 x M12 B2 Battery pack, C12 C Kit included supplied. Kitbox Charger, Kitbox Article Number 4933464969 4933464970 4058546229146 4058546229153 EAN Code



GET THE RIGHT RATCHET FOR THE JOB

PRECISION TOOLS

Delivering increased productivity, precise torque accuracy, and user demanded reporting functionality



HIGH SPEED Faster speed while installing and removing fasteners



LONG REACH

Slim head profile and an extended reach that gives you the longest reach in tight spaces



COMPACT 4 Perfect mix of size and power to get into those tight areas



		Battery system	ONE-KEY™	Tool reception	Max. torque (Nm)	Torque range (Nm)	Accuracy	No load speed (rpm)	Length (mm)	Weight with battery pack (EPTA) (kg)
	M12 ONEFTR12-2010	C M12 FUEL™	ONE-KEY™	1/2" square	203.4	16.9 - 203.4	CW ±2 %, CCW ±3%	0 - 100	596,9	2.6 (M12 B2)
1.	M12 ONEFTR38-2010	C M12 FUEL™	ONE-KEY TM	3/8" square	135.6	13.6 - 135.6	CW ±2 %, CCW ±3%	0 - 100	591,8	2.5 (M12 B2)
2.	M12 FPTR-202X	M12 FUEL™	-	14.4 mm Hex	81	-	-	0 - 350	386	1.2 (M12 B2)
2.	M12 FHIR14LR-0	M12 FUEL™	-	1⁄4" square	47	-	-	0 - 450	348	1.1 (M12 B2)
2.	M12 FHIR38LR-0	M12 FUEL™	-	3/8" square	47	-	-	0 - 450	363	1.1 (M12 B2)
2.	M12 FIR38LR-0	M12 FUEL™	-	³ /8" square	75	-	-	0 - 200	363	1.4 (M12 B2)
3.	M12 FHIR14-0	M12 FUEL™	-	1/4" square	47	-	-	0 - 450	272	1.0 (M12 B2)
3.	M12 FHIR38-0	M12 FUEL™	-	3/8" square	47	-	-	0 - 450	272	1.0 (M12 B2)
4.	M12 FIR12-0	M12 FUEL™	-	1/2" square	81	-	-	0 - 175	290	1.5 (M12 B2)
4.	M12 FIR38-0	M12 FUEL™	-	3/8" square	75	-	-	0 - 200	281	1.4 (M12 B2)
4.	M12 IR-201B 3/8	M12™	-	³ /8" square	47	-	-	0 - 250	274	0.9 (M12 B2)
4.	M12 IR-201B 1/4	M12™		1⁄4" square	40			0 - 250	274	0.90 (M12 B2)
4.	M12 FRAIWF12-0	M12 FUEL™	-	1/2" square	270	-	-	0-1150/ 0-2300/ 0-3000/ 0-3000	-	1.7 (M12 B4)
4.	M12 FRAIWF38-0	M12 FUEL™	-	³ /8" square	270	-	-	0-1550/ 0-2300/ 0-3000/ 0-3000	-	1.7 (M12 B4)



SCAN HERE TO VIEW **OUR PPE RANGE**




SCAN HERE TO VIEW **COMPATIBLE IMPACT** SOCKETS



hnical specifications, including noise and vibration data, please visit our website: www.milwauk

M12 FPTR M12 FUEL M12 FUEL[™] INSIDER[™] PASS-THROUGH RATCHET



350 rpm's, this tool offers the perfect combination of power and speed Features the lowest-profile head for best-inclass access in confined spaces The extended neck allows users better access in hard-to-reach places Pass-through sockets up to a size of 15 mm allow users to comfortably fasten and unfasten nuts on bolts of any length

	M12 FPTR-0	M12 FPTR-202X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B2 Battery packs, C12 C Charger, HD Box
Article Number	4933480756	4933480754
EAN Code	4058546410414	4058546410391


M12 FUEL **M12 ONEFTR38** M12 FUEL[™] ONE-KEY[™] 3/8" DIGITAL TORQUE WRENCH

ONE	
	a. 5

 MILWAUKEE[®]'s first digital torque wrench. delivers up to 50% faster installation by replacing the hand tool • Provides 13.6 - 135.6 Nm of torque range and accuracy within ±2% for torque critical fasteners Easter more productive torque reporting with ONE-KEY[™] providing torque data and customisable reports for inspectors or owners

M12 ONEFTR38-0C	M12 ONEFTR38-201C
No batteries supplied, No charger	1 x M12 B2 Battery pack, C12 C
supplied, Kitbox	Charger, Kitbox
4933464966	4933464967
4058546229115	4058546229122
	No batteries supplied, No charger supplied, Kitbox 4933464966

M12 FHIR38LR M12 FUEL M12 FUEL[™] 3/8" EXTENDED REACH HIGH SPEED RATCHET



M12 FHIR14 M12 FUEL[™] 1/4" HIGH SPEED RATCHET



EAN Code




• With up to 47 Nm of max torque and 450 rpm's, this tool delivers faster application speed and increased productivity for the professional user 19 mm low profile head design allows users better access in tight spaces Variable speed metal trigger provides ultimate control of the tool

	M12 FHIR14-0	
Kit included	No batteries supplied, No charger supplied, No kitbox or	
KII IIICIUUEU	bag supplied	
Article Number	4933478171	
EAN Code	4058546341046	



M12 FUEL M12 FHIR14LR M12 FUEL[™] 1/4" EXTENDED REACH HIGH SPEED RATCHET



Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	
Article Number	4933480790	
EAN Code	4058546410759	



	 With up to 75 Nm of max torque and 200 rpm's, this tool is the ideal fastening solution for automotive mechanics, maintenance and repair professionals The industry leading FUEL[™] technology combined with a reinforced mechanism and investment cast steel yoke housing provides greater durability for the professional user Extended reach ratchet adding additional 82 mm of length for access into tight spaces
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933471500

405854629399






 With up to 47 Nm of max torque and 450 rpm's, this tool delivers faster application speed and increased productivity for the professional user 19 mm low profile head design allows users better access in tight spaces Variable speed metal trigger provides ultimate control of the tool
M12 FHIR38-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
	bag supplied
Article Number	4933478172
EAN Code	4058546341053





investment cast steel yoke housing provides greater durability for the professional user M12 FIR12-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933459800
EAN Code	4058546029722





M12 FUEL

200 rpm's, thi solution for au maintenance a • Low profile he access in tigh • The industry it combined with investment ca	Nm of max torque and s tool is the ideal fastening tomotive mechanics, and repair professionals ad design allows users better t spaces eading FUEL [™] technology h a reinforced mechanism and st steel yoke housing provides lity for the professional user
M12 FIR38-0	M12 FIR38-201B
No batteries supplied, No charger	1 x M12 B2 Battery pack, C12 C

supplied, No kitbox or bag supplied Charger, Tool bag 4933459797 4933459798

405854602969

M12 B	I	
M12 [™] SUB	COMPACT	INFLATOR



M12 FTB

· Compact lightweight design for fast inflation of
car, light truck and compact equipment tires
 High efficiency motor & pump
 Anti-vibration stand with all rubber feet for no

movement while inflating Auto shut-off technology inflates to users pre-

selected pressure for highly accurate inflation Illuminated LCD display with a digital pressure and fuel gauge that displays remaining charge

M12 FUEL

M12

	M12 BI-0	
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	
Article Number	4933464124	
EAN Code	4058546220693	

M12 IR M12[™] SUB COMPACT RATCHET



Pneumatic performance with cordless convenience, 47 Nm of torque and no load speed of 250 rpm REDLINK[™] overload protection electronics in tool and battery pack deliver best in class system durability Reinforced housing - provides high durability similar to steel ratchets Compact design - ideal for tight spaces and small engine bays

M12 IR-201B 1/4	M12 IR-201B 3/8
1 x M12 B2 Battery pack, C12 C	1 x M12 B2 Battery pack, C12 C
Charger, Tool bag	Charger, Tool bag
4933441725	4933441720
4002395002030	4002395002023
	1 x M12 B2 Battery pack, C12 C Charger, Tool bag 4933441725

M12 GG M12 M12[™] SUB COMPACT GREASE GUN

Kit included

Article Number EAN Code



 Powerful 12 V motor delivers over 562 bar max operating pressure REDLINK[™] overload protection electronics in tool and battery pack deliver best in class system durability Extreme long run time - dispenses up to 7 cartridges per charge Strong handle balance and ergonomics - only 355 mm long and 3.2 kg

M12

M12 GG-0 M12 GG-401B No batteries supplied, No charger 1 x M12 B4 Battery pack, C12 C Kit included supplied, No kitbox or bag supplied Charger, Tool bag 4933441675 4933440435 Article Number EAN Code 40023950009 400239500190

M12 PCG/600 M12 M12[™] SUB COMPACT CAULK GUN WITH 600 ML TUBE



Up to 1780 N of force REDLINK[™] overload protection electronics in tool and battery pack deliver best in class system durability Optimised performance with all construction adhesives and cool temperatures Anti-drip feature prevents unwanted dripping when trigger is released Dial control with 6 speed settings allows for

	maximum bead control	
	M12 PCG/600A-0	M12 PCG/600A-201B
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M12 B2 Battery pack, C12 C Charger, Tool bag
Article Number	4933441786	4933441670
EAN Code	4002395002283	4002395001897

M12 PCG/400 M12 M12[™] SUB COMPACT CAULK GUN WITH 400 ML TUBE



• Up to 1780 N of force REDLINK[™] overload protection electronics in tool and battery pack deliver best in class system durability Optimised performance with all construction adhesives and cool temperatures

Anti-drip feature prevents unwanted dripping when trigger is released Dial control with 6 speed settings allows for maximum bead control M12 PCG/400A-201B

luded	No batteries supplied, No charger supplied, Tool bag	1 x M12 B2 Battery pack, C12 C Charger, Tool bag
Number	4933441780	4933441665
ode	4002395002276	4002395001880

M12 PCG/310

M12[™] SUB COMPACT CAULK GUN WITH 310 ML CARTRIDGE HOLDER



Up to 1780 N of force REDLINK[™] overload protection electronics in tool and battery pack deliver best in class system durability Optimised performance with all construction adhesives and cool temperatures Anti-drip feature prevents unwanted dripping when trigger is released Dial control with 6 speed settings allows for maximum bead control

M12

M12 PCG/310C-0 M12 PCG/310C-201B

Kit included	No batteries supplied, No charger	1 x M12 B2 Battery pack, C12 C
	supplied, No kitbox or bag supplied	Charger, Tool bag
Article Number	4933441783	4933441655
EAN Code	4002395002269	4002395001866

M12 ATB M12[™] AUTOMOTIVE TECHNICIAN BORESCOPE



• 4.3" LCD screen delivers sharp and clear images and allows users to see objects in areater detail 5.0 mm camera head allows great access to tight places like spark plug holes, fuel injector ports and cylinders Front and side view camera guarantees to identify hairline cracks and other issues on the engine and other areas of the vehicle

M12

M12 ATB-0C

Kit included No batteries supplied, No charger supplied, Ki		
Article Number	4933493136	
EAN Code	4058546480073	

112 FUEL [™] LOW SPEED TYRE BUFFER		
	 The M12 FUEL[™] low speed tyre buffer has a two-speed mode selector for reaming & buffing applications Optimal speed settings of 1200 RPM in first mode and 2500 RPM in second mode help to avoid burning the rubber and damaging the tyre Pneumatic performance with cordless convenience for better accessibility and manoeuvrability in tight spaces 	

M12 FTB-0

	M1211B-0
Kit included	No batteries supplied, No charger supplied, No kitbox or
	bag supplied
Article Number	4933472215
EAN Code	4058546326111

C12 RT M12[™] SUB COMPACT ROTARY TOOL

-	Versatile cordless solution for cutting and removal applications REDLINK [™] overload protection electronics in tool and battery pack deliver best in class system durability Variable speed (5000 - 32,000 rpm) 3.2 mm collet fits most current accessories in the market Spindle lock mechanism for easy accessory changes C12 RT-0
	No batteries supplied, No charger supplied, No kitbox or
Kit included	bag supplied
Article Number	4933427183
EAN Code	4002395239030

M12 FBS64 M12 FUEL M12 FUEL[™] SUB COMPACT BAND SAW WITH 64 MM **CUTTING CAPACITY**

 First 12V band saw with 64 mm cutting capacity on the market Compact light weight design, especially for cutting overhead with one hand in existing installations and in tight spaces Variable speed trigger for quick & easy speed adiustments Integrated blade cover protects user from injuries by preventing any access to the blade

	M12 FBS64-0C	M12 FBS64-402C
Kit included	No batteries supplied, No charger	2 x M12 B4 Battery packs, C12 C
KIL IIICIUUEU	supplied, Kitbox	Charger, Kitbox
Article Number	4933478440	4933478441
EAN Code	4058546346317	4058546346324

M12 SI M12[™] SUB COMPACT SOLDERING IRON



- Quick heat up time: the tool is ready to use in 20 - 30 seconds
- 3 locking head positions to work in multiple orientations 0°, 45°, 90°
- Tool free replaceable tips

Dual color LED lights to notify user: flashing green when tool is heating up, solid green when the tool is ready for operation and solid red when the tool is off but the tip is hot to touch until the red LED turns off

	M12 SI-0	M12 SI-201C
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M12 B2 Battery pack, C12 C Charger, Kitbox
Article Number	4933459760	4933459761
EAN Code	4058546029326	4058546029333

M12 BLROT M12[™] BRUSHLESS ROTARY TOOL

M12

M12

BRUSHLESS	 Compact and balanced in all orientation design allow the user to hold the tool close to the work piece Variable speed from 5000 rpm to 27500 rpm with 12 speed settings allows the user to dial in the correct speed for each application 3.2 mm collet included, compatible with most common accessories Soft grip and low vibration allows user to work comfortably and for longer periods
	No batteries supplied, No charger supplied, No kitbox or
Kit included	bag supplied
Article Number	4933493591
EAN Code	4058546484620

M12 FUEL M12 FCOT M12 FUEL[™] SUB COMPACT MULTI-MATERIAL CUT-OFF TOOL



- Fast accurate cutting with up to 20.000 RPM Optimised ergonomic design for easy control and one-handed use. Only 1.1 kg and 226 mm
- in length • Multi-material cutting capability with variety of blades available (metal cut-off wheel, carbide abrasive blade and diamond tile blade)
- A very capable problem solving tool for cutting steel, stainless steel, non-ferrous materials, drywall, fibre cement, plastic and ceramics

	M12 FCOT-0	M12 FC0T-422X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, HD Box
Article Number	4933464618	4933464619
EAN Code	4058546225636	4058546225643

M12 BS M12[™] SUB COMPACT BANDSAW

M12



- Compact light weight design for cutting with one hand overhead in existing installations and in tight spaces
- REDLINK[™] overload protection electronics in tool and battery pack deliver best in class system durability
- Cuts a multitude of materials: steel, stainless steel, copper, plastic, aluminium
- Cold cutting spark and burr free

M12 BS-0 M12 BS-402C No batteries supplied, No charger 2 x M12 B4 Battery packs, C12 C Kit included supplied, No kitbox or bag supplied Charger, Kitbox Article Number 4933431310 4933441805 4002395242092 4002395002344 EAN Code



M12 FNB16 M12 FUEL[™] 1.6 MM NIBBLER



M12 FDGA

Kit included

EAN Code

Article Number

M12 FUEL[™] ANGLED DIE GRINDER

M12 FDGA-0

4933471438

40585462906

No batteries supplied, No charger

First 12V Nibbler with max. cutting capacity in mild Steel: 1.6 mm, in Stainless Steel: 1.2 mm, in Aluminium: 2.1 mm With only 1.6 kg (6.0 Ah battery included) it is the lightest cordless Nibbler on the market, while still outperforming 18V brushed competitors Maximum control for any material, with a 5-step speed dial it is ideal for working with stainless steel and aluminium

The first cordless right angle die grinder that

in tight places, and offers great mobility and

responsive variable speed trigger enabling

M12 FDGA-422B

4933471439

405854629067

1 x M12 B4, 1 x M12 B2 Battery

Features a 4-mode speed control and

To be used with discs up to Ø50 mm

Supplied with 6 and 8 mm collets

supplied, No kitbox or bag supplied packs, C12 C Charger, Tool bag

delivers more power vs. pneumatic models Compact size (only 119 mm long) to help fit

	M12 FNB16-0X	M12 FNB16-402X
Kit included	No batteries supplied, No charger supplied, HD Box	2 x M12 B4 Battery packs, C12 C Charger, HD Box
Article Number	4933479618	4933479619
EAN Code	4058546374129	4058546374136

access

outstanding control



Kit included

EAN Code

EAN Code

Article Number

M12 BPS

M12 FUEL

M12

 The first cordless in-line die grinder that delivers more power vs. pneumatic models Best-in-class size (262 mm long) to help reach in tight places, and offers great mobility and access Features a 3-mode speed control and responsive variable speed trigger enabling outstanding control • To be used with discs up to Ø50 mm Supplied with 6 and 8 mm collets

Variable 2 speed selection (0-2800 /

0-8300 RPM) for both polishing and sanding

REDLINK[™] overload protection electronics

Large capacity of 76 mm polishing sponge

and 50 mm sanding pad size for fast job

in tool and battery pack deliver best in class

M12 BPS-421X

4933447799

400239500656

	M12 FDGS-0	M12 FDGS-422B
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, Tool bag
Article Number	4933471435	4933471436
EAN Code	4058546290634	4058546290641

applications

completion

system durability

M12 FMT

M12 FUEL

M12 FUEL[™] MULTI-TOOL

Brushless POWERSTATE[™] motor delivers fast cutting speed through common materials without slowing or bogging down in hardwoods

Adjustable 10,000 to 20,000 opm allow the user to get the perfect cut whatever the material owest vibration in its class, 4.56 m/s² driving

- LOWEST VIDIATION IN Its Class	s, 4.30 m/s unving	
productivity through perfor	mance and safety	


	M12 FMT-0	M12 FMT-422X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, HD Box
Article Number	4933472238	4933472239
EAN Code	4058546326340	4058546326357

M12 FCS442

M12 FUEL

M12

M12 FUEL[™] SUB COMPACT CIRCULAR SAW



M12 FCS442-0	M12 FCS442-502X
No batteries supplied, No charger	2 x M12 HB5 Battery packs, C12 C
supplied, No kitbox or bag supplied	Charger, HD Box
4933493488	4933493489
4058546483593	4058546483609
	No batteries supplied, No charger supplied, No kitbox or bag supplied 4933493488

M12 FBFL10 M12 FUEL[™] BAND FILE 10 MM



M12 FUEL

Lightest cordless band file on the market, only .0 kg with a 2.0 Ah battery Outperforms pneumatic competitor while providing better balance 2 speed modes and variable speed trigger provide maximum control from taking down welds to precise work with inox, aluminium and wood

	M12 FBFL10-0	M12 FBFL10-402B
Kit included	No batteries supplied , No charger supplied , No kitbox or bag supplied	2 x M12 B4 Battery packs, C12 C Charger, Tool bag
Article Number	4933480958	4933480959
EAN Code	4058546412432	4058546412449

M12 FBFL13 M12 FUEL[™] BAND FILE 13 MM

M12[™] SUB COMPACT POLISHER / SANDER

M12 BPS-0

4933447791

400239500

No batteries supplied, No charger

supplied, No kitbox or bag supplied

M12 FUEL

1 x M12 B4, 1 x M12 B2 Battery

packs, C12 C Charger, HD Box

	Lightest cord 1.1 kg with a Outperforms providing be 2 speed mod provide max	3mm belt width lless band file on the market, only 2.0 Ah battery pneumatic competitor while tter balance les and variable speed trigger mum control from taking down cise work with inox, aluminium
	M12 FBFL13-0	M12 FBFL13-402B
Kit included	2 x M12 B4 Battery packs, C12 C Charger, Tool bag	No batteries supplied , No charger supplied , No kitbox or bag supplied
Article Number	4933480960	4933480961
EAN Code	4058546412456	4058546412463

M12 FDSS M12 FUEL M12 FUEL[™] SUB COMPACT SPOT SANDER



shaped pad allows uncompromised corner accessibility Four speed modes allows the correct speed to be set for different types of material Low vibration at only 4.3 m/s² Sponge interface pad included optimises the tool for profiles and contours which increases the precision and removal of material

Compact detail sander with a pental

	M12 FDSS-0B	M12 FDSS-422X
Kit included	No batteries supplied, No charger supplied, Tool bag	1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, HD Box
Article Number	4933479680	4933479681
EAN Code	4058546374747	4058546374754





 M12[™] Brushless Planer with a 2 mm planning. depth and 51 mm planning width allows the tool to perform in the most common user applications Compact and light weight, comfortable to use in a variety of orientations and allows for one handed usage Dual-sided dust port for improved chip ejection to the left or right

M12

M12 BLP-0X M12 BLP-402X No batteries supplied, No charge 2 x M12 B4 Battery packs, C12 C Kit included supplied. HD Box Charger, HD Box 4933492851 Article Number 4933492850 4058546477219 4058546477226

C12 HZ M12[™] SUB COMPACT HACKZALL[™]

		use HACKZAL in length, mak confined spac • REDLINK" ow in tool and bai system durable	erload protection electronics ttery pack deliver best in class lity EC [™] clamp for fast and easy change
		• Low Vibration	c12 HZ-202C
	Kit included	No batteries supplied, No charger	2 x M12 B2 Battery packs, C12 C
Kit included No batteries supplied, No charger 2 x M12 B2 Battery packs, C12 C		supplied, No kitbox or bag supplied	Charger, Kitbox
	Article Number	4933411925	4933441195
supplied, No kitbox or bag supplied Charger, Kitbox	EAN Code	4002395236367	4002395001200

M12 FCN18GS M12 FUEL M12 FUEL[™] 18 GA STRAIGHT BRAD NAILER



Fires 18 gauge straight nails with a 0 degree

 Drv-Fire lockout stops the tool being fired when there are no nails left in the magazine Quick access for tool free iam removals Small work contact bracket allows the user to fire and sink nails at a more acute angle Smaller nail hole, the exact size of the nail head leaving a neater finish

	M12 FCN18GS-0X	M12 FCN18GS-202X
Kit included	No batteries supplied, No charger	2 x M12 B2 Battery packs, C12 C
Kit iliciuueu	supplied, HD Box	Charger, HD Box
Article Number	4933493354	4933493355
EAN Code	4058546482251	4058546482268

C12 MT M12[™] SUB COMPACT MULTI-TOOL



- Versatile cordless solution for cutting and removal applications
- REDLINK[™] overload protection electronics in tool and battery pack deliver best in class system durability
- Variable speed (5000 20,000 rpm) and 1.5° left/right oscillation movement allows guick completion of professional applications into materials such as metal, wood and plastic Will accept competitor accessories

C12 MT-0	C12 MT-202B	C12 MT-402B
No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B2 Battery packs, C12 C Charger, Tool bag	2 x M12 B4 Battery packs, C12 C Charger, Tool bag
4933427180	4933441710	4933441705
4002395239276	4002395002009	4002395001989
	No batteries supplied, No charger supplied, No kitbox or bag supplied 4933427180	No batteries supplied, No charger supplied, No kitbox or bag supplied 4933427180 4933441710

M12 CHZ M12 FUEL[™] SUB COMPACT HACKZALL[™]



M12



Kit included		2 x M12 B4 Battery packs, C12 C Charger, Kitbox	2 x M12 B6 Battery packs, C12 C Charger, HD Box
Article Number	4933446960	4933446950	4933451511
EAN Code	4002395005727	4002395005710	4002395161591

M12 FJS M12 FUEL[™] BODYGRIP JIGSAW



- Delivering outstanding power, durability with a run time of up to 24 m in 19 mm OSB (on a 4.0 Ah battery pack)
- Patented FIXTEC[™] blade clamp for fast and easy blade change
- 6-speed settings with auto controlled start mode allows the tool to start slow and ramp up to full speed when load is detected for smooth and accurate cut starts

	M12 FJS-0	M12 FJS-422X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, HD Box
Article Number	4933493347	4933493348
EAN Code	4058546482183	4058546482190

M12 BCST M12[™] SUB COMPACT CABLE STAPLER



 The new battery powered cable stapler is
twice as fast than manual staple installation.
It eliminates majority of hand stapling of low
voltage cable into wood
 Moveable cable guides ensure proper
alignment over cable prior to fastening over a

variety of cable sizes

M12 BCST-0

No batteries supplied, No charger supplied, No kitbox or
bag supplied
4933480488
4058546407735



C12 PN

Kit included

Kit included

Article Number EAN Code

Article Number EAN Code

M12 BST M12[™] SUB COMPACT STAPLER



 Breakthrough performance limits user fatigue by eliminating the repetitive motion of hand tools Ready to Fire Technology eliminates ramp-up time between each staple discharge • Bump fire and sequential fire operation allows the user to fire quickly and accurately 2000 staples fired with one 2.0 Ah battery pack Fires standard T11 T50 and T140 10.6 mm staples from 6 to 14 mm

Professional power effectively drives 100 mm framing nails in less than 3 seconds

in tool and battery pack deliver best in class

Superior ergonomics - user-preferred palm

style grip provides outstanding comfort and

Fits into locations where a hammer cannot

No batteries supplied, No charger supplied, No kitbox or

REDLINK[™] overload protection electronics

system durability

control

be swung C12 PN-0

bag supplied 4933427182

40023952392

M12

M12

M12

	M12 BST-0	M12 BST-202X
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M12 B2 Battery packs, C12 C Charger, HD Box
Article Number	4933459634	4933459635
EAN Code	4058546028060	4058546028077



M12 FVCL M12 FUEL[™] WET/ DRY VACUUM

 Powerful M12 FUEL[™] motor with a maximum air flow of 1275 l/min & 105 mbar provides 18V performance for both wet and dry clean up . applications • With a 6.0 Ah battery the vacuum provides 14 minutes of run time on high and 26 minutes on the low setting, this compact vacuum is ideal for spot and service focused wet/ dry quick clean up needs

M12 FUEL

M12 FVCL-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
	bag supplied
Article Number	4933478186
AN Code	4058546341190

M12 AUN M12[™] AIR-TIP[™] UTILITY NOZZLE

M12[™] SUB COMPACT PALM NAILER



The M12[™] powered utility nozzle is a great accessory that is designed to clean jobsite debris on short and medium hair carpeted surfaces The universal reception fits to all MILWAUKEE® M12[™] and M18[™] cordless vacs and covers most common hose sizes (Ø 31.8 mm.

M12 AUN-0 No batteries supplied, No charger supplied, No kitbox or bag supplied 4932479461

405854637255

4933448390

4002395262908

47.6 mm and 63.5 mm)

M12 HV M12[™] SUB COMPACT STICK VAC



 Excellent suction power for wood, metal and common debris Clear viewing window gives the user the ability to see debris build up Lock on switch reduces fatigue during sustained use Versatile accessories for small or large clean up areas Compact design makes it easy to clean in tight spaces
M12 HV-0
No batteries supplied, No charger supplied, No kitbox or bag supplied



M12 BBL M12[™] BLOWER

Kit included

EAN Code

Article Number

M12

- Hereit	 Powerful motor can generate up to 4.81 m³ / min of air volume at 177 km/h for fast cleaning of the jobsite Lightweight, compact body clears dirt and debris in tight spaces Perfect control of the power with the 2 speed adjustable trigger Versatile attachments like the nozzle extension (25.5 cm) and a tip tube for accurate working are included M12 BBL-0
	No batteries supplied, No charger supplied, No kitbox or
	bag supplied
	4933472214

4058546326104

M12 AF M12[™] AIR FAN

Three speed settings delivering max air speed of 22.53 km/h



M12

M12

 Boundless hanging and mounting possibilities with the integrated magnets, key holes, hooks and pass through holes

	M12 AF-0
Kit included	No batteries supplied, No charger supplied, No kitbox or
	bag supplied
Article Number	4933478228
EAN Code	4058546344054

M12 JSSP

M12[™] JOBSITE BLUETOOTH[®] SPEAKER



 Advanced technology Bluetooth[®] jobsite speaker Connect wirelessly with portable electronic devices from up to 10 m away Loud, clear sound at all volumes
 Premium speaker with bass port Withstand tough conditions on and off the jobsite Rugged over mould, metal speaker grill

	M12 JSSP-0
Kit included	No batteries supplied, No charger supplied, No kitbox or
Kit included	bag supplied
Article Number	4933448380
EAN Code	4002395262892

M12 FPP2A2 M12[™] POWERPACK

M12 FUEL

M12 FPD2 - M12 FUEL[™] sub compact rcussion dril M12 FID2 - M12 FUEL[™] sub compact ¹/4" impact driver

	M12 FPP2A2-402X	M12 FPP2A2-602X
Kit included	2 x M12 B4 Battery packs, C12 C Charger, HD Box	2 x M12 B6 Battery packs, C12 C Charger, HD Box
Article Number	4933480587	4933480588
EAN Code	4058546408725	4058546408732

M12 FPP2E2 M12 FUEL[™] POWERPACK

M12 FUEL



Kit include

Article Nur

EAN Code

• M12 FPD2 - M12 FUEL[™] sub compact percussion drill M12 FQID - M12 FUEL[™] SURGE[™] 1/4" Hex hydraulic impact driver

	M12 FPP2E2-402X
ed	2 x M12 B4 Battery packs, C12 C Charger, HD Box
mber	4933480594
1	4058546408794

Kit included

EAN Code

Article Number

M12 RCDAB+ M12[™] RADIO CHARGER DAB+

dab+	 Premium spea provides high DAB+ and AM processor deli signal clarity a song, artist an Digital Bluetor 30 m away fro or tablet
	or tablet

- aker and high frequency tweeter sound quality
- M/FM tuner with the digital elivers highest reception accuracy, and additional information like: and accurate time
- ooth[®] receiver: Plays music up to rom your smartphone, computer

M12	RCDAB+-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied		
Article Number	4933472114		
EAN Code	4058546325107		

M12-18 JSSP M12[™] - M18[™] BLUETOOTH[®] SPEAKER

M12 M18

M12



- Advanced technology Bluetooth[®] jobsite speaker
- Bluetooth[®] wireless range of up to 30 m Flexible battery system: works with all MILWAUKEE[®] M12[™] & M18[™] batteries
- PIP54 rated, water and debris resistant to withstand tough conditions on and off the jobsite
- Loud, clear sounds at all volumes

M12-18 JSSP-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied		
Article Number	4933459275		
EAN Code	4058546002411		





M12 FUEL

- M12 FPD2 M12 FUEL[™] sub compact
- M12 CH M12 FUEL[™] sub compact SDS-plus hamme

	M12 FPP2F2-402X	M12 FPP2F2-602X
Kit included	2 x M12 B4 Battery packs, C12 C Charger, HD Box	2 x M12 B6 Battery packs, C12 C Charger, HD Box
Article Number	4933480590	4933480591
EAN Code	4058546408756	4058546408763







M12 BPD - M12[™] sub compact percussion drill • M12 BID - M12[™] sub compact 1/4" Hex impact driver

M12 BPP2B-421C

Kit included	1 x M12 B4, 1 x M12 B2 Battery packs, C12 C Charger, Kitbox		
Article Number	4933443497		
EAN Code	4002395004614		







M12 HJ BL5 M12[™] HEATED JACKET - BLACK

M12

M12

M12





• Heat on demand - sewn in carbon fibre heating wires, distribute heat to core body areas and to the front pockets Superior run time, up to 8 hours of heat on low level with a single battery charge of an M12[™] REDLITHIUM[™] 3.0 Ah battery pack Easy touch heat controller - 3 heat settings: High, Medium, Low
 TOUGHSHELL[™] stretch 90% polyester and 10% spandex material to withstand harsh working conditions and deliver up to 5x longer life FREE FLEX[™] mobility - additional material under the arms increases range of movement for working overhead
 New battery pocket design providing users multiple options for battery placement, allowing adaptability to the situation Improved slim fit design with extended back prevents heat loss and keeps the user warm • M12™ battery controller with 1 A USB port, to charge mobile devices stored in concealed battery pocket Water and wind resistant provides comfort and durability in barsh environments Big hand & chest pocket, ideal for storing mobile devices

	M12 HJ BL5-0 (S)	M12 HJ BL5-0 (M)	M12 HJ BL5-0 (L)	M12 HJ BL5-0 (XL)	M12 HJ BL5-0 (XXL)	M12 HJ BL5-0 (XXXL)
	No batteries supplied, No					
Kit included	charger supplied, No kitbox or					
	bag supplied					
Article Number	4933478967	4933478968	4933478969	4933478970	4933478971	4933479362
EAN Code	4058546362492	4058546362508	4058546362515	4058546362522	4058546362539	4058546371562

M12 HJ GREY5 M12[™] HEATED JACKET - GREY



• Heat on demand - sewn in carbon fibre heating wires, distribute heat to core body areas and to the front pockets Superior run time, up to 8 hours of heat on low level with a single battery charge of an M12TH REDLITHIUMTH 3.0 Ah battery pack • Easy touch heat controller - 3 heat settings: High, Medium, Low TOUGHSHELL[™] stretch 90% polyester and 10% spandex material to withstand harsh working conditions and deliver up to 5x longer life • FREE FLEX™ mobility - additional material under the arms increases range of movement for working overhead New battery pocket design providing users multiple options for battery placement, allowing adaptability to the situation Improved slim fit design with extended back prevents heat loss and keeps the user warm

• M12[™] battery controller with 1 A USB port, to charge mobile devices stored in concealed battery pocket

Water and wind resistant, provides comfort and durability in harsh environments

Big hand & chest pocket, ideal for storing mobile devices

	M12 HJ GREY5-0 (S)	M12 HJ GREY5-0 (M)	M12 HJ GREY5-0 (L)	M12 HJ GREY5-0 (XL)	M12 HJ GREY5-0 (XXL)	M12 HJ GREY5-0 (XXXL)
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, No kitbox or bag supplied	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933478972	4933478973	4933478974	4933478975	4933478976	4933479363
EAN Code	4058546362546	4058546362553	4058546362560	4058546362577	4058546362584	4058546371579

M12 HJ CAMO6 M12[™] HEATED CAMOUFLAGE JACKET



 REALTREE XTRA[™] Camo pattern blends perfectly year round in a variety of habitats Quiet-shell stretch 100% polyester material to reduce noise during movement Heat on demand - 5 sewn in carbon fibre heating zones distribute heat to core body areas and to the front pockets
 Superior run time, up to 8 hours of heat on low level with a single battery charge of an M12[™] REDLITHIUM[™] 3.0 Ah battery pack
 Easy touch heat controller concealed inside the lapel - 3 heat settings: High, Medium, Low FREE FLEX[™] mobility - additional material under the arms increases range of movement for working overhead
 Water and wind resistant, provides comfort and durability in harsh environments New battery pocket design providing users multiple options for battery placement, allowing adaptability to the situation Improved slim fit design with extended back prevents heat loss and keeps the user warm

• M12[™] battery controller with 1 A USB port, to charge mobile devices stored in concealed battery pocket

	M12 HJ CAM06-0 (S)	M12 HJ CAM06-0 (M)	M12 HJ CAM06-0 (L)	M12 HJ CAM06-0 (XL)	M12 HJ CAM06-0 (XXL)	M12 HJ CAM06-0 (XXXL)
Kit included	No batteries supplied, No charger supplied, No kitbox or	No batteries supplied, No charger supplied, No kitbox or	No batteries supplied, No charger supplied, No kitbox or	No batteries supplied, No charger supplied, No kitbox or	No batteries supplied, No charger supplied, No kitbox or	No batteries supplied, No charger supplied, No kitbox or
	bag supplied					
Article Number	4933478977	4933478978	4933478979	4933478980	4933478981	4933479364
EAN Code	4058546362591	4058546362607	4058546362614	4058546362621	4058546362638	4058546371586

M12 HPJBL2 M12[™] HEATED PUFFER JACKET - BLACK



• M12[™] Heated Jacket powered by anM12[™] battery with carbon fibre heating elements creates and distributes heat to chest, back and shoulders. Superior run time, up to 11 hours of heat on a single battery charge of an M12[™] REDLITHIUM[™] 3.0 Ah battery pack · Lightweight and highly durable ripstop polyester provides a slim design that can be worn as an outer-shell or a mid-layer (100% Polyester outer and inner shell)

Reinforced high-wear zones protect from abrasion and tears. Provides comfort and durability in harsh, rainy or windy environments Optimised hidden battery pocket to place M12[™] battery in front or rear for increased comfort
 Multiple heating zones - 5 sewn in carbon fibre heating zones distribute heat to core body areas · Easy one-touch heat controller - 3 heat settings: High, Medium, Low Machine washable and dryable

	M12 HPJBL2-0 (S)	M12 HPJBL2-0 (M)	M12 HPJBL2-0 (L)	M12 HPJBL2-0 (XL)	M12 HPJBL2-0 (XXL)
Kit included	No batteries supplied , No charger supplied , Gift box	No batteries supplied , No charger supplied , Gift box	No batteries supplied , No charger supplied , Gift box	No batteries supplied , No charger supplied , Gift box	No batteries supplied , No charger supplied , Gift box
Article Number	4932480071	4932480072	4932480073	4932480074	4932480075
EAN Code	4058546403560	4058546403577	4058546403584	4058546403591	4058546403607

M12 HPJLBL2

M12[™] HEATED PUFFER JACKET LADIES - BLACK



• M12[™] Heated Jacket powered by anM12[™] battery with carbon fibre heating elements creates and distributes heat to chest, back and shoulders. ² Superior run time, up to 11 hours of heat on a single battery charge of an M12[™] REDLITHIUM[™] 3.0 Ah battery pack • Lightweight and highly durable ripstop polyester provides a slim design that can be worn as an outer-shell or a mid-layer (100% Polyester outer and inner shell

 Reinforced high-wear zones protect from abrasion and tears. Provides comfort and durability in harsh, rainy or windy environments
 Optimised hidden battery pocket to place M12th battery in front or rear for increased comfort Multiple heating zones - 5 sewn in carbon fibre heating zones distribute heat to core body areas Easy one-touch heat controller - 3 heat settings: High, Medium, Low Machine washable and dryable

	M12 HPJLBL2-0 (S)	M12 HPJLBL2-0 (M)	M12 HPJLBL2-0 (L)	M12 HPJLBL2-0 (XL)	M12 HPJLBL2-0 (XXL)
Kit included	No batteries supplied , No charger				
Kitiliciudeu	supplied , No kitbox or bag supplied				
Article Number	4932480085	4932480086	4932480087	4932480088	4932480089
EAN Code	4058546403706	4058546403713	4058546403720	4058546403737	4058546403744

M12 HPVBL2 M12[™] HEATED PUFFER VEST



inner shell Reinforced high-wear zones protect from abrasion and tears

 Provides comfort and durability in harsh, rainy or windy environments
 Optimised hidden battery pocket to placeM12[™] battery in front or rear for increased comfort Multiple heating zones - 3 sewn in carbon fibre heating zones distribute heat to core body areas
 Easy one-touch heat controller - 3 heat settings: High, Medium, Low Machine washable and dryable

	M12 HPVBL2-0 (S)	M12 HPVBL2-0 (M)	M12 HPVBL2-0 (L)	M12 HPVBL2-0 (XL)	M12 HPVBL2-0 (XXL)
Kit included	No batteries supplied, No charger supplied, Gift box				
Article Number	4932480076	4932480077	4932480078	4932480079	4932480080
EAN Code	4058546403614	4058546403621	4058546403638	4058546403645	4058546403652

M12 HVGREY1 M12[™] HEATED VEST - GREY



	M12 HVGREY1-0 (S)	M12 HVGREY1-0 (M)	M12 HVGREY1-0 (L)	M12 HVGREY1-0 (XL)	M12 HVGREY1-0 (XXL)	M12 HVGREY1-0 (XXXL)
Kit included	No batteries supplied, No charger					
Kit iliciuueu	supplied, Gift box					
Article Number	4932480100	4932480101	4932480102	4932480103	4932480104	4932480105
EAN Code	4058546403850	4058546403867	4058546403874	4058546403881	4058546403898	4058546403904

M12

M12

M12

• M12[™] Heated Jacket powered by an M12[™] battery with carbon fibre heating elements creates and distributes heat to chest, back and shoulders • Superior run time, up to 11 hours of heat on a single battery charge of an M12[™] REDLITHIUM[™] 3.0 Ah battery pack • Lightweight and highly durable ripstop polyester provides a slim design that can be worn as an outer-shell or a mid-layer (100% Polyester outer and

M12

• M12[™] Heated TOUGHSHELL[™] vest powered by an M12[™] battery with carbon fibre heating elements creates and distributes heat to chest & back ° Superior run time, up to 11 hours of heat on a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack ◎ TOUGHSHELL[™] stretch 90% Polyester and 10% spandex material to withstand harsh working conditions

Optimised hidden battery pocket to place M12[™] battery in front or rear for increased comfort



M12 HHGREY4 M12[™] HEATED HOODIE - GREY

M12

M12

M12

• M12[™] Heated Hoodie powered by an M12[™] battery with carbon fibre heating elements creates and distributes heat to chest and back Superior run time, up to 11 hours of heat on a single battery charge of an M12[™] REDLITHIUM[™] 3.0 Ah battery pack Rugged heated hoodie made from durable cotton (53%) exterior with durable reinforced utility pockets and polyester fleece (47%) lining to withstand tough outdoor conditions Optimised hiden battery pocket to place M12[∞] battery in front or rear for increased comfort
 In autumn and spring the hoodie can be worn as a rugged outer layer. In winter, it is best as a base layer that allows to shed bulky undergarments while generating and holding heat close to the body Multiple heating zones - 3 sewn in carbon fibre heating zones distribute heat to core body areas

· Easy one-touch heat controller - 3 heat settings: High, Medium, Low Integrated cell phone pocket

	M12 HHGREY4-0 (S)	M12 HHGREY4-0 (M)	M12 HHGREY4-0 (L)	M12 HHGREY4-0 (XL)	M12 HHGREY4-0 (XXL)
Kit included	No batteries supplied, No charger				
	supplied, No kitbox or bag supplied				
Article Number	4932480066	4932480067	4932480068	4932480069	4932480070
EAN Code	4058546403515	4058546403522	4058546403539	4058546403546	4058546403553

M12 HHBL4

M12[™] HEATED HOODIE - BLACK



• M12[™] Heated Hoodie powered by an M12[™] battery with carbon fibre heating elements creates and distributes heat to chest and back Superior run time, up to 11 hours of heat on a single battery charge of an M12[™] REDLITHIUM[™] 3.0 Ah battery pack

Rugged heated hoodie made from durable cotton (53%) exterior with durable reinforced utility pockets and polyester fleece (47%) lining to withstand tough outdoor conditions

Optimised hidden battery pocket to place M12[™] battery in front or rear for increased comfort

• In autumn and spring the hoodie can be worn as a rugged outer layer. In winter, it is best as a base layer that allows to shed bulky undergarments while generating and holding heat close to the body

Multiple heating zones - 3 sewn in carbon fibre heating zones distribute heat to core body areas Easy one-touch heat controller - 3 heat settings: High, Medium, Low

integrated cell phone pocket

	M12 HHBL4-0 (S)	M12 HHBL4-0 (M)	M12 HHBL4-0 (L)	M12 HHBL4-0 (XL)	M12 HHBL4-0 (XXL)
Kit included	No batteries supplied, No charger supplied, Gift box				
Article Number	4932480061	4932480062	4932480063	4932480064	4932480065
EAN Code	4058546403461	4058546403478	4058546403485	4058546403492	4058546403508

M12 HHLBL1 M12[™] HEATED LADIES HOODIE - BLACK

• M12[™] Heated Hoodie for ladies powered by an M12[™] battery with carbon fibre heating elements creates and distributes heat to chest and back Superior run time, up to 11 hours of heat on a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack Optimised hidden battery pocket to place M12[™] battery in front or rear for increased comfort

Rugged heated hoodie made from durable cotton (53%) exterior with durable reinforced utility pockets and polyester fleece (47%) lining to withstand tough outdoor conditions

In autumn and spring the hoodie can be worn as a rugged outer layer. In winter, it is best as a base layer that allows to shed bulky undergarments while generating and holding heat close to the body Multiple heating zones - 3 sewn in carbon fibre heating zones distribute heat to core body areas

 Easy one-touch heat controller - 3 heat settings: High, Medium, Low Integrated cell phone pocket

	M12 HHLBL1-0 (S)	M12 HHLBL1-0 (M)	M12 HHLBL1-0 (L)	M12 HHLBL1-0 (XL)
Kit included	No batteries supplied, No charger supplied, Gift			
	box	box	box	box
Article Number	4932480090	4932480091	4932480092	4932480093
EAN Code	4058546403751	4058546403768	4058546403775	4058546403782

L4 HBLB **USB RECHARGEABLE HEATED WORKSKIN[™] BASE LAYER**



· Mid-weight construction out of durable, pilling resistant material, keeps body warm and dry • Fully heats-up in 2.5 min Heat is created and distributed to the chest and back Powered by L4 USB rechargeable REDLITHIUM[™] battery pack • A one-touch LED controller allows the user to select from 2 heat settings, delivering ideal heat for any environment Durable, pilling resistant material with ragian designed sleeves and seamless shoulders for improved mobility and comfort
 Superior run time – Up to 180 min of heat on low level L4 battery holder - concealed battery pocket for minimal user interference Machine washable

	L4 HBLB-301S	L4 HBLB-301M	L4 HBLB-301L	L4 HBLB-301XL	L4 HBLB-301XXL
Kit included	1 x L4 B3 Battery pack, No charger supplied, No kitbox or bag supplied	1 x L4 B3 Battery pack, No charger supplied, No kitbox or bag supplied	1 x L4 B3 Battery pack, No charger supplied, No kitbox or bag supplied	1 x L4 B3 Battery pack, No charger supplied, No kitbox or bag supplied	1 x L4 B3 Battery pack, No charger supplied, No kitbox or bag supplied
Article Number	4933478081	4933478082	4933478083	4933478084	4933478085
EAN Code	4058546340148	4058546340155	4058546340162	4058546340179	4058546340186

LASERS RANGE



M18 RLOHV1200

M18

M18[™] 1200 M HORIZONTAL VERTICAL AUTO DUAL GRADE ROTARY LASER WITH ONE-KEY™



The ultimate tool for grading applications Fast, accurate automatic dual grade match up to 12.5 % in X & Y axis, and can adjust slope remotely with a duplicated remote display Adjustable masking to prevent laser interference and laser reflection from windows at iobsite Designed for harsh jobsite conditions, IP66 rated and withstands up to 1.5 m drops

	M18 RL0HV1200-501C
Standard equipment	1x RD1200, detector clamp, 1x remote control
Kit included	1 x M18 B5 Battery pack, M12-18 C Charger, Kitbox
Article Number	4933493204
EAN Code	4058546480752

M18 RLOHVG300 M18 M18[™] 300 M GREEN HORIZONTAL VERTICAL ROTARY LASER WITH ONE-KEY"

Designed for interior and exterior jobs, for long ONE distance applications • Automatic centre find with one press off a button, for long range alignment • High intensity green laser diode for maximised visibility; up to 4x better visibility vs red lasers Adjustable masking to prevent laser interference and laser reflection from windows Designed for harsh jobsite conditions, IP66 rated and withstands up to 1.5 m drops M18 RLOHVG300-501C

Standard equipment	1x RD300G, detector clamp
Kit included	1 x M18 B5 Battery pack, M12-18 C Charger, Kitbox
Article Number	4933493194
EAN Code	4058546480653

M12 CLL4P M12[™] CROSS LINE LASER WITH 4 POINTS

M12

∘ M12 [™] green cross l provides an all-in-c horizontal levelling.
Plumb point transfer horizontal point transfer horizontal point transfer ange of 38 m and • Provides all-day rur M12 B3 battery par

ine laser with 4 points. ne functionality with vertical alignment. er from floor to ceiling and nsfer beams provide a working up to 100 m with a detector time of 9+ hours with an

M12 CLL4P-0C	M12 CLL4P-301C
Track clip, HVIST	Track clip, HVIST
No batteries supplied, No charger	1 x M12 B3 Battery pack, C12 C
supplied, Kitbox	Charger, Kitbox
4933479202	4933479203
4058546369965	4058546369972
	Track clip, HVIST No batteries supplied, No charger supplied, Kitbox 4933479202





	comp
	M18 RL0H600-201C
Standard equipment	1x RD600, detector clamp
Kit included	1 x M18 B2 Battery pack, M12-18 C Charger, Kitbox

Kit included	1 x M18 B2 Battery pack, M12-18 C Charger, Kitbox
Article Number	4933493191
EAN Code	4058546480622

M12 3PL M12[™] GREEN 360° 3 PLANE LASER


M12[™] green 360° 3 plane laser provides an allin-one functionality with one horizontal line and two vertical lines for fast and easy alignment. leveling, squaring, and transfers allowing you to easily layout large spaces with one tool High intensity green laser diode for maximised

visibility: up to 4x better visibility vs red lasers High intensity green beams provide a working range of 38 m and up to 100 m with a detecto

M12[™] green cross line laser with plumb.

	M12 3PL-0C	M12 3PL-401C	M12 3PLKIT-401P
Standard equipment	Track clip, HIVIST	Track clip, HIVIST	HIVIST, LLD50, LM360, TRP120, Track Clip
Kit included	No batteries supplied, No charger supplied, Kitbox	1 x M12 B4 Battery pack, C12 C Charger, Kitbox	1 x M12 B4 Battery pack, C12 C Charger, PACKOUT™ box
Article Number	4933478103	4933478102	4933478960
EAN Code	4058546340360	4058546340353	4058546362423

M12 CLLP M12 M12[™] GREEN CROSS LINE LASER WITH PLUMB POINTS



	M12 CLLP-0C	M12 CLLP-301C
Standard equipment	Track clip, HIVIST	Track clip, HIVIST
Kit included	No batteries supplied, No charger	1 x M12 B3 Battery pack, C12 C
	supplied, Kitbox	Charger, Kitbox
Article Number	4933478101	4933478100
EAN Code	4058546340346	4058546340339

M12



CLL

Standard equipment

Kit included Article Number

EAN Code

L4 CLLP REDLITHIUM USB **USB RECHARGEABLE GREEN CROSS LINE LASER WITH** PLUMB POINTS



REDLITHIUM[™] USB rechargeable green cross line laser with plumb points provides an allin-one functionality with horizontal levelling, vertical alignment and plumb point transfer from floor to ceiling

High intensity green laser diode for maximised visibility; up to 4x better visibility vs red lasers High intensity green beams provide a working range of 30 m and up to 100 m with a detector

Alkaline cross line laser provides an all-in-

one functionality with horizontal levelling and

vertical alignment High intensity green beams provide a working

range of 30 m and up to 50 m with a detector The 4x AA alkaline batteries provides all day

run time of over 8 hours

CLI-C

Track clip

4 x AA Batteries, Kitbox 4933478753

405854636035

	L4 CLLP-301C
Standard equipment	Track clip
Kit included	1 x L4 B3 Battery pack, USB cable and wall plug, Kitbox
Article Number	4933478099
EAN Code	4058546340322



L4 CLL

Article EAN Co

1111 4

2

2

Kit included

EAN Code

Article Number

USB RECHARGEABLE GREEN CROSS LINE LASER REDLITHIUM[™] USB rechargeable green cross line laser provides an all-in-one functionality with horizontal levelling and vertical alignment High intensity green laser diode for maximised visibility; up to 4x better visibility vs red lasers

REDLITHIUM

12

High intensity green beams provide a working range of 30 m and up to 100 m with a detector The rechargeable and removable REDLITHIUM[™] USB 3.0 Ah battery provides all day run time of over 8 hours

	L4 CLL-301C
Standard equipment	Track clip
Kit included	1 x L4 B3 Battery pack, USB cable and wall plug, Kitbox
Article Number	4933478098
EAN Code	4058546340315

SCAN TO VIEW OUR LASER

ACCESSORIES RANGE

LLD50 LASER LINE DETECTOR



 The MILWAUKEE[®] LLD50 laser line detector extends laser line functionality up to 50 metres The LEDs on front and back allow easy and accurate detection of the laser beam to improve the set-up process Rare earth magnets located on two sides of the detector allow it to easily attach to metal surfaces, ideal for suspended ceiling installations

1

EAN Code

	LLD50
Kit included	1 x AA Battery, No kitbox or bag supplied
Article Number	4932478104
EAN Code	4058546340377

LWM LASER WALL MOUNT



 Vertical micro adjustment for most precise alignment during setup Hanghole and material clamp for most versatile setup at walls and ceilings Leveling adjustment screw to get laser in self evelling range Ruler scale to speed up setup and adjustment

process Compatible with all MILWAUKEE® rotary lasers and M12[™] line lasers in the range

	LWM	
Article Number	4932493201	
EAN Code	4058546480721	

.

RD1200 ROTARY LASER DETECTOR 1200 M

ALKALINE GREEN CROSS LINE LASER



1200 m detection range in combination with the M18 RLOHV1200 laser, for long distance applications • With automatic vertical and horizontal grade match and slope adjustment, the M18 RLOHV1200 laser will automatically align itself to the centre of the detector Easy-to-read, mm/in back and front backlit display, making it more visible for any application

	RD1200
Kit included	2 x AA Batteries, No kitbox or bag supplied
Article Number	4932493207
EAN Code	4058546480783

RD600 ROTARY LASER DETECTOR 600 M

 600 m detection range in combination with the M18 RLOH600 laser, for long distance applications • Easy-to-read, mm/in back and front backlit display for clear visibility IP67 rated and withstands up to 2 m drops

 Adjustable accuracy at five steps from 0.5 mm to 10 mm

· LED and audio indication for the most versatile detector read out

	RD600
Kit included	2 x AA Batteries, No kitbox or bag supplied
Article Number	4932493197
EAN Code	4058546480684

LMP 3.6 M TELESCOPING LASER POLE

	 The MILWAUKEE[®] telescoping laser pole with 3.6 m extension range is ideal to setting up line lasers even on high ceilings The spring loaded swivel head makes setup easy, even at uneven surfaces The included quick release clamp opens to 6.3 cm and can be attached to round and square materials
	LMP
Article Number	4932479205
EAN Code	4058546369996

RD300G ROTARY LASER DETECTOR 300 M GREEN



the M18 RLOHVG300 laser, for long distance applications The RD300G detector with integrated remote control allows the M18 RLOHVG300 laser to be activated from distance Easy-to-read, mm/in back and front backlit display for clear visibility, whether used indoors or outdoors

300 m detection range in combination with

RD300G


Kit included	2 x AA Batteries, No kitbox or bag supplied
Article Number	4932493198
EAN Code	4058546480691

LRD100 LINE/ ROTARY LASER DETECTOR



 The MILWAUKEE® LRD100 detector extends laser line functionality up to 100 metre in combination with all MILWUAKEE® cross line and plane lasers and can be universally used with rotary lasers up to 250 metre radius The millimetre display on front and back allows easy and accurate detection of the laser beam to improve the set-up process Red and green laser diodes detection for most versatile use LRD100
1 x AA Battery, No kitbox or bag supplied
4932479555

TRP300 3.0 METRE LASER TRIPOD



4058546373498

LM360 360° LASER MOUNT	
	 The MILWAUKEE® 360° laser mount is an adaptable laser attachment that provides the fastest laser setup Multi-plane rotational adjustment, users can easily attach all MILWAUKEE® lasers to the mount A micro vertical adjustment that makes aligning horizontal lines much faster
	LM360
Article Number	4932478105

HIGH VISIBILITY LASER TARGET PLATE

\times	plate provides tast and visible alignment with a wide magnetic base for floors & ferrous surfaces • High contrast reflective surface for use with green lasers • The X design provides responsive centering feedback that guides the line to the centre, making the alignment process faster
	с с .

• The MILWAUKEE® high visibility laser target

4058546340384

HI-VIS

	111-1131	
Article Number	4932478108	
EAN Code	4058546340414	

WLB WIRELESS LASER ALIGNMENT BASE

	 Precision horizontal motorised control with micro and macro alignment feature +60 m distance control to cover entire laser working range Pivots on point for faster setup when aligning two points Quick sliding attachment for fast and easy setup Intuitive pairing and control
Kit included	2 x AA Batteries, Kitbox

Kit included	2 x AA Batteries, Kitbox
Article Number	4932479198
EAN Code	4058546369927



	 The MILWAUKEE® laser tripod with a 1/4" mounting thread is ideal for setting the height of a horizontal laser line or elevating the laser when needed Height can be adjusted easily from 72 cm to 180 cm Laser can be mounted to the bottom of the tripod with the 360° mount (not included) for low level applications like socket installation
	TRP180
Article Number	4932478106

Article Number	4932478106
EAN Code	4058546340391




SR240



	 Up to 1.60 m extension range for easy setup at most common working heights Aluminium frame and steel feet to use at any jobsite condition Reinforced handle design for improved durability Shoulder strap for comfortable and hands-free transport, when carry the laser 5/6" standard threading to setup all rotary lasers and all MILWAUKEE® M12" lasers
Article Number	4932493199
EAN Code	4058546480707

TRP120 1.2 METER COMPACT LASER TRIPOD



240 CM STAFF ROD

ROD500 500 CM GRADE ROD

	 Metric elevation scale up to 2.4 m with integrated detector slider for a fast detector positioning Durable aluminium frame to withstand jobsite condition Durable endcaps to prevent frame damage Adjustable level vial for a more precise setup 		 Metric elevation scale up to 5 m for most common heights on jobsite Flat top endcap for a solid detector positioning Durable aluminium frame to withstand jobsite condition Durable endcaps to prevent frame damage Detachable level vial for a more precise setup
	SR240		R0D500
Article Number	4932493202	Article Number	4932493203
EAN Code	4058546480738	EAN Code	4058546480745

2

2

LDM 100 100 M LASER DISTANCE METER



Easy to use one person point and shoot system IP54 water & dust protection Metric & Imperial units of measurement Easy to touch measure buttons on the front and side of the housing to perform single measurements & continuous tracking

	LDM 100	
Kit included	2 x AAA Batteries, No kitbox or bag supplied	
Article Number	4933459278	
EAN Code	4058546002442	

LDM 50 50 M LASER DISTANCI	E METER	1 2
	 Easy to use one person point and shoot system Very slim housing design with belt clip for transport 	easy

• Area/volume/indirect height and patent pending surface measurement • Min/Max sweep & continuous tracking • Distance addition & subtraction for layouting
 Indirect height measurements (Pythagoras 2-point, 3-point, partial height)
LDM 50
2 x AAA Batteries, No kitbox or bag supplied
4933447700

400239500654

2

2

EAN Code

LDM 45 45 M LASER DISTANCE METER



 Easy to use one person point and shoot system
 IP54 water & dust protection
 Metric & Imperial units of measurement
· Easy to touch measure buttons on the front
and side of the housing

 Enables user to perform single measurements & continuous tracking

LDM 45
2 x AAA Batteries, No kitbox or bag supplied
4933459277
4058546002435

LDM 30 30 M LASER DISTANCE METER

*

Kit included

Kit included

EAN Code

Article Number EAN Code



 IP54 water & dust protection
 Auto shut off and low power indication
 Metric & Imperial units of measurement
 Very slim housing design with belt clip for easy transport
 Two easy to touch measure buttons on the front and side of the housing

Easy to use one person point and shoot

LDM 30 2 x AAA Batteries, Blister packaging Article Number 4933459276 405854600242

system

ELECTRICAL



EAN Code

M18

M18

M18 HSFC125R

M18[™] FORCE LOGIC[™] HYDRAULIC 125 MM SAFETY CABLE CUTTER



M18 HCC75R M18[™] FORCE LOGIC[™] HYDRAULIC REMOTE UNDERGROUND CABLE CUTTER



FORCE LOGIC[™] hydraulic remote underground cable cutter cuts cables up to Ø75 mm in less than 10 seconds with 77.8 kN of force Wireless remote communicates with the tool via a mutually exclusive Bluetooth® connection removing any physical connection to the tool and allowing Linemen to make remote cuts

Balanced design, handle and hang hook enable easiest set-up in vaults

4058546002329

M18 HCC75R-502C

Standard equipment	Remote control
Kit included	2 x M18 B5 Battery packs, M12-18 FC Charger, Kitbox
Article Number	4933459271
EAN Code	4058546002374

M18 HCC45 M18 M18[™] FORCE LOGIC[™] HYDRAULIC 44 MM CABLE CUTTER

FORCELOGIC	ACSR/ACSS 9 seconds w • Patent pendi with just two	IC [™] hydraulic cable cutter cuts cables up to Ø44 mm in less than ith 77.8 kN of force ng jaw design enables opening fingers, enhancing alignment ng easiest operation with Class
	M18 HCC45-0C	M18 HCC45-522C
Kit included	No batteries supplied, No charger supplied, Kitbox	1 x M18 B5, 1 x M18 B2 Battery packs, M12-18 FC Charger, Kitbox
Article Number	4933459265	4933459266

4058546002312



M18 HC0 M18 [™] FORCE CUTTER	 M18 AULIC 125 MM CABLE
	 FORCE LOGIC[™] Hydraulic Cutter cuts aluminium, copper and armored cables up to Ø125 mm Adjustable side handle, in-line tool design and hang hook enable easiest set-up in trenches and vaults Quick Lock latch system allows users to easily open and close the latch without any hassle of alignment
	M18 HCC125-801C
Kit included	1 x M18 HB8 Battery pack, M12-18 FC Charger, No kitbox or bag supplied
Article Number	4933492419

4058546417864

M18 HCC75 M18 M18[™] FORCE LOGIC[™] HYDRAULIC UNDERGROUND CABLE CUTTER



 FORCE LOGIC[™] hydraulic underground cable cutter cuts cables up to Ø75 mm in less than 10 seconds with 77.8 kN of force

- Brushless POWERSTATE™ motor provides more power, more run time and longer life
- Versatile top-handle can also be used as a
- stand and provides balanced cut alignment In-line design delivers easiest access in
- trenches and a secure stand during cable cuts

	M18 HCC75-0C	M18 HCC75-502C
Kit included	No batteries supplied, No charger supplied, Kitbox	2 x M18 B5 Battery packs, M12- 18 FC Charger, Kitbox
Article Number	4933459268	4933459269
EAN Code	4058546002343	4058546002350



M12

-	 Professional capacity Ø32 mm - powerful jaws cut effortlessly through large cable REDLINK[™] overload protection electronics in tool and battery pack deliver best in class system durability Extended run time - delivers up to 60 cuts of 4 x 35 mm² copper per charge Compact front end - goes straight to the cable in panels or electrical cabinets without long handles looping or ratcheting
	M12 CC-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933431600
EAN Code	4002395242832



M18 ONEHCC M18[™] FORCE LOGIC[™] HYDRAULIC 35 MM CABLE CUTTER

		 cables in less force Brushless PC more power, Fully balance during one ha One tool prov wire, steel gu 	IC [™] hydraulic cable cut s than 3 seconds with 5 DWERSTATE [™] motor pr more run-time and lony d tool provides secure and operation vides cutting solutions y wire, fine stranded oi	53 kN of Siger life control for ACSR	NTACHM	VIEW OUI IENTS FO - M18 [™] FO YDRAULI UTTER	R M18 DRCE	
		copper and a	aluminium cable					
		B ONEHCC-OC CU/ Set	M18 ONEHCC-201C CU/ AL-SET	M18 ONEHCC-OC ACSR Set	M18 ONEHCC-201C ACSR SET	M18 ONEHCC-OC FSW SET	M18 ONEHCC-201C FSW SET	M18 ONEHCC-OC SWA Set
Standard equipment	Cu//	AL iaw	Cu/AL jaw	ACSR jaw	ACSR jaw	FSW iaw	FSW iaw	SWA iaw

	AL- SET	AL-SET	SET	ACSR SET	SET		SET
Standard equipment	Cu/AL jaw	Cu/AL jaw	ACSR jaw	ACSR jaw	FSW jaw	FSW jaw	SWA jaw
Kit included	No batteries supplied, No	1 x M18 B2 Battery pack,	No batteries supplied, No	1 x M18 B2 Battery pack,	No batteries supplied, No	1 x M18 B2 Battery pack,	No batteries supplied, No
	charger supplied, Kitbox	M12-18 C Charger, Kitbox	charger supplied, Kitbox	M12-18 C Charger, Kitbox	charger supplied, Kitbox	M12-18 C Charger, Kitbox	charger supplied, Kitbox
Article Number	4933464300	4933464301	4933464303	4933464304	4933464308	4933464309	4933464306
EAN Code	4058546222451	4058546222468	4058546222482	4058546222499	4058546222536	4058546222543	4058546222512

118

M18 HKP

FORCELOGIC"

M18[™] FORCE LOGIC[™] HYDRAULIC KNOCKOUT PUNCH



 FORCE LOGIC[™] hydraulic knockout punch is the most compact and lightweight tool on the market with 60 kN of force The easiest way to punch - for fast, accurate, round, and burr free holes Highest accuracy due to industry's finest exact alignment system for dies Best balanced tool and easiest control due to one hand operation

	M18 HKP-201C	M18 HKP-201CA
	11.1mm (7/16) draw stud, 19mm	11.1mm (7/16) draw stud, 19mm (3/4) draw
Standard equipment	(3/4) draw stud, quick connector, ball	stud, quick connector, ball pull, adaptor,
	pull, adaptor	punches and dies: M16, M20, M25, M32, M40
Kit included	1 x M18 B2 Battery pack, M12-18 C	1 x M18 B2 Battery pack, M12-18 C Charger,
KIL IIICIUUEU	Charger, Kitbox	Kitbox
Article Number	4933451202	4933451204
EAN Code	4002395138906	4002395138920



M18 FUEL



professional battery powered cable pulling solution POWERSTATE[™] brushless motor that provides the ability to pull a maximum length of 72 m AUTO-RUN[™] powered feeding and cable

pulling is a fast and efficient solution providing higher productivity vs other solutions

The M18 FUEL[™] Fish Tape is the world's first

	M18 FPFT-0	M18 FPFT-202 36m ST Set	M18 FPFT-202 30m NC Set
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 B2 Battery packs, M12-18 FC , No kitbox or bag supplied	2 x M18 B2 Battery packs, M12-18 FC , No kitbox or bag supplied
Article Number	4933471952	4933471953	4933471954
EAN Code	4058546298517	4058546298524	4058546298531

M18 HUP700	
M18 [™] HYDRAULIC UTILITY PUMP	



 FORCE LOGIC[™] hydraulic utility pump powers every single acting 700 bar crimping, cutting or Significantly faster work cycles due to a large 1.6 litre total oil reservoir and 2x higher flow The pump is equipped with a industry standard CEJN Series 115, G1/4" female quick connection coupler to suit most common

M18

M18 HUP700-121
1 x M18 HB12 Battery pack, M12-18 FC Charger, No
kitbox or bag supplied
4933471813
4058546297121

SCAN TO VIEW OUR SYSTEM ATTACHMENTS FOR M18 HKP - M18[™] FORCE LOGIC[™] HYDRAULIC KNOCKOUT PUNCH



SCAN TO VIEW OUR SYSTEM **M**230 **M** ATTACHMENTS FOR M18 FPFT - M18 FUEL[™] POWERED FISH TAPE

SCAN TO VIEW OUR SYSTEM **ATTACHMENTS FOR M18** HUP700 - M18™ HYDRAULIC UTILITY PUMP

M18

Π.

同時代

M18 HCCT109/42 M18[™] FORCE LOGIC[™] HYDRAULIC 109 KN CABLE CRIMPER

 Lightest, most balanced tool with ergonomic grip design
 Red alignment marks on the tool jaws aid accuracy in crimp placement ONE FORCELOGIC[®] Crimps connectors up to 400 mm² with 109 kN of force 42 mm jaw opening and 350° head rotation provides easy positioning and access, even for large connectors M18 HCCT109/42-522C

Kit included	1 x M18 B5, 1 x M18 B2 Battery packs, M12-18 FC
Kit liidudeu	Charger, Kitbox
Article Number	4933459273
EAN Code	4058546002398

M18 HCCT

M18[™] FORCE LOGIC[™] HYDRAULIC 53 KN CABLE CRIMPER



 FORCE LOGIC[™] hydraulic cable crimper crimps connectors up to 300 mm² in less than 3 seconds with 53 kN of force Revolutionary jaw holds connector for best alignment of cable and connector 2 in 1 solution: crimping jaw can be exchanged for an CU/AL cable cutting jaw • Best balanced tool and easiest control due to one hand operation

	M18 HCCT-201C
Kit included	1 x M18 B2 Battery pack, M12-18 C Charger, Kitbox
Article Number	4933451194
EAN Code	4002395138821

M18 HDCT M18 M18[™] FORCE LOGIC[™] HYDRAULIC DIELESS CRIMPER

	•	listance & pressure for uniform crimp ppearance across every size of the crimping ange 80° rotating head and easy access latch leliver easy alignment and free-up second and to hold material M18 HDCT-202C
Kit included	No batteries supplie	
KIL IIIGIUUEU	supplied, Kitbox	Charger, Kitbox

No batteries supplied, No charger	2 x M18 B2 Battery packs, M12-18 C
supplied, Kitbox	Charger, Kitbox
4933471949	4933471950
4058546298487	4058546298494
	supplied, Kitbox 4933471949

M18 BSBT M18[™] SHEAR BOLT TOOL

HD Box

49334932

405854648159

Standard

Kit included

FAN Code

Article Numbe

M18

	or conne • Outstam 100 Nm • Universa leading : • IEC-Test integrity tightenin mechan	
	M18 BSBT-0X	M18 BSBT-202X
d equipment	9x Impact rated 1/2" sockets (10/17 mm socket, 13/19 mm socket long, 5/6/8 mm Hex socket, 6/8 mm Hex socket long), 2x fork attachment (33-52 mm 58-60 mm)	9x Impact rated 1/2" sockets (10/17 mm socket, 13/19 mm socket long, 5/6/8 mm Hex socket, 6/8 mm Hex socket long), 2x fork attachment (33-52 mm 58-69 mm)

s (10/17 mm ong, 5/6/8 mm ocket long), 2x 58-69 mm) Vo batteries supplied, No charger supplied, 2 x M18 B2 Battery packs, M12-18 FC Charger, HD Box 493349328 405854648160

12-12-12-14

M18 ONEHCCT60 M18[™] FORCE LOGIC[™] HYDRAULIC 60 KN CABLE CRIMPER

FORCELOGIC"

M18



 FORCE LOGIC[™] hydraulic cable crimper crimps connectors up to 300 mm² in less than 5 seconds with 60 kN of force

M18

- Easy die alignment and linear movement ensure most uniform crimp results Improved ergonomics and slim handle
- design provide for a comfortable one-handed operation

	M18 ONEHCCT60-0C	M18 ONEHCCT60-202C
Kit included	No batteries supplied, No charger supplied, Kitbox	2 x M18 B2 Battery packs, M12-18 C Charger, Kitbox
Article Number	4933479683	4933479684
EAN Code	4058546374778	4058546374785



M18 BLTRC M18[™] BRUSHLESS THREADED ROD CUTTER

M18

BRUSHLESS



M18[™] brushless threaded rod cutter delivers a fast and effortless solution for cutting threaded rods

 Integrated brushless motor provides the user the power to cut through M6, M8, M10 and M12 mild steel or M6, M8 and M10 stainless steel threaded rod, with a run time of up to 300 cuts with a 2.0 Ah battery

	M18 BLTRC-0X	M18 BLTRC-522X
Standard equipment	M6, M8, M10, M12 cutting dies	M6, M8, M10, M12 cutting dies
Kit included	No batteries supplied, No charger supplied, HD Box	1 x M18 B5, 1 x M18 B2 Battery packs, M12-18 C Charger, HD Box
Article Number	4933471150	4933471151
EAN Code	4058546287788	4058546287795





M18 UBL M18[™] LED UTILITY BUCKET LIGHT



• Dual light head design with 180° of vertical and horizontal head rotation, heads can be rotated individually • 3 output modes: Spot, Flood, Spot/Flood provides up to 2500 lumens and up to 457 m of beam distance on Flood mode Patented spring loaded bucket clamp for most . bucket sizes PIP56 to withstand harsh weather conditions

M18

M18 UBL-0 No batteries supplied, No charger supplied, No kitbox or Kit included bag supplied 4933459433 Article Number EAN Code 405854601094

2205-40	
FORK METER FOR ELECTRICIANS	5



TRMS always guarantees accurate readings High contrast, easy to read display provides clearer readings • Built-in non-contact voltage detector CAT III 1000 V/CAT IV 600 V for increased

2

12

2

12

safety Rugged over-moulding for increased durability and grip

 Built-in LED work light – lights the work area Side mounted dial for one-handed use

2 x AA Batteries, Tool bag	
4933416972	
4002395238026	
	4933416972

2212-20

AUTO VOLTAGE / CONTINUITY TESTER



 Provides measurements down to decimals and displays them on an easy-to-read backlit LCD Automatically determines the need for voltage or continuity tests and display all measurements with proper resolution • Compatible with accessories for carrying or mounting • LED worklight for low lit areas Dual LED and audible indicators for fast and convenient test results 0040 00

	2212-20
Kit included	2 x AAA Batteries, No kitbox or bag supplied
Article Number	4933447776
EAN Code	4002395006526

12 2216-40 LIGHT COMMERCIAL MULTIMETER



Kit inclu Article N EAN Co

Kit inc Article

2

12

• TRMS always guarantees accurate readings • CAT III 600 V for increased safety Rugged over-moulding increases durability and user grip Side mounted dial for one-handed use Feature set tailored to electrician - for intuitive use Auto range to mV Supplied with electrical test lead set and 2 x

AA batteries 0040 40

	2216-40
uded	2 x AA Batteries, No kitbox or bag supplied
Number	4933427309
ode	4002395240128

2217-40 **DIGITAL MULTIMETER**



TRMS always guarantees accurate readings High contrast, easy to read display provides clearer readings Cat III 600 V for increased safety Side mounted dial for one-handed use

Feature set tailored to electrician - for intuitive Lo-Z. – always guaranteed accurate readings Versatile contact temperature measurement Slide rail for accessory mount

	2217-40	
Kit included	2 x AA Batteries, Tool bag	
Article Number	4933416976	
EAN Code	4002395238064	

2235-40 LIGHT COMMERCIAL CLAMP METER



 TRMS always guarantees accurate readings CAT III 600 V for increased safety Rugged over-moulding increases durability and user grip Built-in LED work light – lights the work area Side mounted dial for one-handed use Thin iaw profile for easier wire measurement in panels or in bundles

Supplied with electrical test lead set and 2 x AA batteries 2235-40

Kit Included	2 X AA balleries, No kilbox or bag supplied
Article Number	4933427315
EAN Code	4002395240135

2267-40 10:1 INFRARED TEMP-GUN™



10:1 distance to spot ratio, a 1 m spot from 10 m away • Up to -30°C to 400°C temperature range

Premium LCD display for high readability Simplified buttons and setup for faster scanning Raised overmolding protects lens and screen from direct impact

	2267-40
Kit included	2 x AA Batteries, No kitbox or bag supplied
Article Number	4933451906
EAN Code	4002395282159

2200-40 **VOLTAGE DETECTOR**



Tip for checking outlets Green light indicates tool is on Loud beeper indicates voltage Blinking red light indicates voltage On/Off button Pocket clip for easy storage	
2200-40	

Wide 50 - 1000 AC voltage range

CAT IV 1000 V for highest safety rating

Kit included	2 x AAA Batteries, No kitbox or bag supplied
Article Number	4932352561
EAN Code	4002395372195

PLUMBING



M18 ONEBLHPT

M18[™] FORCE LOGIC[™] BRUSHLESS PRESS TOOL WITH ONE-KEY[™]

FORCE LOG I C [®]	
-	

 Order Compact brushless motor in FORCE LOGIC[™] press tools delivers up to 10 % faster connections and 20 % more run time
 Order Compact brushless motor in FORCE LOGIC[™]
 Order Compact brushless motor in FORCE LOGIC[™]
 Order Compact brushless
 Order Compact b FORCE LOGIC[™] press indicator: provides visual confirmation of a quality connection One hand operated tool for over head applications and working in narrow spaces Tool records & stores every press made. ONE-KEY" enabled for professional report buildings via ONE-KEY" app or ONE-KEY" browser version • ONE-KEY[™] tool tracking & security offers a cloud-based inventory management platform that supports both location tracking and theft prevention • FORCE LOGIC[™] long life reliability: No press cycle limitation within the 3 year maintenance interval Allows to press system related up to 108 mm metal pipes and 110 mm composite pipes Universal jaw reception to fit most common jaws available on the market Auto-Cycle ensures a full press cycle is completed with every press connection

	M18 ONEBLHPT-OC	M18 ONEBLHPT-302C	M18 ONEBLHPT-302C Th-Set	M18 ONEBLHPT-302C V-Set	M18 ONEBLHPT-302C U-Set	M18 ONEBLHPT-302C M-Set	M18 ONEBLHPT-302C Geberit Mapress Set
Standard equipment			3 x TH-profile jaws (16/20/3	23 x V-profile jaws (15/22/28	3 x U-profile jaws (16/20/25	3 x M-profile jaws (15/22/28	3 x Geberit Licensed Ma-
Stanuaru equipment	ieni	-	mm)	mm)	mm)	mm)	press jaws (15/22/28 mm)
Kit included	No batteries supplied, No	2 x M18 HB3 Battery packs,	2 x M18 HB3 Battery packs,	2 x M18 HB3 Battery packs,	2 x M18 HB3 Battery packs,	2 x M18 HB3 Battery packs,	2 x M18 HB3 Battery packs,
KIL IIIGIUUEU	charger supplied, Kitbox	M12-18 FC Charger, Kitbox	M12-18 FC Charger, Kitbox	M12-18 FC Charger, Kitbox	M12-18 FC Charger, Kitbox	M12-18 FC Charger, Kitbox	M12-18 FC Charger, Kitbox
Article Number	4933478305	4933478306	4933478307	4933478308	4933478309	4933478310	4933480904
EAN Code	4058546344825	4058546344832	4058546344986	4058546344993	4058546345006	4058546345013	4058546411893

M18 BLHPT M18[™] FORCE LOGIC[™] BRUSHLESS PRESSTOOL



 New compact brushless motor in FORCE LOGIC[™] press tools delivers up to 10% faster connections and 20% more runtime
 FORCE LOGIC[™] press indicator: provides visual confirmation of a quality connection • One hand operated tool for over head applications and working in narrow spaces Most compact in-line design with 13% less weight for easy operation Battery-tool communication: press operation doesn't start to prevent incomplete pressing in case of low charged battery. Pre-press battery check ensures enough charge to complete each press FORCE LOGIC[™] long life reliability: No press cycle limitation within the 3 year maintenance interval
 Allows to press system related up to 108 mm metal pipes and 110 mm composite pipes Universal jaw reception to fit most common jaws available on the market On board fuel gauge and LED light

	M18 BLHPT-OC	M18 BLHPT-202C	M18 BLHPT-202C M-SET	M18 BLHPT-202C V-SET	M18 BLHPT-202C TH-SET	M18 BLHPT-202C U-SET	M18 BLHPT-202C Geberit Mapress Set
Standard equipment			3 x M-profile jaws (15/22/28	3 3 x V-profile jaws (15/22/28	3 x TH-profile jaws (16/20/3	23 x U-profile jaws (16/20/25	3 x Geberit Licensed Ma-
	-	-	mm)	mm)	mm)	mm)	press jaws (15/22/28 mm)
Vit included	No batteries supplied, No	2 x M18 B2 Battery packs,	2 x M18 B2 Battery packs,	2 x M18 B2 Battery packs,	2 x M18 B2 Battery packs,	2 x M18 B2 Battery packs,	2 x M18 B2 Battery packs,
Kit included	charger supplied, Kitbox	M12-18 C Charger, Kitbox	M12-18 C Charger, Kitbox	M12-18 C Charger, Kitbox	M12-18 C Charger, Kitbox	M12-18 C Charger, Kitbox	M12-18 C Charger, Kitbox
Article Number	4933478248	4933451132	4933451133	4933451134	4933451135	4933451136	4933480903
EAN Code	4058546344252	4002395138012	4002395138029	4002395138036	4002395138043	4002395138050	4058546411886

M18 BLHPTXL M18[™] FORCE LOGIC[™] BRUSHLESS XL PRESS TOOL

FORCELOGIC	BRUSHLESS	 New compact brushless motor in FORCE LOGIC FORCE LOGIC[®] press indicator: provides visual Extended press range up to 108 mm in copper, 0 One hand operated tool for over head applicatior
		 Adjustable stroke length allows usage of all stant FORCE LOGIC[™] long life reliability: No press cycl Auto-cycle ensures a full press cycle is complete Battery-tool communication: press operation doe ensures enough charge to complete each press On board fuel gauge and LED light

	M18 BLHPTXL-0P
Kit included	No batteries supplied, No charger supplied, PACKOUT [™] box
Article Number	4933479440
EAN Code	4058546372347





M18

M18

M18

LOGIC[™] press tools delivers up to 10% faster connections and 20% more run time

visual confirmation of a quality connection opper, C- steel & stainless steel & up to 4" in steel pipe

piper of steer a stariness steer a up to 4 in steer pipe plications and working in narrow spaces all standard MILWAUKEE® J18 jaws + most common competitive jaws available on the market

ss cycle limitation within the 3 year maintenance interval

mpleted with every press connection

on doesn't start to prevent incomplete pressing in case of low charged battery. Pre-press battery check

M18 BLHPTXL-502P 2 x M18 B5 Battery packs, M12-18 C Charger, PACKOUT™ box 4933479441 4058546372354



M12 HPT M12[™] SUB COMPACT FORCE LOGIC[™] HYDRAULIC PRESS TOOL

M12

MX

MPS MILWAUKEE® PIPE STAND

Arti EAN

Worlds first pipe stand, that is flat foldable, which allows for easier transportation and more efficient storage Able to clamp materials, such as pipe, strut, channel, angled iron and other materials, up to 165 mm or 6" The MILWAUKEE[®] pipe stand can be used with threaders, angle grinders, sawzalls, hackzalls, metal circular saws and various other tools

	۲	
		MPS
ticle Number		4933472022
N Code		4058546324186

M12 PCSS

M12

M12

M12[™] RAPTOR[™] PIPE CUTTER STAINLESS STEEL



M12 PCSS-0	M12 PCSS-202C
No batteries supplied, No charger	2 x M12 B2 Battery packs, C12 C
supplied, No kitbox or bag supplied	Charger, Kitbox
4933479241	4933479242
4058546370350	4058546370367
	No batteries supplied, No charger supplied, No kitbox or bag supplied 4933479241

C12 PPC M12[™] SUB COMPACT PEX CUTTER


Massive cutting pressure of 175 kg/cm² REDLINK[™] overload protection electronics in tool and battery pack deliver best in class system durability Powerful mechanism cuts up to 50 mm PVC pipe in 3 seconds Heavy Duty full metal gearbox and gears for superior durability and maximum torque Variable speed trigger for complete cut out control C12 PPC-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	
Article Number	4933416550	
EAN Code	4002395237203	

M18 BTP M18[™] COMPACT TRANSFER PUMP

Kit Art

M18



REDLINK[™] intelligence can recognise when the tool stops moving water and automatically shuts itself off to avoid dry pumping

	M18 BTP-0
t included	No batteries supplied, No charger supplied, No kitbox or
r included	bag supplied
ticle Number	4933471494
AN Code	4058546293932

FORCE LOG I C [™]	 I he industry's smallest, lightest press tool: weighs only 1.8 kg for greater user comfort Patented one hand operation allows to work in restricted areas
	 Press indicator: provides visual confirmation of a quality connection Outstanding pressing range up to 35 mm metal and 40 mm composite pipes Battery-tool communication: press operation doesn't start to prevent incomplete pressing in case of low charged battery. Pre-press battery check ensures enough charge to complete each press FORCE LOGIC" long life reliability: No press cycle limitation within the 3 year maintenance interval 4-step and precise battery status indicator REDLINK" overload protection electronics in tool and battery pack deliver best in class system durability Individual battery cell monitoring optimises tool run time and ensures long term pack durability
	M12 UDT-2020 Cobort

	M12 HPT-0C	M12 HPT-202C	M12 HPT-202C M-SET	M12 HPT-202C V-SET	M12 HPT-202C V-SET2	M12 HPT-202C TH-SET	M12 HPT-202C U-SET	M12 HPT-202C Geberit Mapress Set
Standard equip-			3 x M-profile jaws	3 x V-profile jaws	3 x V-profile jaws	3 x TH-profile jaws	3 x U-profile jaws	3 x Geberit Licensed Mapress
ment	-	-	(15/22/28 mm)	(15/22/28 mm)	(14/16/22 mm)	(16/20/26 mm)	(16/20/25 mm)	jaws (15/22/28 mm)
Kit included	No batteries supplied, No	2 x M12 B2 Battery packs	s, 2 x M12 B2 Battery packs	, 2 x M12 B2 Battery packs	, 2 x M12 B2 Battery packs	s, 2 x M12 B2 Battery packs	, 2 x M12 B2 Battery packs	s, 2 x M12 B2 Battery packs,
KIL IIICIUUEU	charger supplied, Kitbox	C12 C Charger, Kitbox	C12 C Charger, Kitbox	C12 C Charger, Kitbox	C12 C Charger, Kitbox	C12 C Charger, Kitbox	C12 C Charger, Kitbox	C12 C Charger, Kitbox
Article Number	4933478247	4933443085	4933443095	4933443100	4933459382	4933443105	4933443110	4933480902
EAN Code	4058546344245	4002395003037	4002395003044	4002395003051	4058546010430	4002395003068	4002395003075	4058546411879

• The industry's smallest, lightest press tool: weighs only 1.8 kg for greater user comfort





M18 FUEL **M18 FPT2** M18 FUEL[™] PIPE THREADER 2" WITH ONE-KEY"



 World's first 18V 2" pipe threader on the market that is fully universal with competitive die heads. It threads pipes from $^{1/8^{\prime\prime}}$ up to $2^{\prime\prime}$ Unique to MILWAUKEE®, pipe threader with AUTO-STOP[™] kickback control, senses binding and shuts tool off to provide the user with more safety

	M18 FPT2-0C	M18 FPT2-121C
Standard equipment	1x support arm	1x support arm
Kit included	No batteries supplied, No charger supplied, Kitbox	1 x M18 HB12 Battery pack, M12- 18 FC Charger, Kitbox
Article Number	4933478596	4933478597
EAN Code	4058546347895	4058546347901



MXF PTR2 MX FUEL[™] PIPE THREADING MACHINE 2" WITH ONE-KEY™

	 One stop sho one tool Outstanding settings of 33 corded spee Maximum m cart with tool 	bility thanks to foldable wheel
	MXF PTR2-0	MXF PTR2-601
Ctondard againment	1/2"-3/4" BSPT HS die set, 1"-2" BSPT	1/2"-3/4" BSPT HS die set, 1"-2" BSPT
Standard equipment	HS die set	HS die set
Kit included	No batteries supplied, No charger	1 x MXF XC406 Battery pack, MXF C
	supplied, No kitbox or bag supplied	Charger, No kitbox or bag supplied
Article Number	4933498324	4933492100
EAN Code	4058546521936	4058546414672

M18 FPT114 M18 FUEL M18 FUEL[™] PIPE THREADER 1 1/4" WITH ONE-KEY™



 Wide threading capacity from 1/8" up to 1 1/4" Unique to MILWAUKEE®, pipe threader with AUTOSTOP[™] kickback control, senses binding and shuts tool off to provide the user with more safety Low weight and compact size allows convenient usage on installed pipes in

confined spaces Compatible with new MILWAUKEE® FPT114H die heads and Ridgid 11R heads until 1 1/4" M18 FPT114-802C M18 FPT114-802CA

Included heads	-	-	4x BSPT alloy heads (1/2"/3/4"/1"/11/4")
Standard equipment	1x support arm	1x support arm	1x support arm, 4x BSPT alloy heads (½"/¾"/1"/1¼")
Kit included	No batteries supplied, No charger supplied, Kitbox	2 x M18 HB8 Battery packs, M12-18 FC Charger, Kitbox	2 x M18 HB8 Battery packs, M12-18 FC Charger, Kitbox
Article Number	4933480220	4933479420	4933479421
EAN Code	4058546405052	4058546372149	4058546372156





C12 PC M12[™] SUB COMPACT COPPER PIPE CUTTER

M12



• High performance 500 rpm motor cuts 12 mm
copper pipe in less than 3 seconds
 REDLINK[™] overload protection electronics
in tool and battery pack deliver best in class

system durability Auto locking cut mechanism cuts installed copper tubing with as little as 40 mm clearance Auto adjusting jaws automatically adjust to pipe size

C12 PC-0

- Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933411920
EAN Code	4002395236374


M18 STSO M18[™] FORCE LOGIC[™]STRUT SHEAR

M18

FORCELOGIC	 Cleanest and safest way to cut strut profiles Compatible with 41x41 mm, 41x21 mm, 41x22 mm strut Compatible with commonly available strut manufacturers in the specified dimensions Shears pre- and hot dipped galvanized strut until 3.0 mm wall thickness All day run time of over 200 cuts on a single M18th 5.0 Ah battery Cuts 41x41 mm strut in under 5 seconds M18 STS0-0B
Kit included	No batteries supplied, No charger supplied, Tool bag
Article Number	4933492097
EAN Code	4058546414641



M12



	M12 BSWP-0	M12 BSWP-601
Kit included	No batteries supplied, No charger	1 x M12 B6 Battery pack, C12 C
	supplied, No kitbox or bag supplied	Charger, No kitbox or bag supplied
Article Number	4933479639	4933479640
EAN Code	4058546374334	4058546374341



2267-40 10:1 INFRARED TEMP-GUN™

10:1 distance to spot ratio, a 1 m spot from 10 m away Up to -30°C to 400°C temperature range
 Premium LCD display for high readability Simplified buttons and setup for faster scanning

Raised overmolding protects lens and screen from direct impact

The ONE-KEY[™] FORCE LOGIC[™] hvdraulic

for UPONOR™ Q&E PE-Xa pipe sizes up to

Brushless POWERSTATE[™] motor delivers

DN75 of 6 and 10 bar pipes

M18 ONEBI PXPI -502C

4933464299

4058546222444

outstanding run time and quick expansions

Expands dimensions DN40, DN50, DN63 and

2 x M18 B5 Battery packs, M12-18 C Charger, Kitbox

M18

EAN Code

expander is the world's first cordless expander

	2267-40
Kit included	2 x AA Batteries, No kitbox or bag supplied
Article Number	4933451906
EAN Code	4002395282159

DN75

M18[™] ONE-KEY[™] FORCE LOGIC[™] UPONOR[™] Q&E





 Up to 90 minutes of run time in Manifold Mode and 60 minutes of run time in Default Mode on an M18[™]HIGH OUTPUT[™] 8.0 Ah battery Delivers corded performance Instant power allows to vacuum a system without generators or temporary power 1/2", 3/8" and 1/4" ports and an additional 5/16" adaptor enables to easily fit different hose sizes Check valve protects vacuum when pump is not running

M18 FUEL

M18 FLIEL

	M18 FVP5-0	M18 FVP5-801
Standard equipment	500 ml oil bottle, 5/16" adaptor	500 ml oil bottle, 5/16" adaptor
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 HB8 Battery pack, M12- 18 FC Charger, No kitbox or bag supplied
Article Number	4933492853	4933492854
EAN Code	4058546477240	4058546477257

M18 FPXP M18 M18 FUEL[™] UPONOR[™] Q&E EXPANSION TOOL



 Auto-rotating heads from 9.9 mm to 50 mm provide the most accurate, one-handed . expansions Most compact 50 mm battery powered pipe expander Compatible with all existing M12[™] and M18[™] expansion heads up to 50 mm Fast solution for 50 mm Q&E installations Two speed settings: one for up to 32 mm and one for 40 mm and above M18 FPYP_H10502 M18 FPXP_H065020

	WITO IF AF-00	W101FAF-11005020	W101FAF-11103020
ncluded heads	-	6 bar Heads 32/40/50 mm	10 bar Heads 32/40/50 mm
Kit included	No batteries supplied, No	2 x M18 B5 Battery packs,	2 x M18 B5 Battery packs,
	charger supplied, Kitbox	M12-18 FC Charger, Kitbox	M12-18 FC Charger, Kitbox
Article Number	4933479436	4933479438	4933479437
EAN Code	4058546372309	4058546372323	4058546372316

HD18 PXP M18[™] UPONOR[™] Q&E EXPANSION TOOL

M18 ONEBLPXPL

FORCELOGIC

Kit included

EAN Code

Article Numbe

HYDRAULIC PIPE EXPANDING TOOL

ONE



Auto rotating head 12 mm to 40 mm (6 bar) and to 32 mm (10 bar) provides accurate, onehanded expansion REDLINK[™] overload protection electronics in tool and battery pack deliver best in class system durability Quick cam mechanism - single pull continuous

action installs Q&E up to 4x faster Steel gears and integrated magnesium frame

HD18 PXP-H06202C	HD18 PXP-H10202C
16/20/25/32 mm	16/20/25/32 mm
2 x M18 B2 Battery packs, M12	2-18 C 2 x M18 B2 Battery packs, M12-18 C
Charger, Kitbox	Charger, Kitbox
4933441771	4933441774
4002395001835	4002395001842
	16/20/25/32 mm 2 x M18 B2 Battery packs, M12 Charger, Kitbox 4933441771

M12 FPXP M12 FLIEL M12 FUEL[™] SUB COMPACT UPONOR[™] Q&E EXPANSION TOOL

TOOL			
		 Auto-rotating head 9.9 mm to 32 mm (6 bar) and to 25 mm (10 bar) provides accurate, one- handed expansion Quick cam mechanism - single pull, continuous action installs Q&E up to 7 seconds faster RAPID SEAL[™] heads improve time to seal by 20% or more (depending on the ambient temperatures) Dual acting trigger allows expansions from any grip position 	
	M12 FPXP-0C	M12 FPXP-I10202C	M12 FPXP-I06202C
Included heads	-	10 Bar heads 16 / 20 / 25 mm	6 Bar heads 16 / 20 / 25 mm
Kit included	No batteries supplied, No charger supplied, Kitbox	2 x M12 B2 Battery packs, C12 C Charger, Kitbox	2 x M12 B2 Battery packs, C12 C Charger, Kitbox
Article Number	4933472018	4933472020	4933472021
EAN Code	4058546324148	4058546324162	4058546324179

C12 PXP M12 M12[™] SUB COMPACT UPONOR[™] Q&E EXPANSION TOOL



Auto-rotating head 12 mm to 32 mm (6 bar) and to 25 mm (10 bar) provides accurate, onehanded expansion REDLINK[™] overload protection electronics in tool and battery pack deliver best in class system durability Quick cam mechanism - single pull, continuous action installs Q&E up to 4x faster

Steel gears and integrated frame

	C12 PXP-I06202C	C12 PXP-I10202C	C12 PXP-N202C
Included heads	16/ 20/ 25 mm	16/ 20/ 25 mm	15/18/22 mm
Kit included	2 x M12 B2 Battery packs,	2 x M12 B2 Battery packs,	2 x M12 B2 Battery packs,
Kit included	C12 C Charger, Kitbox	C12 C Charger, Kitbox	C12 C Charger, Kitbox
Article Number	4933441715	4933441730	4933441740
EAN Code	4002395002016	4002395002047	4002395002061



For further technical specifications, including noise and vibration data, please visit our we

DRAIN CLEANING AND NSPECTION



MXF LSDP MX FUEL[™] LARGE SEWER DRUM MACHINE WITH **POWERTREDZ**[™]

FUEL



 The MX FUEL[™] large sewer drum machine with integrated POWERTREDZ[™], requires one person only to move the sewer machine in and out of the service van, up and down building stairs

World's first battery powered large drum machine that uses MII WAUKEF® 16 mm and 20 mm inner core spirals in drains from 75 mm up to 200 mm, with the power to clear roots up to 60 m down the line

Standard equipment	1 x 20 mm x 15.2 m inner core cable, 1 x 20 mm x 7.6 r inner core cable, 1 x 9 pc head attachment kit	
Kit included	1 x MXF CP203 Battery pack, MXF C Charger, No kitbox or bag supplied	
Article Number	4933471851	
EAN Code	4058546297503	

M18 FFSDC10 M18 FUEL M18 FUEL[™] FREE STANDING DRAIN CLEANER 10 MM



· World's first free standing drum machine on a 18V battery, with electronic footpedal and integrated drum brake that electronically slows drum super-fast for more control and safety • M18 FUEL[™] SWITCH PACK[™] tool-free sectional drum connection system allows users to quickly interchange between cable sizes 8 mm, 10 mm, 13 mm inner core and 16 mm open wind spirals, or add a second drum to reach 30 m down the line

M18 FFSDC10-0

Standard equipment	1 x backpack assembly, 1 x drum assembly, 1 x 10 mm x 15 m cables, 1 x cutter set & removal tool	
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	
Article Number	4933459707	
EAN Code	4058546028794	

M18 FUEL M18 FFSDC16 M18 FUEL[™] FREE STANDING DRAIN CLEANER 16 MM

	Wa int dru dru dru dru dru dru dru dru dru rea
M18 FFSDC16-0	

/orld's first free standing drum machine on 18V battery, with electronic footpedal and tegrated drum brake that electronically slows Irum super-fast for more control and safety In FUEL[™] SWITCH PACK[™] tool-free sectional um connection system allows users to uickly interchange between cable sizes. mm, 10 mm, 13 mm inner core and 16 mm pen wind spirals, or add a second drum to ach 30 m down the line

	M18 FFSDC16-0	M18 FFSDC16-502
Standard equipment		 1 x backpack assembly, 2 x drum as- 1 sembly's, 2 x 16 mm x 15 m cables, 1 x cutter set & removal tool
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 B5 Battery packs, M12-18 FC Charger, No kitbox or bag supplied
Article Number	4933459709	4933459710
EAN Code	4058546028817	4058546028824



M18 FFSDC13 M18 FUEL M18 FUEL[™] FREE STANDING DRAIN CLEANER 13 MM



World's first free standing drum machine on a 18V battery, with electronic footpedal and integrated drum brake that electronically slows drum super-fast for more control and safety M18 FUEL[™] SWITCH PACK[™] tool-free sectional drum connection system allows users to quickly interchange between cable sizes. 8 mm, 10 mm, 13 mm inner core and 16 mm open wind spirals, or add a second drum to reach 30 m down the line M18 FESDC13-0

	MIG113D013-0	
Ctandard aguinment	1 x backpack assembly, 2 x drum assembly's, 2 x 13 mm	
Standard equipment	x 15 m cables, 1 x cutter set & removal tool	
Kit included	No batteries supplied, No charger supplied, No kitbox or	
	bag supplied	
Article Number	4933459708	
EAN Code	4058546028800	

M18 FDCPF10 M18 FUEL M18 FUEL[™] DRAIN CLEANER - POWER FEED 10 MM



World's first hand held drain cleaner on a 18V battery with automatic feed and retract that can be used with 6 mm. 8 mm and 10 mm spirals from both MILWAUKEE® and other manufacturers, in pipes from 32 mm up to 75 mm, up to 15 m down the line, eliminating all electrocution hazards users encounter today with their corded tools

	M18 FDCPF10-0C	M18 FDCPF10-201C
	1 x 10 mm x 10.6 m cable	1 x 10 mm x 10.6 m cable
Standard equipment	(48532675), retreiver bulb, removal	(48532675), 5 pc cutter set
	pin	(48532685), removal pin
Kit included	No batteries supplied, No charger	1 x M18 B2 Battery pack, M12-18 FC
	supplied, Closed bucket	Charger, Closed bucket
Article Number	4933459684	4933459685
EAN Code	4058546028565	4058546028572





M18 FDCPF8 M18 FUEL [™] DRAIN CLEAN	M18 FUEL NER - POWER FEED 8 MM	M12 BDC8 M12" SUB COMPACT DRA DIAMETER 8 MM	M12	M18 HSFSM M18 [™] HIGH SPEED FLE	XIBLE SHAFT I
	 World's first hand held drain cleaner on a 18V battery with automatic feed and retract that can be used with 6 mm, 8 mm and 10 mm spirals from both MILWAUKEE® and other manufacturers, in pipes from 32 mm up to 75 mm, up to 15 m down the line, eliminating all electrocution hazards users encounter today with their corded tools 		 Lightest professional drain cleaner on the market Versatile design, provides benefits of both handheld and floor based drain cleaners in one machine Best user flexibility and manoeuvrability due to the independence of electric power supply 		 Clears clogs in pipes up to 23 Infinite variabl for more contr wall clean Integrated me cable when bi Nylon coated reception to fin attachment he
	M18 FDCPF8-0C	M12 BDC8-0	C M12 BDC8-202C	M18 HS	FSM-0

	MIG I DEFI 0-0C
Standard equipment	8 mm x 10.6 m cable (48532673)
Kit included	No batteries supplied, No charger supplied, Closed
	bucket
Article Number	4933459683
EAN Code	4058546028558



M12 BDC6

M12[™] SUB COMPACT DRAIN CLEANER WITH SPIRAL **DIAMETER 6 MM**



· Lightest professional drain cleaner on the market Versatile design, provides benefits of both handheld and floor based drain cleaners in one machine Best user flexibility and manoeuvrability due to the independence of electric power supply

	M12 BDC6-0C	M12 BDC6-202C
Standard equipment	6 mm x 7.6 m inner core bulb head	6 mm x 7.6 m inner core bulb head
Kit included	No batteries supplied, No charger	2 x M12 B2 Battery packs, C12 C
	supplied, Bucket	Charger, Bucket
Article Number	4933451634	4933451635
EAN Code	4002395141616	4002395141623

M18 FSSM M18 FUEL[™] SECTIONAL SEWER MACHINE

M18 FUEL

M18 FUEL

M12



World's first cordless sectional sewer machine on a 18V battery with automatic feed and retract that can be used with 22 mm and 32 mm sectional spirals from both MILWAUKEE® and other manufacturers in pipes from 50 mm up to 200 mm, up to 60m down the line. eliminating all electrocution hazards users encounter today with their corded tools

-		
	M18 FSSM-0	M18 FSSM-121
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 HB12 Battery pack, M12- 18 FC Charger, No kitbox or bag supplied
Article Number	4933471411	4933471410
EAN Code	4058546290399	4058546290382

M18 FCSSM M18 FUEL[™] COMPACT SECTIONAL SEWER MACHINE



with their corded tools Extremely light weight, 14 kg including M18[™]
 12.0 Ah battery, allowing user to comfortably transport the compact sectional up multiple flights of stairs or over longer distances

M18 FCSSM-0	M18 FCSSM-121
No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 HB12 Battery pack, M12- 18 FC Charger, No kitbox or bag supplied
4933478408	4933478407
4058546345990	4058546345983
	No batteries supplied, No charger supplied, No kitbox or bag supplied 4933478408





SCAN TO VIEW OUR SYSTEM ATTACHMENTS FOR SECTIONAL SEWER MACHINE

M18 FUEL MACHINE

s in 32 mm (1 1/4) – 110 mm (4) 23 m down the line able speed from 600 – 2200 RPM ontrol in the line and best wall to

nechanical clutch protecting the n binding up ed 8 mm cable with universal

fit and use with most common heads available on the market

HSFSM-122
18 HB12 Battery packs, 18 FC Charger, No kitbox or bag ied
480722
546410070
5

M12 [™] PLUMBING LOCATOR	2

M40 DI

EAN Code

M12

Easy to use plumbing locator: 2 omni ONE KEY directional antennas make locating sondes and tracing energised lines easy without any ghost signals First locator on the market on a 12V battery with 13 hours run time on a M12[™] 2.0 Ah battery, no alkaline batteries that need frequent changing • 4.3" colour LCD screen with backlit buttons for better visibility M12 PI -0C M12 PI -201C 1 x M12 B2 Battery pack, C12 C No batteries supplied, No charger Kit included supplied, Kitbox Charger, Kitbox 4933478615 4933471995 Article Number

M12 360IC12 M12 M12[™] 360° INSPECTION CAMERA 1.2 M 2ND GEN

4058546298



 4.3" LCD screen delivers sharp and clear images and allows users to see objects in greater detail • 270° rotating screen provides the user fluid image control in every position of use 1.2 metre cable balances flexibility and rigidity for both drain line and behind wall inspections Included 32 GB micro SD card allows to record and store images and videos

405854634808

	M12 360IC12-0C	M12 360IC12-201C
Standard equipment	4x Accessories	4x Accessories
Kit included	No batteries supplied, No charger supplied, Kitbox	1 x M12 B2 Battery pack, C12 C Charger, Kitbox
Article Number	4933480739	4933480740
EAN Code	4058546410247	4058546410254

M12 360IC32 M12[™] 360° INSPECTION CAMERA 3 M 2ND GEN

M12



 4.3" LCD screen delivers sharp and clear images and allows users to see objects in areater detail 270° rotating screen provides the user fluid image control in every position of use • 3 metre cable balances flexibility and rigidity for both drain line and behind wall inspections Included 32 GB micro SD card allows to record and store images and videos

	W12 3001032-00
Standard equipment	4x Accessories
Kit included	No batteries supplied, No charger supplied, Kitbox
Article Number	4933480741
EAN Code	4058546410261

SCAN TO VIEW OUR SYSTEM ATTACHMENTS FOR M18 HSFSM - M18™ HIGH SPEED FLEXIBLE SHAFT MACHINE









AIC2 ALKALINE INSPECTION CAMERA 2ND GEN

1111<u>4</u>



- 4.3" LCD screen delivers sharp and clear images and allows users to see objects in areater detail
- 1.2 metre cable balances flexibility and rigidity for both drain line and behind wall inspections 5 modes of brightness provide best in class
- illumination without shadow or glare 720p camera resolution provides outstanding
- image quality

AIC2

Standard equipment	4x Accessories	
Kit included	4 x AA Batteries, Kitbox	
Article Number	4933480738	
EAN Code	4058546410230	



M18 SIC60SC

Article Number

M18 SIC36

EAN Code

M18[™] SEWER INSPECTION SMALL CAMERA 60 M

picture

containment

M18 SIC60SC

4933480585

405854640870

INSPECTION CAMERAS



M18

M18

M18 SIC60

Article Number


EAN Code

OPE



M18 F2LM53 M18 FUEL

M18 FUEL[™] DUAL BATTERY SELF-PROPELLED LAWN MOWER 53 CM



M18 BLLT M18[™] BRUSHLESS GRASS TRIMMER

BRUSHLESS	 The M18[™] brushless grass trimmer has the power to clear thick brush and reaches full throttle in under 1 second Up to 4600 RPM in first mode and 6200 RPM in second mode 2-speed variable trigger allows the user to choose between higher performance or extended run time Adjustable cutting swath of 35 cm – 40 cm
	M18 BLLT-0
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933472218
EAN Code	4058546326142

Picture 12 LED's for better illumination of drain pipes 36 m long, 10 mm thick push rod for easier reach of longer runs but still flexible enough to run through 50 mm 90 degree bends Fully enclosed reels for better mess containment Rubber stand for putting reel on back

25 mm 1080 p HD camera with pan zoom.

allowing the user to zoom in on the entire

25 mm 1080 p HD camera with pan zoom,

allowing the user to zoom in on the entire

run through 50 mm 90 degree bends Fully enclosed reels for better mess

Rubber stand for putting reel on back

12 LED's for better illumination of drain pipes

 60 m long, 10 mm thick push rod for easier reach of longer runs but still flexible enough to

	M18 SIC36	
Article Number	4933471413	Article Number
EAN Code	4058546290412	EAN Code

M18 SIC30 M18" SEWER INSPECTION CAMERA 30 M

M18[™] SEWER INSPECTION CAMERA 60 M



allowing the user to zoom in on the entire picture ° 30 m long, 9.5 mm thick push rod for easier reach of longer runs but still flexible enough to run through 50 mm 90 degree bends ° Fully enclosed reels for better mess containment ° 12 LED's for better illumination of drain pipes

25 mm 1080 p HD camera with pan zoom.

34 mm 1080 p HD camera with pan zoom.

allowing the user to zoom in on the entire

20 LED's for better illumination of drain pipes

 60 m long, 12 mm thick push rod for easier reach of longer runs but still flexible enough to

run through 75 mm 90 degree bends • Fully enclosed reels for better mess

Rubber stand for putting reel on back

picture

containment

M18 SIC60

4933471412

40585462904

Rubber stand for putting reel on back

M18

M18

M18

	W10 31030
Article Number	4933480737
EAN Code	4058546410223

M18 SISH M18[™] SEWER INSPECTION SMART HUB

M18[™] SEWER INSPECTION CAMERA 36 M

	 Easily interchangeable between reels with one push on the button Integrated WI-FI for connection with MILWAUKEE® monitor and tablet or smartphone with NEW MILWAUKEE® App Share customised reports Multiple screen viewing and recording
--	---

	M18 SISH-0
Kit included	No batteries supplied, No charger supplied, No kitbox or
KII IICIUUEU	bag supplied
Article Number	4933471415
EAN Code	4058546290436

M18 M18 SIM M18[™] SEWER INSPECTION MONITOR



Wireless 8" high resolution, 800 x 600, LCD screen for optimal viewing
 Sun readable screen for best viewing of inspection
 ONE-KEY" tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools.

inventory management platform for your tools. ONE-KEY" also features a remote locking functionality

M18 SIM-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied
Article Number	4933471414
EAN Code	4058546290429



M18

For further technical specifications, including noise and vibration data, please visit our website: www.milwaukeetool.eu









- 46 cm steel deck and blade design paired with M18 FUEL[™] technology deliver best-in-class quality of cut
- Compact deck design for more maneuverability in tight access areas
 3-in-1 grass management system to mulch,
- 3-in-1 grass management system to mulch, 60 litre bag, or rear side discharge chute

	M18 F2LM46-0	M18 F2LM46-802
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 HB8 Battery packs, M18 DFC Charger, No kitbox or bag supplied
Article Number	4933492010	4933492011
EAN Code	4058546413774	4058546413781

M18 FBCU M18 FUEL[™] BRUSH CUTTER



Powerful brush cutter designed to clear grass, weeds, thick brush and saplings up to 3 cm diameter
 Full throttle in under 1 second for instantaneous power and ultimate control
 Supplied with a trimmer head for a 35 - 40 cm cutting swath and a 23 cm blade featuring a 4-tooth design, meant to take on more demanding applications
 M18 FBCU-0
 M18 FBCU-802

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 HB8 Battery packs, M12- 18 FC Charger, No kitbox or bag supplied
Article Number	4933492297	4933492298



M18 FHET60 M18 FUEL[™] HEDGE TRIMMER 60 CM



0	Double sharpened blade for clean cuts and
	removal of thicker material
D	Power to cut 20 mm branches
D	60 cm blade trims more material in a single
	pass, increasing reach and productivity
D	Up to 2 hours run time with an M18 [™] HIGH
	OUTPUT [™] 8.0 Ah battery pack
D	POWERSTATE [™] brushless motor provides
	increased efficiency, lasts longer and deliver

M18 FUEL

M18 FUEL

	M18 FHET60-0	M18 FHET60-802
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 HB8 Battery packs, M12- 18 FC Charger, No kitbox or bag supplied
Article Number	4933493290	4933493291
EAN Code	4058546481612	4058546481629

• Dou

maximum power

M18 FHET45

M18 FUEL[™] HEDGE TRIMMER 45 CM

 Double sharpened blade for clean cuts and removal of thicker material 45 cm blade for more flexibility and the pow to cut 19 mm branches Sustains power under load without bogging down Up to 2 hours run time with an M18[™] HIGH OUTPUT[™] 8.0 Ah battery pack

	M18 FHET45-0	M18 FHET45-802
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 HB8 Battery packs, M12- 18 FC Charger, No kitbox or bag supplied
Article Number	4933493293	4933493294
EAN Code	4058546481643	4058546481650

M18 FCHS M18 FUEL M18 FUEL[™] CHAINSAW WITH 40 CM BAR



The M18 FUEL[™] chainsaw delivers the power to outperform on the most demanding chainsaw applications vs. petrol chainsaws FUEL[™] technology allows the saw to maintain speed in tough application without bogging down, giving it the ability to outperform petrol chainsaws up to 40cc

	M18 FCHS-0	M18 FCHS-121
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 HB12 Battery pack, M12- 18 FC Charger, No kitbox or bag supplied
Article Number	4933464723	4933464223
EAN Code	4058546226688	4058546221683

M18 FCHS35 M18 FUEL M18 FUEL[™] CHAINSAW WITH 35 CM BAR

No batteries supplied, No charger



M12 FHT20

Kit included

For furthe

Article Number EAN Code

M12 FUEL[™] HEDGE TRIMMER 20 CM

M12 FHT20-0

4933479675

405854637469

 Delivers the power to outperform on the most demanding applications vs. petrol chainsaws Maintains speed in tough applications without bogging down • The HIGH OUTPUT[™] system of tools elevates the M18 FUEL[™] technologies to a new level and delivers extended performance and

M12 FUEL

20 cm blade ideal for small detail work like

trimming overgrowth or topiary of hedges,

Delivers fast and precise cuts for upmost

Ill metal gear case for increased durability

Slim ergonomic gripping area for outstanding control in tight to reach areas

M12 FHT20-402

4058546374709

2 x M12 B4 Battery packs, C12 C

· Well balanced and low weight for better control and effortless cutting in multiple positions

shrubs and small bushes

supplied, No kitbox or bag supplied Charger, No kitbox or bag supplied 4933479675 4933479676

productivity

		extended run time. These tools are designed to maximise the partnership with HIGH OUTPUT [™] batteries	
	M18 FCHS35-0	M18 FCHS35-122	
Kit included	No batteries supplied, No charge supplied, No kitbox or bag suppli		
Article Number	4933479678	4933479679	
EAN Code	4058546374723	4058546374730	

M18 FUEL M18 FCHSC M18 FUEL[™] CHAINSAW WITH 30 CM BAR



 Delivers the power to outperform on the most demanding chainsaw applications vs. petrol chainsaws FUEL[™] technology allows the saw to maintain speed in tough application without bogging down, giving it the ability to outperform petrol

chainsaws up to 40cc

	M18 FCHSC-0	M18 FCHSC-121
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 HB12 Battery pack, M12- 18 FC Charger, No kitbox or bag supplied
Article Number	4933471441	4933471442
EAN Code	4058546290696	4058546290702



nical specifications, including noise and vibration data, please visit our website: www.milwaul

M18 FUEL M18 FTHCHS35 M18 FUEL[™] TOP HANDLE CHAINSAW WITH 35 CM BAR



 Outstanding speed of cut in hardwood vs certain petrol or higher voltage top handle chainsaws High torque to complete cuts in demanding materials and maintains speed under heavy loads without bogging down FUEL[™] technology to reach full throttle in under 1 second


	M18 FTHCHS35-0	M18 FTHCHS35-802
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 HB8 Battery packs, M12- 18 FC Charger, No kitbox or bag supplied
Article Number	4933479588	4933479589
EAN Code	4058546373825	4058546373832

M18 FUEL **M18 FTHCHS30** M18 FUEL[™] TOP HANDLE CHAINSAW WITH 30 CM BAR

 Outstanding speed of cut in hardwood vs certain petrol or higher voltage top handle chainsaws High torque to complete cuts in demanding materials and maintains speed under heavy loads without bogging down FUEL[™] technology to reach full throttle in under 1 second
i secona

	M18 FTHCHS30-0		
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied		
Article Number	4933479586	4933479587	
EAN Code	4058546373801	4058546373818	

M12 FHS M12 FUEL M12 FUEL[™] HATCHET[™] PRUNING SAW 15 CM



M18 F2BPB M18 FUEL M18 FUEL[™] DUAL BATTERY BACKPACK BLOWER

	Ŀ	blowing force discharge 2 x 18V dedic padded back straps for ext Up to four ba Up to 18.5 m	t clearing force with a consistent of 20.5 N over the entire battery eated backpack blower with a pad and padded adjustable reme comfort ittery slots for extended run time ³ /min of air volume at 250 km/h to gravel and debris
	M18 F2BPB-0		M18 F2BPB-124
neluded	No batteries suppl	ied, No charger	4 x M18 HB12 Battery packs, M18

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	4 x M18 HB12 Battery packs, M18 PC6 Chargers, No kitbox or bag supplied
Article Number	4933493212	4933493213
EAN Code	4058546480837	4058546480844



M18 FHS20 M18 FUEL[™] HATCHET[™] PRUNING SAW 20 CM

M18 FUEL



- M18 FUEL[™] HATCHET[™] pruning saw delivers outstanding power and torque to cut hardwood
- without bogging down Designed to meet the ergonomic, performance, and durability needs of landscape maintenance professionals
- Compact design for increased control and maneuverability in tight access areas

	M18 FHS20-0	M18 FHS20-552	
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 HB5.5 Battery packs, M12-18 FC Charger, No kitbox or bag supplied	
Article Number	4933480117	4933480118	
EAN Code	4058546404024	4058546404031	

M12 BLPRS M12[™] BRUSHLESS PRUNING SHEARS

BRUSHLESS


M12

Power to cut branches up to 32 mm Trigger tracking technology allowing for blade

- movement to follow the trigger movement for increased control during the application
- No manual effort required, especially
- convenient for extended applications

Mode select board provides ability to lock blades into half capacity of 16 mm, allowing for increased cut speed

	M12 BLPRS-0	M12 BLPRS-202	
Kit included No batteries supplied, No charger supplied, No kitbox or bag supplied		2 x M12 B2 Battery packs, C12 C Charger, No kitbox or bag supplied	
Article Number	4933480114	4933480115	
EAN Code	4058546403997	4058546404000	





M18 FUEL M18 FUEL **M18 FBL** M18 FUEL **M18 FOPHLTKIT** M18 F2BL M18 FUEL[™] DUAL BATTERY BLOWER M18 FUEL[™] BLOWER M18 FUEL[™] OUTDOOR POWER HEAD - GRASS TRIMMER ΚΙΤ • Up to 17 m³/min of air volume at 233 km/h to • Up to 12.74 m³/min of air volume at 193 km/h • Brushless POWERSTATE[™] motor for longer motor life and up to 20% more power clear leaves, gravel and debris to clear debris High constant clearing force with a consistent blowing force of 17.7 N over the entire battery REDLINK PLUS[™] intelligence system delivers an advanced digital overload protection for tool Variable trigger and speed lock for full power 0 control discharge Ergonomic inline design clears debris and dirt and battery and uniquely enhances the tool Best clearing control due to balanced design in tight spaces performance under load REDLINK PLUS[™] intelligence system delivers and ambidextrous variable speed lock allowing • Full throttle in under 1 second the user to lock on to any speed for precise an advanced digital overload protection for tool Has the power to clear thick brush and battery and uniquely enhances the tool performance under load applications Up to 1 hour of run time with M18[™] HIGH OUTPUT[™] 8.0 Ah battery pack M18 FOPHLTKIT-0 M18 FBL-0 M18 F2BL-0 M18 F2BL-802 No batteries supplied, No charger 2 x M18 HB8 Battery packs, M18 DFC No batteries supplied, No charger supplied, No kitbox or No batteries supplied, No charger supplied, No kitbox or Kit included Kit included Kit included supplied, No kitbox or bag supplied Charger, No kitbox or bag supplied 4933479987 4933479988 bag supplied 4933459825 bag supplied 4933464956 Article Number Article Number Article Number

405854602997

M18 FTPS30

EAN Code

M18 FUEL

405854637782

M18 FUEL[™] TELESCOPING POLE SAW 30 CM

4058546377816

	speed of 25.4 cutting length • Outperforms p applications • Features a tele profile and a c	 Features a telescopic shaft with a square profile and a quick length adjustment collar, allowing for optimal length adjustment of up 	
	M18 FTPS30-0	M18 FTPS30-121	
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 HB12 Battery pack, M12- 18 FC Charger, No kitbox or bag supplied	
Article Number	4933480868	4933480869	
EAN Code	4058546411534	4058546411541	

M12 BHCS3L M12 M12[™] HANDHELD CHEMICAL SPRAYER 3.7 L



Instant, constant and adjustable pressure for best in class control Three pressure settings deliver the capability to optimise performance for a wide range of applications like spot, broadcast and distance spraying No manual pumping allows faster application

speed and reduces user fatigue versus other manual sprayers

	M12 BHCS3L-0	M12 BHCS3L-201
Kit included	No batteries supplied, No charger 1 x M12 B2 Battery pao supplied, No kitbox or bag supplied Charger, No kitbox or ba	
Article Number	4933480781	4933480782
FAN Code	4058546410667	4058546410674



M18 BPFPH M18[™] SWITCH TANK[™]

EAN Code

M18

M18



• The M18[™] SWITCH TANK[™] 15 I backpack fluid pump sprayer delivers the industry's first interchangeable tank design with no manual pumping The interchangeable tank design isolates the

pump, hose and wand, separating wearable components from the M18[™] SWITCH TANK[™] powered base

	M18 BPFPH-0	M18 BPFPH-401
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	1 x M18 B4 Battery pack, M12-18 C Charger, No kitbox or bag supplied
Article Number	4933464961	4933464962
EAN Code	4058546229061	4058546229078

M18 BPFP-CST M18[™] SWITCH TANK[™] 15L CHEMICAL SPRAYER



Chemical sprayer tank for pesticides/fertilizers/ treatments/herbicides/fungicides/insecticides/ de-icing agents and more Semi-transparent tank with measuring scale to know how much liquid is inside the tank Carry handle lid with wide mouth makes easy transport and pouring of water/chemicals into tank

• Fully compatible with SWITCH TANK[™]

M18

M18 BPFP-CST 4933464964 4058546229092

M18 BPFP-WST M18[™] SWITCH TANK[™] 15L WATER SUPPLY



Fully compatible with SWITCH TANK[™] Water sprayer tank for efficient water delivery for concrete cutting and coring applications. Also useful for washing up slurry's, areas and eauipment

Semi-transparent tank with measuring scale to know how much liquid is inside the tank Carry handle lid with wide mouth makes easy transport and pouring of water into tank

M18 BPFP-WST

Article Number	4933464965	
EAN Code	4058546229108	



EAN Code



405854622901



		Description	Article Number	EAN Code
1.	M18 FOPH-LTA	QUIK-LOK [™] grass trimmer attachment	4932464955	4058546229009
2.	M18 FOPH-HTA	QUIK-LOK [™] hedge trimmer attachment	4932464959	4058546229047
3.	M18 FOPH-CSA	QUIK-LOK [™] chainsaw attachment	4932464957	4058546229023
4.	M18 FOPH-EA	QUIK-LOK [™] edger attachment	4932464958	4058546229030
5.	M18 FOPH-EXA	QUIK-LOK [™] extension attachment	4932464960	4058546229054
6.	M18 FOPH-BCA	QUIK-LOK [™] brush cutter attachment	4932479986	4058546377809
7.	M18 FOPH-RBA	QUIK-LOK [™] rubber broom attachment	4932479984	4058546377786
8.	M18 FOPH-BBA	QUIK-LOK [™] bristle brush attachment	4932479985	4058546377793
9.	M18 FOPH-SHTA	$\ensuremath{QUIK}\xspace{-}\ensuremath{LOK}\xspace^{\ensuremath{m}\xspace}$ short hedge trimmer attachment	4932492666	4058546513450
10.	M18 FOPH-CA	QUIK-LOK [™] cultivator attachment	4932492667	4058546475383
11.	M18 FOPH-BA	QUIK-LOK [™] blower attachment	4932492668	4058546475390
12.	M18 FOPH-RA	QUIK-LOK [™] reciprocator attachment	4932492669	4058546475406

Article Number

EAN Code





- Versatile outdoor power equipment system,
- powered by a single power head
- Delivers the capability to swap between multiple attachments to complete a wide range of applications • Full throttle in under 1 second
- 2-speed with variable speed trigger
- POWERSTATE[™] brushless motor provides increased efficiency, lasts longer and delivers maximum power

M1Q	FOPH-0
11110	1011-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
Kit iliciudeu	bag supplied
Article Number	4933464954
EAN Code	4058546228996





M18

MXF TL MX FUEL[™] TOWER LIGHT



 TRUEVIEW[™] high definition light output with up to 27,000 lumens in AC and up to 20.000 lumens in DC mode for both task and area lighting Has the ability to manoeuvre the light heads in multiple orientations, allowing the user to direct light to wherever it's needed

	MXF TL-601
Kit included	1 x MXF XC406 Battery pack, Integrated charger, No kitbox or bag supplied
Article Number	4933471844
EAN Code	4058546297435

M18 ONESLDP M18 M18[™] ONE-KEY[™] LED COMPACT SITE LIGHT CHARGER



· Optimise brightness and run time by adjusting the light output from 0 - 9000 lumens ONE-KEY[™] tool customisation allows user to control brightness and set light settings remotely ONE-KEY[™] tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY[™] also features a remote locking

functionality M18 ONESLDP-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
Kit iliciudeu	bag supplied
Article Number	4933459160
EAN Code	4002395287154

M18 ONESLSP M18™ ONE-KEY™ LED COMPACT SITE LIGHT

	 ONE-KEY[™] tool customisation allows user to control brightness and set light settings remotely ONE-KEY[™] tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY[™] also features a remote locking functionality Optimise brightness and run time by adjusting the light output between 0 - 4400 lumens
Kit included	No batteries supplied, No charger supplied, No kitbox or
	bag supplied
Article Number	4933459155
EAN Code	4002395287109

M18 TAL M18[™] TRADESMAN AREA LIGHT



• TRUEVIEW[™] high definition lighting with 2,200 lumens of light output in Area mode and 1,000 lumens in Flood mode Advanced LED technology provides 360° of area light, while an independent array of LEDs on the side provide 90° of task lighting Compact design allowing for one-handed transport on the jobsite, with a built-in carry handle

M18

	M18 TAL-0
Kit included	No batteries supplied, No charger supplied, No kitbox or
	bag supplied
Article Number	4933464134
EAN Code	4058546220792

M18 HOSALC M18 M18[™] HIGH OUTPUT STAND AREA LIGHT CHARGER

Kit included Article Number

EAN Code

6000 lumens TRUEVIEW™ of High Definition Output • Up to 10 hours of run time on M18[™] REDLITHIUM[™] 8.0 Ah battery pack 3 impact resistant adjustable heads with highly durable lens can be rotated 180° vertically and pivoted 240° horizontally to have the perfect . workplace illumination Integrated M18[™] charger and 2.1 AMP USB output for USB device charging M18 HOSALC-0 No batteries supplied, No charger supplied, No kitbox or bag supplied 4933478116

M18 ONERSAL	M18
M18 [™] ONE-KEY [™] LED REMOTE STAND LIGHT	

405854634049

Optimise brightness and run time by adjusting the light output from 0 - 5400 lumens ONE-KEY[™] tool customisation allows user to control brightness and set light settings remotely ONE-KEY[™] tool tracking & security offers a free of charge cloud-based tracking network and inventory management platform for your tools. ONE-KEY[™] also features a remote locking functionality


M18 ONFRSAL-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied		
Article Number	4933459431		
EAN Code	4058546010928		

M12 SAL M12[™] STAND LIGHT

M12

EAN Code



M12 POAL M12[™] PACKOUT[™] AREA LIGHT 1400 LUMENS

TRUEVEW PACKOUT		 O Lumens of TRUEVIEW[™] high definition output IP 54: water and dust resistant 3 modes to manage output and run time 300° of horizontal rotation and 180° of vertical rotation for complete light head adjustability Storage compartment for devices and small items 	
		M12 POAL-0	
Kit included		No batteries supplied, No charger supplied, No kitbox or bag supplied	
Article Number		4933480473	

4058546407582

EAN Code



M18 SAL2 M18[™] LED STAND LIGHT

M18

M18

M18

	 Twelve high p 2800 lumens. Impact resists durable polyc 230° vertically Protective gui 	 TRUEVIEW[™] high definition lighting Twelve high performance LEDs provides up to 2800 lumens on high light output Impact resistant adjustable head with highly durable polycarbonate lens can be rotated 230° vertically and pivoted 240° horizontally Protective guard secures the head and lens when the light is collapsed for storage or transport 		
	M18 SAL2-0	M18 SAL2-502B		
Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	2 x M18 B5 Battery packs, M12-18 C , Tool bag		
Article Number	4933492486	4933492903		

M18 POALC M18[™] PACKOUT[™] AREA LIGHT CHARGER

40585464185

		 Three independent pivoting light heads provide
TRUEVIEW	PACKOUT	3000 lumens of TRUVIEW [™] High Definition
9		Output • All three pivot light heads combined provide up to 12 hours of run time on a M18 [™] REDLITHIUM [™] 5.0 Ah battery pack • IP54: water and dust resistant
		M18 POALC-0

Kit included	No batteries supplied, No charger supplied, No kitbox or bag supplied	
Article Number	4933478120	
EAN Code	4058546340537	

M18 HOAL M18[™] HIGH OUTPUT AREA LIGHT

 • 4000 lumens TRUEVIEW[™] of High Definition Output
 Up to 12 hours of run time on M18[™]
REDLITHIUM [™] 5.0 Ah battery pack

120° rotatable light head and integrated key

4058546477745

holes for horizontal and vertical hanging Impact resistant design and durable roll cage to protect the light from rough jobsite conditions

M18 HOAL-0

Kit included	No batteries supplied, No charger supplied, No kitbox or
	bag supplied
Article Number	4933478118
EAN Code	4058546340513

M18 AL M18 [™] LED AREA LIGHT	M18	M12 AL M12 [™] LED AREA LIGHT	M12	M12 U M12 [™] UNI
	 TRUEVIEW" high definition lighting Eight high performance LEDs provide 1500 lumens of light output - up to 30% brighter than 250 W halogen lights Compact roll cage design provides superior durability Convenient built-in handle - ability to hang vertically or horizontally 		 TRUEVIEW^{**} high definition lighting Five high performance LEDs provide 1000 lumens of light output replacing 250 W halogen lights Highly durable and impact resistant polycarbonate lens to withstand drops up to 2.7 metres Integrated magnets, clamping mechanism, and key hole for screws / nails provide multiple mounting options for different surfaces 	
	M18 AL-0		M12 AL-0	
Kit included	No batteries supplied, No charger supplied, Blister	Kit included	No batteries supplied, No charger supplied, Blister	Kit included
	packaging		packaging	Kit included
Article Number	4932430392	Article Number	4933451394	Article Number
EAN Code	4002395380534	EAN Code	4002395158621	EAN Code

M18 PAL

M18[™] PIVOTING AREA LIGHT

EVIEW[™] high definition lighting with up to lumens and up to 20 hours of run time, rs replacement of 500 W halogen powerful magnets, a spring loaded clamp a folding rotating light head design provide ple mounting options and illumination ibilities from any angle ly durable and impact resistant carbonate lens to withstand drops up to netres AL-0

M18

M18

M18

	WIO FAL-U
Kit included	No batteries supplied, No charger supplied, No kitbox or
	bag supplied
Article Number	4933464105
EAN Code	4058546220501

M18 SLED-0

bag supplied 4933459159

400239528714

M12 PAL M12 [™] PIVOT AREA LIGHT



 TRUEVIEW[™] high definition lighting with up to 700 lumens • Up to 24 hours of run time on M12[™] 4.0 Ah battery pack With powerful magnets as well as a rotating light head design with 110° rotation in each direction to provide multiple beam options Highly durable and impact resistant design to

M12

M12

M12

withstand drops up to 3 m

	M12 PAL-0
Kit included	No batteries supplied, No charger supplied, Blister
	packaging
Article Number	4933478226
EAN Code	4058546344030

M18	SLE	D	
_			GHT



Kit included

EAN Code

Article Number

 • TRUEVIEW[™] high definition lighting
 • Pivoting head provides 1250 lumens with up to 650 m beam distance 4 output modes: Spot, Flood, Spot/Flood, Strobe delivering multiple options in work space illumination Spot mode for long range identification: utility pole/ high voltage cable inspection, inspection of long runs of conduit, cast or copper pipe, under ground work, bridge work...

No batteries supplied, No charger supplied, No kitbox or

M12 SLED
M12 [™] LED SPOT LIGHT



TRUEVIEW[™] high definition lighting Up to 35% longer beam distance that competition - 650 m intense and highly focused beam of light with 750 lumens Especially useful for long range identification utility pole/high voltage cable inspection, inspection of long runs of conduit, cast or copper pipe, under ground work, bridge work

M12 SLED-0 No batteries supplied, No charger supplied, Blister Kit included packaging 4933451261 Article Number EAN Code 400239517015

M18 IL M18[™] LED INSPECTION LIGHT

	 TRUEVIEW[™] high definition lighting Three LED design with 2 light settings provides 300 lumens on High and 130 lumens on Low setting Pivoting 45° forward & backward head allows for 180° coverage 2 adjustable metal hooks for hanging in vertical and horizontal position Thanks to its compact design it operates in locations other lights cannot
	M18 IL-0
Kit included	No batteries supplied, No charger supplied, Blister
	packaging
Article Number	4932430564
EAN Code	4002395382255

M12 SL M12[™] LED STICK LIGHT



 Pow 220 Adju hung Com light Flex 	EVIEW" high definition lighting erful three LED design provides lumens stable metal hook allows for light to be jn multiple orientations when being used spact design - operates in locations other s cannot ible battery system: works with all WAUKEE® M12" batteries
M12	SL-0
No ba	tteries supplied. No charger supplied. Blister

Kit included	No batteries supplied, No charger supplied, Blister
	packaging
Article Number	4932430178
EAN Code	4002395378395

UCL NDERCARRIAGE LIGHT



M12 CML M12[™] COLOUR MATCHING LIGHT

M12

M12

	 High definition lighting with up to 1000 lumens 98+ colour rendering index for use to identify accurate and reliable colour recognition Featuring 5 different colour temperatures, for end users to replicate real sunlight requirements Up to 14 hours of run time on M12[™] 4.0 Ah battery pack IP54 rated for water and dust resistant and 2 m impact resistant 		 TRUEVIEW[™] high definition light output delivers consistent beam, optimised colour temperature and true representation of colour and detail Two light output settings with 1350 and 600 lumens to maximise run time and to optimise lighting output M12[™] 4.0 Ah battery provides 4 hours of run time in high and 8 hours of run time in low setting
	M12 CML-401		M12 UHL-0
Kit included	1 x M12 B4 Battery pack, C12 C Charger, No kitbox or bag supplied	Kit included	No batteries supplied, No charger supplied, No kitbox o bag supplied
Article Number	4933479366	Article Number	4933459432
EAN Code	4058546371609	EAN Code	4058546010935

M18 LL M18 M18[™] LED LANTERN LIGHT • TRUEVIEW[™] high definition lighting • 180° - 360° adjustable beam - versatile **TRUE**VIEW[™] design, allows the user to select between area lighting and task lighting Best-in-class performance - outstanding light output 700 lumens, designed to illuminate large areas High powered USB charger charges tablets, smart phones, MP3 players and other electronic devices

No batteries supplied, No charger supplied, Blister
···· ······ ···· ···· ····· ····· ····· ····
packaging
4932430563
4002395382248

M18 TLED M18 M18[™] LED TORCH • The 120 lumen LED light is 2x brighter and TRUEVEW whiter than conventional incandescent bulbs • M18[™] LED electronics deliver 2x longer run time on a single charge with less heat than

Kit included

EAN Code

Article Number

1	 Sealed aluminium head is designed for impact- and weather-resistant durability 135° rotating head allows the user to easily direct the light beam at the desired work area Integrated hook for hands-free use
	M18 TLED-0
	No batteries supplied, No charger supplied, Blister
	packaging
	4932430361

4002395380220

For further technical specifications, including noise and vibration data, please visit our website: www.milwaukeetool.eu



M12 UHL M12[™] LED UNDERHOOD LIGHT

M12

M12 LL M12[™] LED LANTERN LIGHT

M12

	 TRUEVIEW" high definition lighting 180° - 360° adjustable beam - versatile design, allows the user to select between area lighting and task lighting Best-in-class performance - outstanding light output 400+ lumens, designed to illuminate large areas High powered 2.1A USB charger charges tablets, smart phones, MP3 players and other electronic devices
	M12 LL-0
Kit included	No batteries supplied, No charger supplied, Blister packaging
Article Number	4932430562
EAN Code	4002395382231



M12

	 The 120 lumen LED light is 2x brighter and whiter than conventional incandescent bulbs M12" LED electronics deliver 2x longer run time on a single charge with less heat Sealed aluminium head is designed for impact- and weather-resistant durability 90° rotating head allows the user to easily direct the light beam at the desired work area Magnetic back for hands-free use
	M12 TLED-0
Kit included	No batteries supplied, No charger supplied, Blister packaging

Article Number 4932430360 EAN Code 4002395380213

PERSONAL LIGHTS

	USB							RED LITHIUM USB
		Lumen	Max. run time (h)	IP protection class	Mounting	Kit included	Article Number	EAN Code
	L4 FL-301	445/ -/ 100/ -	2.5/ -/ 11/ -	IP54	Magnet, Clip	1 x L4 B3 Battery pack, USB cable, Blister packaging	4933479763	4058546375577
10	L4 PWL-301	400/ -/ 100/ 500	3.5/ -/ 11.75/ 3.5	IP54	Magnet, Clip	1 x L4 B3 Battery pack, USB cable, Blister packaging	4933479765	4058546375591
-	L4 FFL-301	550/ 250/ 100/ -	2.5/ 6/ 13.25/ -	IP54	Magnet, Carabiner	1 x L4 B3 Battery pack, USB cable, Blister packaging	4933479766	4058546375607
	L4 HL-VIS-301	600/ 400/ 200/ 25/ 400	2.5/ 4.5/ 8.5/ 22/ 4.5	IP53	Hard hat clips	1 x L4 B3 Battery pack, USB cable, Blister packaging	4933479768	4058546375621
	L4 HLRP-301	600/ 350/ 125/ 25	3/ 7.5/ 13/ 28	IP54	Hard hat clips	1 x L4 B3 Battery pack, USB cable, Blister packaging	4933479767	4058546375614
	L4 TMLED-301	1100/ 600/ 100/ -	1.5/ 4/ 12/ -	IP67	Clip	1 x L4 B3 Battery pack, USB cable, Blister packaging	4933479769	4058546375638
	L4 FMLED-301	800/ -/ 100/ -	2.5/ -/ 10/-	IP67	Clip	1 x L4 B3 Battery pack, USB cable, Blister packaging	4933479770	4058546375645
	L4 SL550-301	550/ 250 ; 250/ 100	2/ 4.5/ 2/ 5	IP52	Magnet, Hook	1 x L4 B3 Battery pack, USB cable, Blister packaging	4933478869	4058546361518
	L4 NL400-301	400/ 250	2.5/ 8	IP50	-	1 x L4 B3 Battery pack, USB cable, Blister packaging	4933479898	4058546376925
	L4 BOLTHL-301	L4 BOLTHL-301 600/ 400/ 150/ 25		IP54	-	1 x L4 B3 Battery pack, USB cable, Blister packaging	4933479902	4058546376963
	L4 HL2-301	600/ 100/ 400/ 100/ 400	5/ 20/ 9/ 14/ 9	IP54	Hard hat clips	1 x L4 B3 Battery pack, USB cable, Blister packaging	4933479963	4058546377571
	L4 FL2000-301	2000/ 1300/ 800/ 100	4/ 8/ 24	IP66	Clip	1 x L4 B3 Battery pack, USB cable, Blister packaging	4933479637	4058546374310

INTERNAL RECHARGEABLE

RECHARGEABLE

	Lumen	Max. run time (h)	IP protection class	Mounting	Kit included	Article Number	EAN Code
IR HL450	R HL450 450/ 100/ 250/ 50/ 250 2.5/ 8/ 4/ 14/		IP54	Magnet, Hard hat clips, BOLT [™] Low-profile headlamp mount	Integrated battery, USB cable, Blister packaging	4933478587	4058546347802
IR FL500	500 / 100 / 10/ -	100 / 10/ - 3.5 / 16/ 40/ - IP		Clip	Integrated battery, USB cable, Blister packaging	4933478586	4058546347796
IR PL250 25		1.5/ - / 8 / -	IP67	Bite zone, Clip	Integrated battery, USB cable, Blister packaging	4933478705	4058546348984

ALKALINE

	Lumen	Max. run time (h)	IP protection class	Mounting	Kit included	Article Number	EAN Code
 IPL-LED	100	3	IP67	Clip, Bite zone	2 x AAA Batteries, Blister packaging	4933459440	4058546011017
ML-LED	325/ -/ 25/ -	5/ -/ 18/ -	IP67	Clip	3 x AAA Batteries, Blister packaging	4933464825	4058546227708
FL-LED	300/ -/ 100/ -	5/ -/ 16/ -	IP54	Magnet, Clip	2 x AA Batteries, Blister packaging	4933464824	4058546227692
HL-SF	450/ 350/ 150/ 25/ 350	2/ 4/ 10/ 26/ 4	IP52	Hard hat clips, BOLT™ Low-profile headlamp mount	3 x AAA Batteries, Blister packaging	4933471388	4058546290160
ISHL-LED	310/ 235/ 155/ 25/ 155	4/ 6/ 10/ 40/ 8	IP64	Hard hat clips, BOLT [™] Low-profile headlamp mount	3 x AAA Batteries, No kitbox or bag supplied	4933478112	4058546340452
HL2-LED	350/ 150/ 25/ -	4/ 8.5/ 28/ -	IP52	Hard hat clips, BOLT™ Low-profile headlamp mount	3 x AAA Batteries, Blister packaging	4933471286	4058546289140

BATTERIES

BATTE	RIES											REDLITHIU	se M1	2] M18
		Description	Charge time M18 DBSC charger	Charge time M12-18 FC charger	Charge time M12-18 C charger	Charge time M12-18 AC charger	Charge time M1418C6 charger	Charge time M18 DFC charger	Charge time C12 C charger	Charge time M12 TC charger	Charge time M12 C4 charger	Charge time L4 C charger	Article number	EAN Code
1223	M18 HB12	M18 [™] HIGH OUTPUT [™] 12.0 Ah battery	60 min	130 min	250 min	285 min	270 min	130 min	-	-	-	-	4932464260	4058546222055
	M18 HB8	M18 [™] HIGH OUTPUT [™] 8.0 Ah battery	45 min	87 min	167 min	190 min	190 min	87 min	-	-	-	-	4932471070	405854628698
	M18 HB5.5	M18 [™] HIGH OUTPUT [™] 5.5 Ah battery	35 min	60 min	115 min	130 min	125 min	60 min	-	-	-	-	4932464712	405854622657
	M18 HB3	M18 [™] HIGH OUTPUT [™] 3.0 Ah battery	36 min	36 min	65 min	75 min	70 min	36 min	-	-	-	-	4932471069	405854628697
	M18 FB6	M18 [™] FORGE [™] 6.0 Ah battery	25 min	60 min	115 min	130 min	125 min	60 min	-	-	-	-	4932492533	405854641900
	M18 B5	M18 [™] 5.0 Ah battery	59 min	59 min	100 min	100 min	100 min	59 min	-	-	-	-	4932430483	400239538144
	M18 B5-CR	M18 [™] 5.0 Ah battery	59 min	59 min	100 min	100 min	59 min	59 min	-	-	-	-	4932479265	405854637059
	M18 B4	M18 [™] 4.0 Ah battery	52 min	52 min	80 min	80 min	80 min	52 min	-	-	-	-	4932430063	400239537724
	M18 B2	M18 [™] 2.0 Ah battery	26 min	26 min	40 min	40 min	40 min	26 min	-	-	-	-	4932430062	400239537723
	M12 HB5	M12 [™] 5.0 Ah HIGH OUTPUT [™] battery pack	-	75 min	110 min	110 min	-	-	110 min	380 min	110 min	-	4932480165	405854640450
	M12 HB2.5	M12 [™] 2.5 Ah HIGH OUTPUT [™] battery pack	-	40 min	55 min	55 min	-	-	55 min	200 min	55 min	-	4932480164	405854640449
	M12 B6	M12 [™] 6.0 Ah battery	-	95 min	130 min	165 min	-	-	130 min	525 min	130 min	-	4932451395	400239515863
	M12 B4	M12 [™] 4.0 Ah battery	-	52 min	80 min	115 min	-	-	80 min	347 min	80 min	-	4932430065	400239537726
	M12 B3	M12 [™] 3.0 Ah battery	-	50 min	70 min	90 min	-	-	70 min	264 min	70 min	-	4932451388	400239515796
	M12 B2	M12 [™] 2.0 Ah battery	-	26 min	40 min	55 min	-	-	40 min	174 min	40 min	-	4932430064	400239537725
	L4 B3	3.0 Ah REDLITHIUM [™] USB battery	-	-	-	-	-	-	-	-	-	120 min	4933478311	405854634502

For further technical specifications, including noise and vibration data, please visit our website: www.milwaukeetool.eu

WWW.MILWAUKEETOOL.EU O MILWAUKEETOOLEU

REDLITHIUM M12 M18



CHARGERS

CHARGER	5						REDLITHIUM USB	M12 M1	 4 M1 8
		Description	Charging ports	Charge type	Power source	Carry handle	Wall mountable	Article Number	EAN Code
	M18 PC6	M18 ^{°°} PACKOUT ^{°°} six bay rapid charger	6 x M18 [™] ; 1 x USB	Simultaneous	AC, USB	v	v	4932480162	40585464044
	M18 DBSC	M18 FUEL [™] dual bay super charger	2 x M18™	Simultaneous	AC	-	v	4932492531	40585464185
Ş	M12-18 FC	M12 [™] - M18 [™] fast charger	1 x M12™, 1 x M18™	Sequential	AC	-	~	4932451079	40023958105
	M12-18 C	M12 [™] - M18 [™] charger	1 x M12™, 1 x M18™	Sequential	AC	-	×	4932352959	4002395376
	M12-18 AC	M12 [™] -M18 [™] car charger	1 x M12™, 1 x M18™	Sequential	DC	-	×	4932459205	40023952872
	M18 DFC	M18 [™] dual bay rapid charger	2 x M18™	Simultaneous	AC	-	v	4932472073	4058546324
	M1418 C6	M14 [™] - M18 [™] multibay charger	6 x M14 [™] or 6 x M18 [™]	Sequential	AC	v	v	4932430086	4002395377
	C12 C	M12 [™] charger	1 x M12™	Single	AC	-	v	4932352000	40023953666
1	M12 TC	M12 [™] travel charger	1 x M12™	Single	AC, USB	-	-	4932459450	40585460111
	M12 C4	M12™ 4 bay charger	4 x M12™	Sequential	AC	-	r	4932430554	4002395382


PROMOTIONAL BATTERIES AND CHARGER KITS



		Voltage (V)	Battery type	Battery pack capacity (Ah)	No. of batteries supplied	Charger supplied	Article Number	EAN Code
1.	M18 HNRG-122	18 & 12	Li-ion	M18 [™] 12.0 & M12 [™] 6.0	3	M12-18 FC	4933464261	4058546222062
2.	M18 HNRG-802	18 & 12	Li-ion	M18 [™] 8.0 & M12 [™] 4.0	3	M12-18 FC	4933471073	4058546287016
3.	M18 HNRG-552	18 & 12	Li-ion	M18 [™] 5.5 & M12 [™] 3.0	3	M12-18 FC	4933464713	4058546226589
4.	M18 HNRG-302	18 & 12	Li-ion	M18 [™] 3.0 & M12 [™] 2.0	3	M12-18 FC	4933471071	4058546286996
5.	M18 NRG-503	18 & 12	Li-ion	M18 [™] 5.0 & M12 [™] 2.0	4	M12-18 FC	4933451423	4002395162628
6.	M18 NRG-502	18 & 12	Li-ion	M18 [™] 5.0 & M12 [™] 2.0	3	M12-18 FC	4933459217	4002395287925

BATTERIES AND CHARGER KITS





For further technical specifications, including noise and vibration data, please visit our website: www.milwaukeetool.eu

3

4





M12 M18









1

0



lo. of batteries supplied	Charger supplied	Article Number	EAN Code
2	M18 DBSC	4933498549	4058546524180
2	M12-18 FC	4932479831	4058546376253
2	M12-18 FC	4933459215	4002395287901
2	M12-18 C	4933459213	4002395287284
3	C12 C	4933459208	4002395287239
2	C12 C	4933451903	4002395282128
2	C12 C	4933459211	4002395287260
3	C12 C	4933459207	4002395287222
2	C12 C	4933451902	4002395282111
2	C12 C	4933459209	4002395287246
1	C12 C	4933451900	4002395281497
1	USB rechargeable power source and charger + USB cable	4932493335	4058546482060



2

4

CONSTRUCTION

BREAKERS

^ل م			Tool reception	Power input (W)	Blow energy (EPTA	A)(J) No load speed (rpm)	Full load hammer action (bpm)	Full load speed (soft hammer) (rpm)	Max. drilling solid bit (mm)	Max. drilling tunnel bit (mm)	Max. drilling core bit (mm)	Vibration drilling (m/s	²) Vibration chiseling (m/s ²)	Weight (kg)	Supplied in	Article number	EAN code
5		K 2628 H	K-Hex	2400	64		1200						6.2	25.7	No kitbox or bag supplied	d 4933471685	4058546295844
	2.	K 1530 H	K-Hex	2100	39	-	1560	-	-	-	-	-	8.4	16.8	Plastic case	4933464117	4058546220624
	3.	K 1528 H	K-Hex	2100	39	-	1560	-	-	-	-	-	8.8	17.2	Plastic case	4933464118	4058546220631
}	4.	K 1000 S	SDS-Max	1750	26	-	1400 - 1950	-	-	-	-	-	6.7	12.7	Plastic case	4933464120	4058546220655
	5.	K 950 S	SDS-Max	1700	20	125 - 250	975 - 1950	125 - 250	50	80	150	12.5	11	11.8	Kitbox	4933375710	4002395232031
	6.	K 900 K	K-Hex	1600	20	-	975 - 1950	-	-	-	-	-	11	11.0	Kitbox	4933375650	4002395231614
	6.	K 900 S	SDS-Max	1600	20	-	975 - 1950	-	-	-	-	-	11	11.0	Kitbox	4933375720	4002395232048
	7.	K 850 S	SDS-Max	1400	11	380	1600 - 2900	210 - 380	50	80	150	9.4	10.14	9.6	Kitbox	4933464896	4058546228415
[57	8.	K 750 S	SDS-Max	1550	11.9	300	2740	240	50	80	150	9.5	9.1	8.2	Kitbox	4933398600	4002395235193
N	9.	K 545 S	SDS-Max	1300	8.5	450	2840	350	45	65	100	13	9	6.7	Kitbox	4933398200	4002395234073
	10.	K 540 S	SDS-Max	1100	7.5	450	3000	430	-	65	105	16.8	16.7	6.3	Kitbox	4933418100	4002395238422
	11.	K 500 ST	SDS-Max	1100	7.5	450	3000	-	-	-	-	-	16.7	5.9	Kitbox	4933443180	4002395003402
	12.	K 500 S	SDS-Max	1300	8.5	-	2840	2200	-	-	-	-	11.5	6.3	Kitbox	4933398220	4002395234059
	13.	PCE 3/K	SDS-Plus	720	3.6	-	0 - 3650	-	-	-	-	-	11	3.7	Kitbox	4933384300	4002395232215

COMBI HAMMERS







		4.	PH 28	SDS-Plus	820
ζ	©	4.	PH 28 X	SDS-Plus + Reduced shank 13 mm	820
) S	l Š	5.	PH 26 T	SDS-Plus	800
		5.	PH 26 TX	SDS-Plus	800
Δ		6.	PFH 26 T	SDS-Plus	800

		Tool reception	Power input (W)	Blow energy (EPTA)(J) Full load hammer action (bpm)	Full load speed (rpm)	Max. drilling concrete (mm)	Max. drilling steel (mm) Max. drilling wood (mm	n) Vibration drilling (m/s ²) Vibration chiseling (m/s ²)	FIXTEC™	Weight (kg)	Supplied in	Article number	EAN code
1.	PLH 32 XE	SDS-Plus + Reduced shank 13 mm	900	3.8	0 - 4500	0 - 800	32	16	40	22	20	Yes	3.6	Kitbox	4933400069	4002395233342
2.	PLH 28 E	SDS-Plus	800	4.1	0 - 4000	0 - 1000	28	13	40	10.6	6.8	No	3.4	Kitbox	4933446790	4002395005482
	PLH 28 XE	SDS-Plus + Reduced shank 13 mm	800	4.1	0 - 4000	0 - 1000	28	13	40	10.6	6.8	Yes	3.6	Kitbox	4933446800	4002395005499
3.	PH 30 POWER X	SDS-Plus + Reduced shank 13 mm	1030	3.6	0 - 3800	0 - 850	30	13	40	22	14	Yes	2.9	Kitbox	4933396420	4002395234967
4.	PH 28	SDS-Plus	820	3.4	0 - 4000	0 - 900	28	13	30	22	16	No	2.7	Kitbox	4933396396	4002395234936
4.	PH 28 X	SDS-Plus + Reduced shank 13 mm	820	3.4	0 - 4000	0 - 900	28	13	30	22	16	Yes	2.9	Kitbox	4933396392	4002395234943
5.	PH 26 T	SDS-Plus	800	2.4	0 - 4500	0 - 1500	26	13	30	13.6	11.9	No	2.4	Kitbox	4933464580	4058546225254
5.	PH 26 TX	SDS-Plus	800	2.4	0 - 4500	0 - 1500	26	13	30	13.6	11.9	Yes	2.6	Kitbox	4933464579	4058546225247
6.	PFH 26 T	SDS-Plus	800	2.4	0 - 4500	0 - 1500	26	13	30	13.6	11.9	No	2.4	Kitbox	4933464581	4058546225261
7.	PFH 26	SDS-Plus	725	2.4	0 - 4500	0 - 1250	26	13	30	13.5	-	No	2.4	Kitbox	4933428230	4002395239832







ROTARY DRILLS AND DRIVERS

		Chuck capacity (mn	n) Power input (W)	No load speed (rpm)	Max. drilling concrete (mm)	Max. drilling masonry (mm)	Max. drilling steel (mm)	Max. drilling wood (mm)	Max. static stalling torque (Nm)	Weight (kg)	Supplied in	Article Number	EAN Code
Ţ	1. SB 2-35 D	16	1010	0 - 800/ 0 - 1800	35	40	16	50	57	4.2	No kitbox or bag supplied	4933380507	4002395227280
	2. PD2E 24 R	13	1020	0 - 1000/ 0 - 3200	22	24	16	40	60	3.0	Kitbox	4933419595	4002395238651
	3. PD2E 22 R	13	850	0 - 1000/ 0 - 3200	20	22	13	40	56	2.9	Kitbox	4933419570	4002395238613
	4. PD-705	13	705	0 - 3000	15	16	13	30	15	1.9	No kitbox or bag supplied	4933431955	4002395243914
	5. PDE 16 RP	13	630	0 - 950	16	20	13	40	59	2.0	Kitbox	4933409206	4002395235339
l S	6. PDE 13 RX	13	630	0 - 2900		18	13	30	21	1.8	Kitbox	4933409200	4002395235322
Va la	7. HDE 13 RQX	13	950	0 - 850			13	38	94	2.0	No kitbox or bag supplied	030250	4002395229642
le la	8. HDE 13 RQX KIT	13	950	0 - 850	-		13	38	94	2.0	Kitbox	4933428550	4002395241576
	9. DE 13 RP	13	630	0 - 950			13	40	59	2.1	Kitbox	4933409194	4002395235346
	9. DE 13 HP	13	<u>ьзи</u>	0 - 950			13	40	59	2.1	KIIDOX	4933409194	4002395235346



For further technical specifications, including noise and vibration data, please visit our website: www.milwaukeetool.eu

For further technical specifications, including noise and vibration data, please visit our website: www.milwaukeetool.eu

METAL WORKING

Milwaukee

ANGLE GRINDERS

0		Power input (W)	No load speed	Disc diameter (n	nm)Weight (kg)	Switch type	Brake	Anti-kickback	FIXTEC™	AVS Anti-Vibration	AVS side handle	Rotatable main handle	Autobalancer system	Line lock out function	Supplied in	Article Number	EAN Code
Store of the second		AGVM 26-230 GEX 2600	(rpm) 6600	230	5.8	Trigger lock-on	No	protection Yes	Yes	System Yes		Yes	Yes	Yes	No kitbox or bag supplied		4002395234271
		AGVM 26-230 GEX 2600	6600	230	5.8	switch Deadman switch		Yes	Yes	Yes		Yes	Yes	No	No kitbox or bag supplied		4002395234394
	2.	DMS 2600 AGV 26-230 GE 2600	6600	230	5.5	Trigger lock-on	No	No	No	Yes		Yes	Yes	Yes	No kitbox or bag supplied		4002395234257
3	2.	AGV 26-230 GE DMS 2600	6600	230	5.5	switch Deadman switch	No	No	No	Yes		Yes	Yes	No	No kitbox or bag supplied	4933402490	4002395234356
		AGVM 24-230 GEX 2400	6600	230	5.8	Trigger lock-on	No	Yes	Yes	Yes		Yes	Yes	Yes	No kitbox or bag supplied	4933402340	4002395234240
	3.	AGVM 24-230 GEX 2400	6600	230	5.8	switch Deadman switch	No	Yes	Yes	Yes		Yes	Yes	No	No kitbox or bag supplied	4933402475	4002395234370
	<u> </u>	AGVKB 24-230 EKX 2400	6500	230	5.9	Trigger lock-on	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	No kitbox or bag supplied	4933471464	4058546293635
		AGVK 24-230 EK 2400	6600	230	5.4	switch Trigger lock-on	No	Yes	No	Yes	Yes	No	No	Yes	No kitbox or bag supplied	4933451413	4002395161683
	<u>،</u> ۵.	AGVK 24-230 EK DMS 2400	6600	230	5.4	switch Deadman switch	No	Yes	No	Yes	Yes	No	No	Yes	No kitbox or bag supplied	4933451414	4002395161690
	6.	AGV 24-230 GE 2400	6600	230	5.5	Trigger lock-on	No	No	No	Yes		Yes	Yes	Yes	No kitbox or bag supplied	4933402330	4002395234226
((7)	7.	AG 24-230 E 2400	6600	230	5.3	switch Trigger lock-on switch	No	No	No	No		No	No	Yes	No kitbox or bag supplied	4933402325	4002395234219
Č a serie da ser este serie da		AG 24-230 E DMS 2400	6600	230	5.3	Deadman switch	No	No	No	No		No	No	No	No kitbox or bag supplied	4933402450	4002395234325
	8 8.	AGV 22-180 E 2200	8500	180	5.3	Trigger lock-on switch	No	No	No	Yes	Yes	No	No	Yes	No kitbox or bag supplied	4933431820	4002395243839
	8.	AGV 22-230 E 2200	6600	230	5.4	Trigger lock-on switch	No	No	No	Yes	Yes	No	No	Yes	No kitbox or bag supplied	4933431850	4002395243860
9	8.	AGV 22-230 DMS 2200	6600	230	5.4	Deadman switch	No	No	No	Yes	Yes	No	No	No	No kitbox or bag supplied	4933431860	4002395243877
)~	AG 22-180 DMS 2200	8500	180	5.1	Deadman switch	No	No	No	No	No	No	No	No	No kitbox or bag supplied	4933431830	4002395243846
	10 9.	AG 22-230 DMS 2200	6600	230	5.2	Deadman switch	No	No	No	No	No	No	No	No	No kitbox or bag supplied	4933433630	4002395244423
	10	D. AGV 17-125 XE 1750	2600 - 11,000	125	2.8	Trigger lock-on switch	No	Yes	Yes	No	Yes		No	Yes	No kitbox or bag supplied	4933432230	4002395243983
1	10	D. AGV 17-125 XC 1750	11,000	125	2.8	Trigger lock-on switch	No	Yes	Yes	No	Yes		No	Yes	No kitbox or bag supplied	4933449850	4002395247295
	10	D. AGV 17-125 XC DMS 1750	11,000	125	2.8	Deadman switch	No	Yes	Yes	No	Yes		No	Yes	No kitbox or bag supplied	4933455140	4002395247905
	10	D. AGV 17-150 XC DMS 1750	9500	150	3.0	Deadman switch	No	Yes	Yes	No	Yes		No	Yes	No kitbox or bag supplied	4933432250	4002395243990
	10	D. AGV 17-180 XC DMS 1750	7600	180	3.1	Deadman switch	No	Yes	Yes	No	Yes		No	Yes	No kitbox or bag supplied	4933432270	4002395244003
3	11	1. AGV 17-125 INOX 1750	2000 - 7600	125	2.8	Trigger lock-on switch	No	Yes	Yes	No			No	Yes	No kitbox or bag supplied	4933449870	4002395247912
5	 12	2. AGV 15-125 XC 1550	11,000	125	2.6	Slide lock-on swit	ch No	Yes	Yes	No			No	Yes	No kitbox or bag supplied	4933428120	4002395239641
C	12	2. AGV 15-125 XE 1550	2800 - 11,000	125	2.6	Slide lock-on swit	ch No	Yes	Yes	No			No	Yes	No kitbox or bag supplied	4933428127	4002395239658
æ	12	2. AGV 15-150 XC 1550	9000	150	2.6	Slide lock-on swit	ch No	Yes	Yes	No	Yes		No	Yes	No kitbox or bag supplied	4933433250	4002395244164
6	13	3. AGV 13-125 XE 1250	2,800 - 11,500	125	2.4	Slide lock-on swit	ch No	Yes	Yes	Yes	Yes			Yes	No kitbox or bag supplied	4933451218	4002395260850
100 C	<u>س</u> ۱4	4. AGV 13-125 XSPDEB 1250	12,000	125	2.5	Paddle (Deadman) switch	Yes	Yes	Yes	No	Yes			Yes	No kitbox or bag supplied	4933464998	4058546229436
	14	4. AGV 13-125 XSPDEB 1250 KIT	12,000	125	2.5	Paddle (Deadman) switch	Yes	Yes	Yes	No	Yes			Yes	Kitbox	4933471194	4058546288228
10	15	5. AGV 13-125 XSPDE 1250	12,000	125	2.5	Paddle (Deadman) switch	No	Yes	Yes	No	Yes			Yes	No kitbox or bag supplied	4933451578	4002395140794
12	16	6. AG 13-125 XSPD 1250	12,000	125	2.3	Paddle (Deadman) switch	No	No	Yes	No				No	No kitbox or bag supplied	4933451577	4002395140787
	17	7. AGV 12-125 X 1200	11,000	125	2.4	Slide lock-on swit	ch No	Yes	Yes	No	Yes	-	-	Yes	No kitbox or bag supplied	4933428085	4002395239597
	18	3. AGV 10-125 EK 1000	11,000	125	2.2	Slide lock-on swit	ch No	No	No	No	-	-	-	Yes	No kitbox or bag supplied	4933451222	4002395260898
19	19	9. AG 10-115 EK 1000	11,000	115	2.1	Slide lock-on swit	ch No	No	No	No	-	-	-	Yes	No kitbox or bag supplied	4933451219	4002395260867
Sist	19	9. AG 10-125 EK 1000	11,000	125	2.1	Slide lock-on swit	ch No	No	No	No	-	-	-	Yes	No kitbox or bag supplied	4933451220	4002395260874
	20). AG 800-125 EK 800	11,500	125	2.0	Slide lock-on swit	ch No	No	No	No	-	-	-	Yes	No kitbox or bag supplied	4933451213	4002395260805
2	21	I. AG 800-115 E 800	11,500	115	2.0	Slide lock-on swit	ch No	No	No	No	-	-	-	Yes	No kitbox or bag supplied	4933451210	4002395260171
2	21	1. AG 800-125 E 800	11,500	125	2.0	Slide lock-on swit	ch No	No	No	No	-	-	-	Yes	No kitbox or bag supplied	4933451211	4002395260188
55	21	I. AG 800-115 E D-SET800	11,500	115	2.0	Slide lock-on swit	ch No	No	No	No				Yes	Kitbox	4933451281	4002395170777
0.0			F. (



SCAN HERE FOR MORE INFORMATION





AGS 15-125 C 1500 W GRINDER/SANDER	AS 12 E 1200 W SANDER WITH ELECTRONIC VARIABLE SPEED	AP 14-2 200 E 1450 W POLISHER AP 14-2 200 E AP 14-2 200 E KIT
AGS 15-125 C Article Number 4933407480 EAN Code 4002395236015	AS 12 E Article Number 4933383940 EAN Code 4002395229390	Side handle, Side handle, Side handle, flexible backing Standard equipment flexible backing pad pad, songe, lambswool pad, sand- Article Number 4933432800 4933493427 EAN Code 4002395001156 4058546482985
AP 12 E 1200 W POLISHER WITH ELECTRONIC VARIABLE SPEED	DGL 34 SINGLE HIGH SPEED 2-HANDED DIE GRINDER	DGL 30 E VARIABLE SPEED 2-HANDED DIE GRINDER
AP 12 E Article Number 4933383925 EAN Code 4002395229406	DGL 34 Article Number 4933385110 EAN Code 4002395230020	DGL 30 E Article Number 4933385120 EAN Code 4002395230037
DG 30 E VARIABLE SPEED SINGLE HANDED DIE GRINDER	DG 7 E LOW SPEED DIE GRINDER	MCS 66 DRY CUT METAL CIRCULAR SAW
DG 30 E Article Number 4933385100 EAN Code 4002395230013	DG 7 E Article Number 4933391200 EAN Code 4002395231928	MCS 66 Article Number 4933440615 EAN Code 4002395000432
BS 125 DEEP CUT BAND SAW	CHS 355 2300 W CHOPSAW	DE 10 RX 630 W SINGLE HIGH SPEED ROTARY DRILL
BS 125 Article Number 4933448245 EAN Code 4002395262830	CHS 355 Article Number 4933411760 EAN Code 4002395236220	DE 10 RX Article Number 4933409211 EAN Code 4002395235353
MDE 41 MAGNETIC DRILLING PRESS WITH DELECTRO MAGNET Image: Constraint of the second secon	MDP 41 Magnetic Drilling PRESS with permanent magnet Example 1 Example 1 MDP 41 102395136674	

WOODWORKING

SAWZALL™



JIGSAWS

		Power input (W)	No load stroke rate (spm)	Max. cutting capacity wood/ steel/ aluminium (mm)	Mitre capacity (°)	Stroke lengtf (mm)	¹ Weight (kg)	Supplied in	Article number	EAN code
	FSPE 110 X	710	500 - 3000	120/ 10/ 30	45	26	2.5	Kitbox	4933357990	400239522918
2.	JSPE 135 TX	750	800 - 3000	135/ 10/ 30	45	26	2.5	Kitbox	4933381230	400239523252
3.	JS 120 X	710	500 - 2800	120/ 10/ 30	45	26	2.3	Kitbox	4933381680	400239523467

CIRCULAR SAWS

		Power input (W)	No load speed (rpm)	Blade diameter (mm)	Bevel capacity (°)	Max. cutting depth 45° (mm)	Max. cutting depth 90° (mm)	Bore size (mm)	Weight (kg)	Supplied in Article Number EAN Code		
	CS 85 SB	2200	4500	235	50	67	85	30	6.6	No kitbox or bag supplied	4933451117	400239513741
2	CS 85 CBE	2200	4500	235	60	67	85	30	7.7	Kitbox	4933451116	4002395137404
3	SCS 65 Q	1900	5800	190	0 - 45	52	65	30	5.5	Kitbox	638051	400239522952
4	CS 60	1600	5800	184	0 - 56	49	61	30	4.8	No kitbox or bag supplied	4933419225	400239523836

noise and vibration data, please visit our website: www





troke rate	Stroke length (mm)	Weight (kg)	Supplied in	Article number	EAN code
	32	4.5	Kitbox	4933428900	4002395241699
	32	4.2	Kitbox	4933440590	4002395001095
	32	3.9	Kitbox	4933428520	4002395241545
	28	3.2	Kitbox	4933416710	4002395237623



SANDERS

			Power input (W)	No load speed (rpm)	Oscillation rate (opm)	Oscillation diameter (mm)	Sanding pad size (mm)	Weight (kg)	Supplied in	Article Number	EAN Code
1		BS 100 LE	1150	230 - 400			100 x 160		No kitbox or bag supplied	4933385150	4002395229222
2	2.	ROS 125 E	300	7000 - 12,000	14,000 - 26,000	2.4	125	1.7	Tool bag	4933433180	4002395244010
3	3.	SPS 140	260	14,700	28,000	1.6	113 x 105		No kitbox or bag supplied	4933447015	4002395005826

DUST EXTRACTORS

			Power input (W)	Air volume (I/min)	Filter type	Max. vacuum (mbar)	Capacity (I)	Hose diameter (mm)	Hose length (m)	Weight (kg)	Supplied in	Article Number	EAN Code
	1.	AS 42 MAC	1200	4500	PTFE	250	42	38	4	17.5	No kitbox or bag supplied	4933459418	4058546010799
°		AS 30 MAC	1200	4500	PTFE	250	30	38	4	14.5	No kitbox or bag supplied	4933459415	4058546010768
	3.	AS 30 LAC	1200	4500	PTFE	250	30	36	4	14.5	No kitbox or bag supplied	4933459411	4058546010720
	4.	AS 2-250 ELCP	1000	3600	PET	210	25	32	3.5	10.4	No kitbox or bag supplied	4933447480	4002395006274
	5.	AS 2-250EM	1200	3720	PTFE	245	25	32	4	8.0	No kitbox or bag supplied	4933493593	4058546484644
	6.	AS 2-250EH	1200	3720	PTFE	245	25	32	4	8	No kitbox or bag supplied	4933493595	4058546484668





MILWAUKEE® IS THE SOLUTIONS PROVIDER

ACCESSORIES





over 3000 solutions

STORAGE







For further technical specifications, including noise and vibration data, please visit our website: www.milwaukeetool.eu

HAND TOOLS





PPE





MX FUEL™ INTRODU	JCTION	4
MXF COS350G2	MX FUEL™ 350 MM CUT-0FF SAW	5
MXF COSCG2	MX FUEL™ CUT-OFF SAW CART	5
MXF CVBC	MX FUEL™ BRIEFCASE CONCRETE VIBRATOR	4
MXF CVBP	MX FUEL™ BACKPACK CONCRETE VIBRATOR	4
MXF DCD150	MX FUEL™ 150 MM DIAMOND CORE DRILL	5
MXF DCD350	MX FUEL™ 350 MM DIAMOND CORE DRILL	5
MXF DH2528H	MX FUEL [™] 25 KG CLASS 28 MM HEX DEMOLITION HAMMER	6
MXF DHT	BREAKER TROLLEY FOR MX FUEL™ DEMOLITION HAMMER	6
MXF DR255TV	PREMIUM DIAMOND DRILLING STAND FOR MX FUEL™ DIAMOND CORE DRILL	5
MXF LSDP	MX FUEL™ LARGE SEWER DRUM MACHINE WITH POWERTREDZ™	6, 67
MXF PS	MX FUEL™ POWER SUPPLY	6
MXF PSC	MX FUEL™ SCREED	4
MXF PTR2	MX FUEL™ PIPE THREADING MACHINE 2 [™] WITH ONE-KEY™	6,64
MXF TL	MX FUEL™ TOWER LIGHT	6, 76
M18 [™] RANGE		8 - 39
C18 HZ	M18™ HACKZALL™	33
C18 PCG/310	M18™ CAULK GUN WITH 310 ML CANISTER	23
C18 PCG/400	M18™ CAULK GUN WITH 400 ML TUBE	23
C18 PCG/600	M18™ CAULK GUN WITH 600 ML TUBE	23
C18 RAD	M18™ COMPACT RIGHT ANGLE DRILL	17
GET THE RIGHT ANGL	LE GRINDER FOR THE JOB	24
GET THE RIGHT HAM	MER FOR THE JOB	10
GET THE RIGHT IMPA	CT DRIVER FOR THE JOB	16
	CT WRENCH FOR THE JOB	18 - 19
-	RE SAW FOR THE JOB	29
	ER/ STAPLER FOR THE JOB	36
	CUSSION DRILL FOR THE JOB	14
GET THE RIGHT SAW		31
HD18 CS	M18™ 55 MM CIRCULAR SAW FOR WOOD AND PLASTIC	31
M12-18 JSSP	M12 [™] - M18 [™] BLUETOOTH [®] SPEAKER	38, 51
M18 AF		38
M18 ARFHP	M18™ HIGH PERFORMANCE AIR FAN	38
M18 BBL	M18™ BATTERY BLOWER	38
M18 BH	M18™ COMPACT 2-MODE SDS-PLUS HAMMER	13
M18 BHG	M18™ HEAT GUN	28
M18 BI	M18™ INFLATOR	38
M18 BIW12	M18 TM 1/2 ["] IMPACT WRENCH	22
M18 BIW38	M18 ^{™ 3} /8 [™] IMPACT WRENCH	23
M18 BJS	M18™ TOP HANDLE JIGSAW	34
M18 BLCPP2A	M18™ COMPACT BRUSHLESS POWERPACK	39
M18 BLCPP2B	M18™ COMPACT BRUSHLESS POWERPACK	39
M18 BLCS66	M18™ BRUSHLESS 66 MM CIRCULAR SAW FOR WOOD AND PLASTICS	32
M18 BLDD2	M18™ BRUSHLESS DRILL DRIVER	15
M18 BLDDRC	M18™ COMPACT BRUSHLESS DRILL DRIVER	15
M18 BLH	M18™ BRUSHLESS 4-MODE 26 MM SDS-PLUS HAMMER	13
M18 BLHACD26	M18™ BRUSHLESS 26 MM SDS-PLUS D-HANDLE HAMMER	13
M18 BLHIWF12	M18 [™] BRUSHLESS ¹ /2 ["] HIGH TORQUE IMPACT WRENCH WITH FRICTION RING	22
M18 BLHX	M18™ BRUSHLESS 4-MODE 26 MM SDS-PLUS HAMMER WITH FIXTEC™ CHUCK	13
M18 BLIDR	M18™ BRUSHLESS 1/4" HEX IMPACT DRIVER	17
M18 BLIDRC	M18™ COMPACT BRUSHLESS 1/4" HEX IMPACT DRIVER	17
M18 BLPD2	M18™ BRUSHLESS PERCUSSION DRILL	15
M18 BLPDRC	M18™ COMPACT BRUSHLESS PERCUSSION DRILL	15
M18 BLSAG115XPD	M18 BRUSHLESS 115 MM ANGLE GRINDER WITH PADDLE SWITCH	27
M18 BLSAG125X	M18 BRUSHLESS 125 MM ANGLE GRINDER WITH SLIDE SWITCH	26
M18 BLSAG125XPD	M18 BRUSHLESS 125 MM ANGLE GRINDER WITH PADDLE SWITCH	27
0/		

M18 BMS12	M18™ METAL SHEAR	28
M18 BMS20	M18™ METAL SHEAR	28
M18 BMT	M18™ MULTI-TOOL	34
M18 B0S125	M18™ 125 MM RANDOM ORBITAL SANDER	35
M18 BP	M18™ PLANER	34
M18 BQSS	M18™ QUARTER SHEET SANDER	34
M18 BRAID	M18™ RIGHT ANGLE IMPACT DRIVER	20
M18 BRAIW	M18 ^{TM 3} /8" RIGHT ANGLE IMPACT WRENCH	23
M18 BRDC	M18™ ROTATION DRYWALL CUTTER	34
M18 BSX	M18™ SAWZALL™	33
M18 CBS125	M18 FUEL™ DEEP CUT BAND SAW	27
M18 CCS55	M18 FUEL™ 55 MM CIRCULAR SAW FOR WOOD AND PLASTICS	32
M18 CDEX	M18 FUEL™ SDS-PLUS DUST EXTRACTOR	13
M18 CHM	M18 FUEL™ 5 KG SDS-MAX DRILLING AND BREAKING HAMMER	11
M18 CRAD2	M18 FUEL™ RIGHT ANGLE DRILL	17
M18 CV	M18™ HAND VAC	38
M18 F2VC23L	M18 FUEL™ 23L L-CLASS VACUUM	37
M18 FAC	M18 FUEL™ AIR COMPRESSOR	35
M18 FAP	M18 FUEL™ POLISHER	27
M18 FBJS	M18 FUEL™ BODY GRIP JIGSAW	33
M18 FBPV	M18 FUEL™ BACKPACK VACUUM	37
M18 FBS85	M18 FUEL™ COMPACT BAND SAW	28
M18 FBTS75	M18 FUEL™ 75 MM BELT SANDER	35
M18 FCDDEXL	COMPACT DEDICATED DUST EXTRACTION FOR M18 FUEL™ 26 MM SDS-PLUS HAMMERS	12
M18 FC0S230	M18 FUEL [™] CUT-OFF SAW M18 FUEL [™] 66 MM CIRCULAR SAW FOR WOOD AND	13
M18 FCS66	PLASTICS M18 FUEL™ 66 MM CIRCULAR SAW FOR WOOD AND M18 FUEL™ 66 MM CIRCULAR SAW FOR WOOD AND	32
M18 FCSG66	PLASTICS, GUIDE RAIL COMPATIBLE	32
M18 FCSRH66	M18 FUEL™ REAR HANDLE CIRCULAR SAW FOR WOOD	32
M18 FCVN	M18 FUEL™ NEEDLE CONCRETE VIBRATOR	13
M18 FDD3	M18 FUEL™ DRILL DRIVER	15
M18 FDDEL32	DEDICATED DUST EXTRACTION FOR M18 FUEL™ 32 MM SDS- PLUS D-HANDLE HAMMER WITH AUTOPULSE™	11
M18 FDDEXL	DEDICATED DUST EXTRACTION FOR M18 FUEL [™] 26 MM SDS- PLUS HAMMERS WITH AUTOPULSE [™]	12
M18 FDGRB	M18 FUEL™ BRAKING DIE GRINDER WITH SLIDE SWITCH	28
M18 FDGROVB	M18 FUEL™ BRAKING DIE GRINDER WITH ONE-KEY™, VARIABLE SPEED AND SLIDE SWITCH	28
M18 FDGROVPDB	M18 FUEL™ BRAKING DIE GRINDER WITH ONE-KEY™, VARIABLE SPEED AND PADDLE SWITCH	28
M18 FFN	M18 FUEL™ 34° FRAMING NAILER 2-MODE	35
M18 FFN21	M18 FUEL [™] 21° FRAMING NAILER 2-MODE	35
M18 FFNS	M18 FUEL™ 34° FRAMING NAILER WITH SINGLE SHOT ONLY	35
M18 FFUS	M18 FUEL™ FENCING UTILITY STAPLER	37
M18 FH	M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER	12
M18 FHACOD32	M18 FUEL™ 32 MM SDS-PLUS D-HANDLE HAMMER WITH ONE-KEY™	11
M18 FHIW2F12	M18 FUEL™ 1/2" HIGH TORQUE IMPACT WRENCH WITH FRICTION RING	21
M18 FHIW2P12	M18 FUEL™ 1/2" HIGH TORQUE IMPACT WRENCH WITH PIN DETENT	21
M18 FHIWF1R	M18 FUEL™ 1" RAILWAY IMPACT WRENCH WITH FRICTION RING M18 FUEL™ ONE-KEY™ 8 KG SDS-MAX DRILLING AND	20
M18 FHM	BREAKING HAMMER M18 FUEL™ HIGH PERFORMANCE 125 MM BRAKING GRINDER	11
M18 FHSAG125XB	WITH SLIDE SWITCH M18 FUEL™ HIGH PERFORMANCE 125 MM BRAKING GRINDER	25
FHSAG125XPDB	MITH PADDLE SWITCH M18 FUEL™ HIGH PERFORMANCE 150 MM BRAKING GRINDER	25
M18 FHSAG150XB M18	WITH SLIDE SWITCH M18 FUEL™ HIGH PERFORMANCE 150 MM BRAKING GRINDER	25
FHSAG150XPDB M18 FHX	WITH PADDLE SWITCH M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER WITH	25
	FIXTEC TM	12
M18 FHZ	M18 FUELTM HACKZALLTM	33
M18 FID3	M18 FUEL™ 1/4" HEX IMPACT DRIVER M18 FUEL™ 1/2" COMPACT IMPACT WRENCH WITH FRICTION	17
M18 FIW2F12	M18 FUEL™ 1/2 COMPACT IMPACT WRENCH WITH FRICTION RING M18 FUEL™ 3/8" COMPACT IMPACT WRENCH WITH FRICTION	22
M18 FIW2F38	RING	22
M18 FIW2P12	M18 FUEL TM $1/2^{\prime\prime}$ COMPACT IMPACT WRENCH WITH PIN DETENT	22

M18 FJS M18 FUEL [™] 20 MM LABGE BARKING GRINDER WITH PADDLE 25 M18 FLAG2300PDB M18 PUEL [™] 20 MM LABGE BARKING GRINDER WITH PADDLE 25 M18 FINCS M18 PUEL [™] 50 MM METAL CIRCULAR SAW 27 M18 FINCS M18 FUEL [™] 40 AM METAL CIRCULAR SAW 27 M18 FINCS M18 FUEL [™] 40 AM METAL CIRCULAR SAW 27 M18 FINCS M18 FUEL [™] 40 AM MITRE SAW 30 M18 FINCS M18 FUEL [™] 47 MM ANDRET DIRILLING PRESS WITH PERMANENT MARKET 30 M18 FINCS M18 FUEL [™] 47 MID TORQUE IMPACT WRENCH WITH PERTON INNO 21 M18 FINCS M18 FUEL [™] 47 MID TORQUE IMPACT WRENCH WITH PERTON INNO 21 M18 FINCS M18 FUEL [™] 47 MID TORQUE IMPACT WRENCH WITH PIRCIDN 22 M18 FINCS M18 FUEL [™] 45 GA ANGLED NALL FINSH NALER 2-MODE 35 M18 FINCS M18 FUEL [™] 45 GA ANGLED NALL FINSH NALER 27 M18 FINCS M18 FUEL [™] 45 GA ANGLED NALL FINSH NALER 30 M18 FINCS M18 FUEL [™] 45 GA ANGLED NALL FINSH NALER 20 M18 FINCS M18 FUEL [™] 15 GA ANGLED NALL FINSH NALER 20 M18 FINTSGA M18 FUEL [™] 16 GA STRAIGHT FINSH NALER <td< th=""><th>M18[™] RANGE</th><th></th><th>8 - 39</th></td<>	M18 [™] RANGE		8 - 39
MIB FLACSUM/B SMITCH 25 MIB FNUESS MIB FUEL™ 67 MM METAL CIRCULAR SAW 27 MIB FNUESS MIB FUEL™ 66 MM METAL CIRCULAR SAW 27 MIB FNUESS MIB FUEL™ 66 MM METAL CIRCULAR SAW 27 MIB FNUESS MIB FUEL™ 46 MM METAL CIRCULAR SAW 30 MIB FNT WARNET MIB FUEL™ 454 MM MITRE SAW 30 MIB FNTW2F12 MIB FUEL™ 454 MM MITRE SAW 30 MIB FNTW2F14 MIB FUEL™ 454 MM MITRE SAW 30 MIB FNTW2F14 MIB FUEL™ 47/ MID TORQUE IMPACT WRENCH WITH FIRCTION RING 22 MIB FNTW2F12 MIB FUEL™ 4// MID TORQUE IMPACT WRENCH WITH FIRCTION 22 MIB FNTW2F12 MIB FUEL™ 4// MID TORQUE IMPACT WRENCH WITH FIRCTION 22 MIB FNTW2F12 MIB FUEL™ 4// MID TORQUE IMPACT WRENCH WITH FIRCTION 21 MIB FNTW2F12 MIB FUEL™ 46 GA ANGLED NALE FINSH NALER 2-MODE 35 MIB FUEL™ METAL 16 GA ATAGLED NALE FINSH NALER 2-MODE 37 MIB FUEL™ MERCUSSION DRILL 15 32 32 MM SDS-1 MIB FUEL™ PORCUSSION DRILL 15 32 33 33 MIB FUEL™ PACKOU	M18 FJS	M18 FUEL™ TOP HANDLE JIGSAW	33
M18 FMCS M18 FUEL™ 57 MM METAL CIRCULAR SAW 27 M18 FMCS66 M18 FUEL™ 66 MM METAL CIRCULAR SAW 27 M18 FMCS66 M18 FUEL™ 66 MM METAL CIRCULAR SAW 27 M18 FMCM0 M18 FUEL™ 190 MM MITRE SAW 30 M18 FMCM0 M18 FUEL™ 254 MM MITRE SAW 30 M18 FMCM0 M18 FUEL™ 00F-KEYT™ 305 MM MITRE SAW 30 M18 FMT M18 FUEL™ MULT-TOOL 34 M18 FMT M18 FUEL™ MULT-TOOL 34 M18 FMT M18 FUEL™ V/ MID TOROUE IMPACT WRENCH WITH FRICTION 22 M18 FMTW2F12 M18 FUEL™ V/ MID TOROUE IMPACT WRENCH WITH FRICTION 21 M18 FMTW2F13 M18 FUEL™ V/ MID TOROUE IMPACT WRENCH WITH FRICTION 22 M18 FMTW2F14 M18 FUEL™ V/ MID TOROUE IMPACT WRENCH WITH PIN 21 M18 FUEL™ V/ MID TOROUE IMPACT WRENCH WITH PIN 21 M18 FMTW366S M18 FUEL™ V 16 GA ANGLED ANLE FINSH NALER 37 M18 FUEL™ PIN 18 GA ANGLED ANLE FINSH NALER 37 M18 FUEL™ PAROUES NON DALL 15 M18 FUEL™ PAROUES NON DALL 15 M18 FUEL™ PAROUES NON PULS NON 37	M18 FLAG230XPDB		25
M18 FMDP M18 FUEL TM MAGNETIC DRILLING PRESS WITH PERMANENT 28 M18 FMS205 M18 FUEL TM 190 MM MITRE SAW 30 M18 FMS254 M18 FUEL TM 254 MM MITRE SAW 30 M18 FMS254 M18 FUEL TM 0NE-KEYTM 305 MM MITRE SAW 30 M18 FMS205 M18 FUEL TM V/F MID-TORQUE IMPACT WRENCH WITH 21 M18 FMTW2F12 M18 FUEL TM V/F MID-TORQUE IMPACT WRENCH WITH FRICTION 22 M18 FMTW2F12 M18 FUEL TM 1/F MID-TORQUE IMPACT WRENCH WITH FRICTION 22 M18 FMTW2F12 M18 FUEL TM 15 GA ANGLED NAL FINISH NALER 2-MODE 35 M18 FUEL TM 16 GA ANGLED NAL FINISH NALER 2-MODE 35 M18 FUEL TM 16 GA STRAIGHT FINISH NALER 2-MODE 37 M18 FUEL TM 16 GA STRAIGHT FINISH NALER 37 M18 FUEL TM 16 GA STRAIGHT FINISH NALER 37 M18 FUEL TM 16 GA STRAIGHT FINISH NALER 37 M18 FUEL TM 16 GA STRAIGHT FINISH NALER 37 M18 FUEL TM 16 GA STRAIGHT FINISH NALER 37 M18 FUEL TM PADDLE SWTH AUTOONDRI TALER 2-MODE 37 M18 FUEL TM PADDLE SWTH AUTOONDRI TALER 2-MODE 37 M18 FUEL TM PADDLE SWTH AUTOONDRI TALER 2-MODE 37	M18 FMCS		27
MIB FMUP MARNET 28 M18 FMUP M18 FUEL [™] 190 MM MITRE SAW 30 M18 FMS305 M18 FUEL [™] 254 MM MITRE SAW 30 M18 FMT M18 FUEL [™] MULT-TOOL 34 M18 FMT M18 FUEL [™] MULT-TOOL 34 M18 FMT M18 FUEL [™] MULT-TOOL 34 M18 FMT M18 FUEL [™] V/MID-TORQUE IMPACT WRENCH WITH 21 M18 FMTW2F12 M18 FUEL [™] V/MID-TORQUE IMPACT WRENCH WITH FRICTION 22 M18 FMTW2F12 M18 FUEL [™] V/MID TORQUE IMPACT WRENCH WITH PIN 21 M18 FMTW2F12 M18 FUEL [™] 15 GA ANGLED NAL FINISH NALER 2-MODE 35 M18 FNISGA M18 FUEL [™] 16 GA ANGLED NAL FINISH NALER 2-MODE 37 M18 FNISGA M18 FUEL [™] 16 GA STRAUGH FINISH NALER 30 M18 FNISGA M18 FUEL [™] 16 GA STRAUGH FINISH NALER 31 M18 FNISGA M18 FUEL [™] 16 GA STRAUGH FINISH NALER 37 M18 FNISGA M18 FUEL [™] 16 GA STRAUGH FINISH NALER 37 M18 FNISGA M18 FUEL [™] 16 GA STRAUGH FINISH NALER 37 M18 FNISGA M18 FUEL [™] 16 GA STRAUGH FINISH NALER 31 <	M18 FMCS66	M18 FUEL™ 66 MM METAL CIRCULAR SAW	27
M18 FMS254 M18 FUEL™ 254 MM MITRE SAW 30 M18 FMS305 M18 FUEL™ MULT-TOOL 34 M18 FMT M18 FUEL™ MULT-TOOL 34 M18 FMT M18 FUEL™ MULT-TOOL 34 M18 FMT M18 FUEL™ V/F MID TORQUE IMPACT WRENCH WITH PRICTION RING 21 M18 FMTW2F12 M18 FUEL™ V/F MID TORQUE IMPACT WRENCH WITH PN 21 M18 FMTW2F13 M18 FUEL™ V/F MID TORQUE IMPACT WRENCH WITH PN 21 M18 FNISSA M18 FUEL™ 15 GA ANGLED NALL FINISH NALER 2-MODE 35 M18 FNISSA M18 FUEL™ 16 GA ANGLED NALL FINISH NALER 2-MODE 37 M18 FNISSA M18 FUEL™ 16 GA ANGLED NALL FINISH NALER 2-MODE 37 M18 FNISSA M18 FUEL™ 16 GA STRAIGHT FINISH NALER 30 M18 FNISSA M18 FUEL™ PERCUSSION DRILL 15 M18 FNISSA M18 FUEL™ PACKOUT™ WET/ DRY VACUUM 37 M18 FNISSA M18 FUEL™ PACKOUT™ WET/ DRY VACUUM 37 M18 FPD23 M18 FUEL™ PACKOUT™ WET/ DRY VACUUM 37 M18 FNISSA M18 FUEL™ PACKOUT™ WET/ DRY VACUUM 37 M18 FNISSA M18 FUEL™ PACKOUT™ WET/ DRY VACUUM 37	M18 FMDP		28
M18 FMS305 M18 FUEL™ ONE-KEY™ 305 MM MITRE SAW 30 M18 FNT M18 FUEL™ MULT-TOOL 34 M18 FNT M18 FUEL™ V// MID-TORQUE IMPACT WRENCH WITH 21 M18 FMTW2F12 M18 FUEL™ V// MID-TORQUE IMPACT WRENCH WITH FRICTION 22 M18 FNTW2F12 M18 FUEL™ V// MID-TORQUE IMPACT WRENCH WITH FRICTION 22 M18 FNTW2F12 M18 FUEL™ V// MID-TORQUE IMPACT WRENCH WITH FRICTION 22 M18 FNTSGA M18 FUEL™ V// MID-TORQUE IMPACT WRENCH WITH FRI 21 M18 FNTSGA M18 FUEL™ 15 GA ANGLED NALL FINISH NALER 2-MODE 35 M18 FNTSGA M18 FUEL™ 16 GA STRAIGHT FINISH NALER 37 M18 FNTSGA M18 FUEL™ 16 GA STRAIGHT FINISH NALER 30 M18 FUEL™ MARDOW CROWN STAPLER 2-MODE 37 M18 FNTSGA 11 M18 FUEL™ MARDOW CROWN STAPLER 2-MODE 37 M18 FUEL™ ANDROW CROWN STAPLER 2-MODE 37 M18 FUEL™ MARDOW CROWN STAPLER 2-MODE 37 M18 FUEL™ 32 M18 FU	M18 FMS190	M18 FUEL™ 190 MM MITRE SAW	30
M18 FMT M18 FUEL TM MULTI-TOOL 34 M18 FMTTW2F12 M18 FUEL TM 1/5 'MID-TORQUE IMPACT WRENCH WITH FRICTION RING 21 M18 FMTW2F32 M18 FUEL TM 1/5 'MID-TORQUE IMPACT WRENCH WITH FRICTION 22 M18 FMTW2F32 M18 FUEL TM 1/5 'MID-TORQUE IMPACT WRENCH WITH FRICTION 22 M18 FWTW2F32 M18 FUEL TM 1/5 GA ANGLED NAIL FINISH NAILER 2-MODE 35 M18 FWT6GA M18 FUEL TM 16 GA STRAIGHT FINISH NAILER 37 M18 FW16GS M18 FUEL TM 16 GA STRAIGHT FINISH NAILER 37 M18 FW16GS M18 FUEL TM 16 GA STRAIGHT FINISH NAILER 37 M18 FW16GS M18 FUEL TM 16 GA STRAIGHT FINISH NAILER 37 M18 FW16GS M18 FUEL TM 16 GA STRAIGHT FINISH NAILER 37 M18 FW16GS M18 FUEL TM 16 GA STRAIGHT FINISH NAILER 37 M18 FW16GS M18 FUEL TM 16 GA STRAIGHT FINISH NAILER 37 M18 FW16GS M18 FUEL TM 16 GA STRAIGHT FINISH NAILER 37 M18 FW16GS M18 FUEL TM 16 GA STRAIGHT FINISH NAILER 37 M18 FW16GS M18 FUEL TM 16 GA ANGLES ZMUCL 32 M18 FW16GS M18 FUEL TM 16 GA ANGLES ZMUCL 34	M18 FMS254	M18 FUEL [™] 254 MM MITRE SAW	30
M18 FMTW2F12 M18 FUELTMM 1/F MID TORQUE IMPACT WRENCH WITH PRICTION RING 21 M18 M18 <td< td=""><td>M18 FMS305</td><td>M18 FUEL™ ONE-KEY™ 305 MM MITRE SAW</td><td>30</td></td<>	M18 FMS305	M18 FUEL™ ONE-KEY™ 305 MM MITRE SAW	30
MIB FMITW2F12 FRICTION RING 21 MIB FMITW2F13 MIB FUEL TM 3/r MID TORQUE IMPACT WRENCH WITH FINICTION 22 MIB FMITW2F12 MIB FUEL TM 1/r MID-TORQUE IMPACT WRENCH WITH FINICTION 21 MIB FMITW2F12 MIB FUEL TM 1/r MID-TORQUE IMPACT WRENCH WITH FINICTION 21 MIB FNITSGA MIB FUEL TM 16 GA ANALED NAL FINISH NALER 2-MODE 35 MIB FNITSGA MIB FUEL TM 16 GA STRAIGHT FINISH NALER 2-MODE 37 MIB FNITSGA MIB FUEL TM 16 GA STRAIGHT FINISH NALER 37 MIB FNDES MIB FUEL TM 16 GA STRAIGHT FINISH NALER 37 MIB FNDES MIB FUEL TM PERCUSSION DRILL 15 MIB FNDE DEDICATED DIST EXTRACTACTION FOR MIB FUEL TM 32 MM SDS- 11 MIB FNDE PLUS HAMMERS WITH AUTOPULSETM 37 MIB FODEXL POUER PACK 38 MIB FPDE3 MIB FUEL TM POWER PACK 39 MIB FPDF63 MIB FUEL TM SD MP LUNGE SAW 32 MIB FODD MIB FUEL TM SD MP LUNGE SAW 32 MIB FUEL TM SD MP LUNGE SAW 32 34 MIB FODD MIB FUEL TM SD MR DUNGE SAW 32 <td>M18 FMT</td> <td>M18 FUEL™ MULTI-TOOL</td> <td>34</td>	M18 FMT	M18 FUEL™ MULTI-TOOL	34
MIB FMI W27-33 RING 22 MIB FMI W27-12 MIB FUEL TM 1/2 MID-TORQUE IMPACT WRENCH WITH PIN 21 MIB FMISGA MIB FUEL TM 1/2 MID-TORQUE IMPACT WRENCH WITH PIN 21 MIB FNIEGA MIB FUEL TM 16 GA ANGLED NAIL FINISH NAILER 2-MODE 35 MIB FNIEGS MIB FUEL TM 16 GA STRAIGHT FINISH NAILER 37 MIB FNIESS MIB FUEL TM 16 GA STRAIGHT FINISH NAILER 37 MIB FNIES MIB FUEL TM 16 GA STRAIGHT FINISH NAILER 37 MIB FNIES MIB FUEL TM 16 GA STRAIGHT FINISH NAILER 37 MIB FUELT TM PERCUSSION DRILL 15 50 MIB FUELT TM PERCUSSION DRILL 15 50 MIB FUELT TM POLYTM WET/ DRY VACUUM 37 50 MIB FPDA MIB FUEL TM POWER PACK 38 MIB FPDE3 MIB FUEL TM POWER PACK 38 MIB FPDE3 MIB FUEL TM SUBGE TM 1/2 HAR VADRAULIC IMPACT DRIVER 37 MIB FPDE3 MIB FUEL TM 1/2 MM ROUTER 34 MIB FPDE3 MIB FUEL TM 1/2 MM ROUTER 34 MIB FRAGE MIB FUEL TM 1/2 MM ROUTER 34 MIB FRAGE1	M18 FMTIW2F12		21
MIB FMI IWZP12 DETENT 21 M18 FN15GA M18 FUELT ^M 15 GA ANGLED NAIL FINISH NAILER 2-MODE 35 M18 FN15GA M18 FUELT ^M 16 GA SNGLED NAIL FINISH NAILER 2-MODE 35 M18 FN15GS M18 FUELT ^M 16 GA SNGLED NAIL FINISH NAILER 37 M18 FN15GS M18 FUELT ^M 16 GA SNGLED NAIL 37 M18 FN15GS M18 FUELT ^M 16 GA SNGLED NAILER 37 M18 FN25 M18 FUELT ^M 16 GA SNGLED NAILER 37 M18 FND M18 FUELT ^M PERCUSSION DRILL 15 M18 FDDEXL DEDICATE DUST EXTRACTION FOR M18 FUELT ^M 32 MM SDS- PLUS HAMMERS WITH AUTOPULSET ^M 11 M18 FDDEXL DEDICATE DUST EXTRACTION FOR M18 FUELT ^M 32 MM SDS- PLUS HAMMERS WITH AUTOPULSET ^M 39 M18 FDPDEXL M18 FUELT ^M PACKUTT ^M WET/ DRY VACUUM 37 M18 FDPER3 M18 FUEL ^M PACKUTT ^M WET/ DRY VACUUM 37 M18 FPPER3 M18 FUEL ^M PACKUTT ^M WET/ DRY VACUUM 37 M18 FPDE73 M18 FUEL ^M PACKUTT ^M WET/ DRY VACUUM 32 M18 FPDE74 M18 FUEL ^M 12 MM ROUTER 39 M18 FPDE75 M18 FUEL ^M 12 MM ROUTER 34 M18 FUEL ^M 12 MM R	M18 FMTIW2F38		22
M18 FN16GA M18 FUEL™ 16 GA ANGLED NAIL FINISH NAILER 2-MODE 35 M18 FN16GS M18 T ^M FUEL™ 16 GA STRAIGHT FINISH NAILER 37 M18 FN15GS M18 FUEL™ 16 GA STRAIGHT FINISH NAILER 37 M18 FN15GS M18 FUEL™ 16 GA STRAIGHT FINISH NAILER 37 M18 FN15GS M18 FUEL™ PERCUSSION DRILL 15 M18 FDEL DEDICATED DUST EXTRACTION FOR M18 FUEL™ 32 MM SDS- PLUS HAMMERS WITH AUTOPULSE™ 11 M18 FPDEX DEDICATED DUST EXTRACTION FOR M18 FUEL™ 32 MM SDS- PLUS HAMMERS WITH AUTOPULSE™ 13 M18 FPDEX M18 FUEL™ PACKE MUXER 13 M18 FPDEX M18 FUEL™ POWER PACK 39 M18 FPDE3 M18 FUEL™ POWER PACK 39 M18 FDEL™ SM18 FUEL™ SDMR PACK 39 M18 FDEL™ M18 FUEL™ SDMR PACK 39 M18 FDEL™ SM18 FUEL™ SDMR PACK 39 M18 FDEL™ M18 FUEL™ SDMR PACK 39 M18 FUEL™ SDMR FUEL™ SDMR PACK 32 M18 FUEL™ SDMR FUEL™ SDMR FUELWESAW 32 M18 FUEL™ SDMR FUEL™ SDMR FUELWESAWED RIGHT ANGLE DRILL 17 M18 FUEL™ SDM SAFETY GRINDALE IMITH AUGLE SMITCH	M18 FMTIW2P12		21
M18 FN16GS M18 [™] FUEL [™] 16 GA STRAIGHT FINISH NAILER 37 M18 FN16GS M18 FUEL [™] 18 GS FINISH NAILER 37 M18 FN216GS M18 FUEL [™] NARROW CROWN STAPLER 2-MODE 37 M18 FP03 M18 FUEL [™] NARROW CROWN STAPLER 2-MODE 37 M18 FP02A M18 FUEL [™] PARCOUT™ WELTM 15 FUEL [™] 32 MM SDS- 11 M18 FP0EXL DEDICATE DUST EXTRACTION FOR M18 FUEL [™] 32 MM SDS- 11 M18 FP0EXL M18 FUEL [™] PACKOUT™ WEL/ MY VACUUM 37 M18 FP0EX M18 FUEL [™] POWER PACK 39 M18 FP0E3 M18 FUEL [™] POWER PACK 39 M18 FP0E3 M18 FUEL [™] SUBGE [™] 1// HEX HYDRAULC IMPACT DRIVER 17 M18 FP0E3 M18 FUEL [™] SUBGE [™] 1// HEX HYDRAULC IMPACT DRIVER 17 M18 FN2 M18 FUEL [™] SUBGE MW CORE SAW 32 M18 FP0E3 M18 FUEL [™] 12 MM ROUTOR 17 M18 FN2 M18 FUEL [™] 12 MM ROUTOR 17 M18 FRAD2 M18 FUEL [™] 12 MM ROUTOR 27 M18 FRAD2 M18 FUEL [™] 12 MM ROUTOR 27 M18 FRAD2 M18 FUEL [™] 12 MM ANGLE GRINDER WITH SUDE SWITCH 26 <t< td=""><td>M18 FN15GA</td><td>M18 FUEL™ 15 GA ANGLED NAIL FINISH NAILER 2-MODE</td><td>35</td></t<>	M18 FN15GA	M18 FUEL™ 15 GA ANGLED NAIL FINISH NAILER 2-MODE	35
M18 FN18GS M18 FUEL™ 18 GS FINISH NAILER 37 M18 FNCS18GS M18 FUEL™ PROUSSION DRILL 15 M18 FPD3 M18 FUEL™ PROUSSION DRILL 15 M18 FPD2A PLUS HAMMERS WTH AUTOPULSE™ 11 M18 FPM M18 FUEL™ PADDLE MIXER 13 M18 FPOXL M18 FUEL™ PADDLE MIXER 13 M18 FPD2A3 M18 FUEL™ PADDLE MIXER 13 M18 FPD4 M18 FUEL™ PADDLE MIXER 39 M18 FPD43 M18 FUEL™ POWER PACK 39 M18 FPD63 M18 FUEL™ POWER PACK 39 M18 FPD63 M18 FUEL™ S5 MM PLUNGE SAW 32 M18 FD10 M18 FUEL™ SURGE™ ¼' HEX HYDRAULIC IMPACT DRIVER 17 M18 FD10 M18 FUEL™ SURGE™ ½' HEX HYDRAULIC IMPACT DRIVER 17 M18 FUEL™ SURGE MAWG® 2-SPEED RIGHT ANGLE DRILL 17 17 M18 FUEL™ SURGE MAWG® 2-SPEED RIGHT ANGLE DRILL 17 M18 FUEL™ SURGE MAWG® 2-SPEED RIGHT ANGLE DRILL 17 M18 FUEL™ SURGE MAWG® 2-SPEED RIGHT ANGLE DRILL 17 M18 FUEL™ SURGE MAWG® 2-SPEED RIGHT ANGLE DRILL 17 M18 FUEL™ SURGE MAWGNB ANGLE GRINDER	M18 FN16GA	M18 FUEL™ 16 GA ANGLED NAIL FINISH NAILER 2-MODE	35
M18 FNCSTGGS M18 FUEL™ NARROW CROWN STAPLER 2-MODE 37 M18 FPD3 M18 FUEL™ PERCUSSION DRILL 15 M18 FPDEXL DEDICATE DI UST EXTRACTION FOR M18 FUEL™ 32 MM SDS- PLUS HAMMERS WTH AUTOPULSE™ 11 M18 FPDEXL DEDICATE DI UST EXTRACTION FOR M18 FUEL™ 32 MM SDS- PLUS HAMMERS WTH AUTOPULSE™ 13 M18 FPDEXL M18 FUEL™ PADDLE MIXER 13 M18 FPDEXL M18 FUEL™ PACKOUT™ WET/ DRY VACUUM 37 M18 FPDEXL M18 FUEL™ PACKOUT™ WET/ DRY VACUUM 37 M18 FPDEXL M18 FUEL™ POWER PACK 39 M18 FUEL™ POWER PACK 39 M18 FPDES M18 FUEL™ SURGE™ ¼// HEX HYDRAULIC IMPACT DRIVER 17 M18 FUEL™ SURGE™ ¼/ HEX HYDRAULIC IMPACT DRIVER 17 M18 FUEL™ SURGE™ ¼/ HEX HYDRAULIC IMPACT DRIVER 17 M18 FUEL™ ANDOM ORBITAL POLISHER WITH 15 MM 27 M18 FROP1 M18 FUEL™ ANDOM ORBITAL POLISHER WITH 115 MM 27 M18 FROP21 M18 FUEL™ 125 MM ANGLE GRINDER WITH SLIDE SWITCH 26 M18 FROP21 M18 FUEL™ 125 MM FLATHEAD BRAKING ANGLE GRINDER 26 M18 FSAG125XB M18 FUEL™ 125 MM FLATHEAD BRAKING ANGLE GRINDER 26 <td>M18 FN16GS</td> <td>M18™ FUEL™ 16 GA STRAIGHT FINISH NAILER</td> <td>37</td>	M18 FN16GS	M18™ FUEL™ 16 GA STRAIGHT FINISH NAILER	37
M18 FPD3 M18 FUEL™ PERCUSSION DRILL 15 M18 FPDDEXL DEDICATE DO UST EXTRACTION FOR M18 FUEL™ 32 MM SDS- PLUS HAMMERS WITH AUTOPULSE™ 11 M18 FPM M18 FUEL™ PADDLE MIXER 11 M18 FPM M18 FUEL™ PADCK MUXER 13 M18 FPVCL M18 FUEL™ PADCK MUXER 37 M18 FPPS3 M18 FUEL™ POWER PACK 39 M18 FPPS5 M18 FUEL™ SURGET™ ¼' HEX HYDRAULIC IMPACT DRIVER 32 M18 FPS55 M18 FUEL™ SURGET™ ¼' HEX HYDRAULIC IMPACT DRIVER 17 M18 FD10 M18 FUEL™ SURGET™ ¼' HEX HYDRAULIC IMPACT DRIVER 17 M18 FRD2 M18 FUEL™ SUPER HAWG® 2-SPEED RIGHT ANGLE DRIVE 17 M18 FRD2 M18 FUEL™ SUPER HAWG® 2-SPEED RIGHT ANGLE DRIVE 17 M18 FRD2 M18 FUEL™ RANDOM ORBITAL POLISHER WITH 15 MM 27 M18 FRD915 STROKE 27 M18 FRD915 M18 FUEL™ M25 MM ANGLE GRINDER WITH SUDE SWITCH 26 M18 FRD91 M18 FUEL™ M25 MM FLATHEAD BRAKING ANGLE GRINDER 26 M18 FSAG125XB M18 FUEL™ 125 MM FLATHEAD BRAKING ANGLE GRINDER 26 M18 FSAG125XB M18 FUEL™ 125 MM FLATHEAD BRA	M18 FN18GS	M18 FUEL™ 18 GS FINISH NAILER	37
M18 FPDDEXL DEDICATED DUST EXTRACTION FOR M18 FUEL TM 32 MM SDS- PLUS HAMMERS WITH AUTOPULSE TM 11 M18 FPM M18 FUEL TM PADDLE MIXER 13 M18 FPVA M18 FUEL TM PADCAUTTM WET/ DRY VACUUM 37 M18 FPPA3 M18 FUEL TM PACKOUTTM WET/ DRY VACUUM 37 M18 FPP653 M18 FUEL TM POWER PACK 39 M18 FPS55 M18 FUEL TM POWER PACK 39 M18 FPS55 M18 FUEL TM SURGETM 1// HEX HYDRAULIC IMPACT DRIVER 17 M18 FD1 M18 FUEL TM SURGETM 1// HEX HYDRAULIC IMPACT DRIVER 17 M18 FD2 M18 FUEL TM SURGETM 1// HEX HYDRAULIC IMPACT DRIVER 17 M18 FRAD2 M18 FUEL TM SURGETM 1// HEX HYDRAULIC IMPACT DRIVER 17 M18 FRAD2 M18 FUEL TM ADNOM ORBITAL POLISHER WITH 15 MM 27 M18 FRAD2 M18 FUEL TM ADNOM ORBITAL POLISHER WITH 21 MM 27 M18 FRAD2 M18 FUEL TM 125 MM ARALE GRINDER WITH SLIDE SWITCH 26 M18 FSAG125X M18 FUEL TM 125 MM FLATHEAD BRAKING ANGLE GRINDER 26 M18 FSAGF125XB M18 FUEL TM 125 MM FLATHEAD BRAKING ANGLE GRINDER 26 M18 FSAGF125XB M18 FUEL TM 125 MM FLATHEAD BRAKING ANGLE G	M18 FNCS18GS	M18 FUEL™ NARROW CROWN STAPLER 2-MODE	37
M18 FPUDEXL PLUS HAMMERS WITH AUTOPULSETM 11 M18 FPM M18 FUELTM PADDLE MIXER 13 M18 FPOVCL M18 FUELTM PACKOUTTM WET/ DRY VACUUM 37 M18 FPPA3 M18 FUELTM POWER PACK 39 M18 FPP63 M18 FUELTM POWER PACK 39 M18 FPP653 M18 FUELTM POWER PACK 39 M18 FPP555 M18 FUELTM DURER PACK 39 M18 FPP673 M18 FUELTM SURGETM '/- HEX HYDRAULIC IMPACT DRIVER 17 M18 FPD15 M18 FUELTM SURGETM '/- HEX HYDRAULIC IMPACT DRIVER 17 M18 FADD M18 FUELTM ANDOM ORBITAL POLISHER WITH 15 MM 27 M18 FRAD2 M18 FUELTM RANDOM ORBITAL POLISHER WITH 21 MM 27 M18 FRAD21 M18 FUELTM RANDOM ORBITAL POLISHER WITH 21 MM 27 M18 FRAG125X M18 FUELTM 125 MM ANGLE GRINDER WITH SLIDE 26 M18 FRAG125XB M18 FUELTM 125 MM RAKING ANGLE GRINDER WITH SLIDE 26 M18 FAGET25XB M18 FUELTM 125 MM FLATHEAD BRAKING ANGLE GRINDER 26 M18 FAGET25XB M18 FUELTM 125 MM VARIABLE SPEED & BRAKING ANGLE GRINDER 26 M18 FAGET25XB M18 FUELTM 125 MM VARIABLE S	M18 FPD3	M18 FUEL [™] PERCUSSION DRILL	15
M18 FPOVCL M18 FUELTM PACKOUTTM WET/ DRY VACUUM 37 M18 FPP2A3 M18 FUELTM POWER PACK 39 M18 FPP6E3 M18 FUELTM POWER PACK 39 M18 FPP6F3 M18 FUELTM POWER PACK 39 M18 FPS55 M18 FUELTM POWER PACK 39 M18 FPS55 M18 FUELTM SURGETM 1/4 TEX HYDRAULIC IMPACT DRIVER 17 M18 FP12 M18 FUELTM SURGETM 1/4 TEX HYDRAULIC IMPACT DRIVER 17 M18 FR12 M18 FUELTM SUPER HAWG® 2-SPEED RIGHT ANGLE DRILL 17 M18 FRAD2 DRIVER GEN II 17 M18 FRD15 M18 FUELTM RANDOM ORBITAL POLISHER WITH 15 MM 27 M18 FRAD2 M18 FUELTM ADNOM ORBITAL POLISHER WITH 21 MM 27 M18 FRAG125X M18 FUELTM 125 MM FLATHEAD BRAKING ANGLE GRINDER 26 M18 FSAG125XB M18 FUELTM 125 MM FLATHEAD BRAKING ANGLE GRINDER 26 M18 FSAG125XB M18 FUELTM 125 MM FLATHEAD BRAKING ANGLE GRINDER 26 M18 FSAG125XB M18 FUELTM 125 MM SAFETY GRINDER WITH VARIABLE SPEED 25 M18 FSAG125XB M18 FUELTM 125 MM VARIABLE SPEED & BRAKING ANGLE 26 M18 FSAGSV0125X M18 FUELTM	M18 FPDDEXL		11
M18 FPP2A3 M18 FUELTM POWER PACK 39 M18 FPP6E3 M18 FUELTM POWER PACK 39 M18 FPP6F3 M18 FUELTM POWER PACK 39 M18 FPP6F3 M18 FUELTM POWER PACK 39 M18 FP555 M18 FUELTM SDERTM '// HEX HYDRAULIC IMPACT DRIVER 12 M18 FP12 M18 FUELTM SUPER HAWG® 2-SPEED RIGHT ANGLE DRILL DRIVER GEN II 17 M18 FR12 M18 FUELTM SUPER HAWG® 2-SPEED RIGHT ANGLE DRILL DRIVER GEN II 17 M18 FR0P15 M18 FUELTM RANDOM ORBITAL POLISHER WITH 15 MM 27 M18 FR0P15 M18 FUELTM RANDOM ORBITAL POLISHER WITH 21 MM 27 M18 FR0P21 M18 FUELTM 125 MM ANGLE GRINDER WITH SLIDE SWITCH 26 M18 FGELTM 125 MM ANGLE GRINDER WITH SLIDE 26 M18 FSAG125X M18 FUELTM 125 MM FATHEAD BRAKING ANGLE GRINDER 26 M18 FSAG125X M18 FUELTM 125 MM FATHEAD BRAKING ANGLE GRINDER 26 M18 FSAG125X M18 FUELTM 125 MM SAFETY GRINDER WITH VARIABLE SPEED 26 M18 FSAG125X M18 FUELTM 125 MM VARIABLE SPEED & BRAKING ANGLE 26 M18 FSAGV125XB M18 FUELTM 125 MM VARIABLE SPEED & BRAKING ANGLE 26 M18	M18 FPM	M18 FUEL™ PADDLE MIXER	13
M18 FPP6E3 M18 FUELTM POWER PACK 39 M18 FPP6F3 M18 FUELTM POWER PACK 39 M18 FP555 M18 FUELTM SURGETM 1/2 HEX HYDRAULIC IMPACT DRIVER 17 M18 F01D M18 FUELTM SURGETM 1/2 HEX HYDRAULIC IMPACT DRIVER 17 M18 FR12 M18 FUELTM SUPER HAWG® 2-SPEED RIGHT ANGLE DRILL 17 M18 FRAD2 DRIVER GEN II 17 M18 FRAD2 M18 FUELTM SAUGE 2-SPEED RIGHT ANGLE DRILL 17 M18 FRAD2 M18 FUELTM RANDOM ORBITAL POLISHER WITH 15 MM 27 M18 FROP15 STROKE 27 M18 FRAGIZSX M18 FUELTM PANDOM ORBITAL POLISHER WITH 21 MM 27 M18 FSAGIZSX M18 FUELTM 125 MM ANGLE GRINDER WITH SLIDE SWITCH 26 M18 FSAGIZSX M18 FUELTM 125 MM FLATHEAD BRAKING ANGLE GRINDER 26 M18 FSAGF125XB M18 FUELTM 125 MM FLATHEAD BRAKING ANGLE GRINDER 26 M18 FUELTM 125 MM SAFETY GRINDER WITH VARIABLE SPEED 2 25 AND ONE-KEYTM 25 M18 FUELTM 125 MM VARIABLE SPEED & BRAKING ANGLE 26 M18 FUELTM 125 MM VARIABLE SPEED & BRAKING ANGLE 26 M18 FAGV125XB M18 FUELTM 125 MM VARIABLE SPEED & BRAKING ANGLE 26 M18 FUELTM 125 MM VARIABLE SPEED & BRAKING ANGLE <td>M18 FPOVCL</td> <td>M18 FUELTM PACKOUTTM WET/ DRY VACUUM</td> <td>37</td>	M18 FPOVCL	M18 FUEL TM PACKOUT TM WET/ DRY VACUUM	37
M18 FPP6F3 M18 FUELT ^M POWER PACK 39 M18 FPS55 M18 FUELT ^M S5 MM PLUNGE SAW 32 M18 FQID M18 FUELT ^M SURGETM '/ ₄ ' HEX HYDRAULIC IMPACT DRIVER 17 M18 FRI2 M18 FUELT ^M SUPER HAWG® 2-SPEED RIGHT ANGLE DRILL DRIVER GEN II 17 M18 FRAD2 M18 FUELT ^M SUPER HAWG® 2-SPEED RIGHT ANGLE DRILL DRIVER GEN II 17 M18 FRAD2 M18 FUELT ^M RANDOM ORBITAL POLISHER WITH 15 MM 27 M18 FROP15 STROKE 27 M18 FROP21 M18 FUELT ^M RANDOM ORBITAL POLISHER WITH 21 MM 27 M18 FRAG125X M18 FUELT ^M 125 MM ANGLE GRINDER WITH SLIDE SWITCH 26 M18 FSAG125XB M18 FUELT ^M 125 MM FLATHEAD BRAKING ANGLE GRINDER WITH SLIDE SWITCH 26 M18 FSAGF125XB M18 FUELT ^M 125 MM FLATHEAD BRAKING ANGLE GRINDER 26 M18 FSAGSV0125X M18 FUELT ^M 125 MM SAFETY GRINDER WITH VARIABLE SPEED AND ONE-KEYTM 25 M18 FSAGSV0125X M18 FUELT ^M 125 MM VARIABLE SPEED & BRAKING ANGLE 26 M18 FSAGSV0125X M18 FUELT ^M 125 MM VARIABLE SPEED & BRAKING ANGLE 26 M18 FSAGSV0125X M18 FUELT ^M 125 MM VARIABLE SPEED & BRAKING ANGLE 26 M18 FSAGSV0125X M18 FUELT ^M 125 MM VARIABLE SPEED & BRAKING ANGLE	M18 FPP2A3	M18 FUEL [™] POWER PACK	39
M18 FPS55 M18 FUELT ^M 55 MM PLUNGE SAW 32 M18 FQID M18 FUELT ^M SURGE TM 1/4 'HEX HYDRAULIC IMPACT DRIVER 17 M18 FR12 M18 FUELT ^M SUPER HAWG® 2-SPEED RIGHT ANGLE DRILL 17 M18 FRAD2 M18 FUELT ^M SUPER HAWG® 2-SPEED RIGHT ANGLE DRILL 17 M18 FRAD2 M18 FUELT ^M SUPER HAWG® 2-SPEED RIGHT ANGLE DRILL 17 M18 FRAD2 M18 FUELT ^M SUPER HAWG® 2-SPEED RIGHT ANGLE DRILL 17 M18 FRAD2 M18 FUELT ^M RANDOM ORBITAL POLISHER WITH 15 MM 27 M18 FRAD2 M18 FUELT ^M 125 MM ANGLE GRINDER WITH 21 MM 27 M18 FRAG125X M18 FUELT ^M 125 MM ANGLE GRINDER WITH SLIDE SWITCH 26 M18 FSAG125XB M18 FUELT ^M 125 MM FLATHEAD BRAKING ANGLE GRINDER 26 M18 FSAGF125XB M18 FUELT ^M 125 MM FLATHEAD BRAKING ANGLE GRINDER 26 M18 FSAGF125XB M18 FUELT ^M 125 MM SAFETY GRINDER WITH VARIABLE SPEED 25 M18 FSAGSV0125X M18 FUELT ^M 125 MM VARIABLE SPEED & BRAKING ANGLE 26 M18 FSAGV125XB M18 FUELT ^M 125 MM VARIABLE SPEED & BRAKING ANGLE 26 M18 FSAGV125XB M18 FUELT ^M 125 MM VARIABLE SPEED & BRAKING ANGLE 26 M18 FSAGV125XB M18 FUELT ^M 125 MM VARIABLE SPEED & BRAKING ANGLE <td>M18 FPP6E3</td> <td>M18 FUEL™ POWER PACK</td> <td>39</td>	M18 FPP6E3	M18 FUEL™ POWER PACK	39
M18 FOLD M18 FUELT ^M SURGET ^M 1/4" HEX HYDRAULIC IMPACT DRIVER 17 M18 FR12 M18 FUELT ^M 12 MM ROUTER 34 M18 FRAD2 DRIVER GEN II 17 M18 FRAD2 M18 FUELT ^M RANDOM ORBITAL POLISHER WITH 15 MM 27 M18 FRAD2 M18 FUELT ^M 125 MM ANGLE GRINDER WITH SLIDE SWITCH 26 M18 FSAG125XB M18 FUELT ^M 125 MM FLATHEAD BRAKING ANGLE GRINDER 26 M18 FSAGF125XB M18 FUELT ^M 125 MM FLATHEAD BRAKING ANGLE GRINDER 26 M18 FSAGV125XB M18 FUELT ^M 125 MM VARIABLE SPEED & BRAKING ANGLE 26 M18 FUELT ^M 125 MM VARIABLE SPEED & BRAKING ANGLE 26 M18 FUELT ^M 125 MM VARIABLE SPEED & BRAKING ANGLE 26 M18 FUELT ^M 125 MM VARIABLE SPEED & BRAKING ANGLE 26 M18 FUELT ^M 125 MM VARIABLE SPEED & BRAKING ANGLE 26 M18 FUELT ^M 125 MM VARIAB	M18 FPP6F3	M18 FUEL™ POWER PACK	39
M18 FR12 M18 FUELTM 12 MM ROUTER 34 M18 FRAD2 M18 FUELTM SUPER HAWG® 2-SPEED RIGHT ANGLE DRILL 17 M18 FRAD2 M18 FUELTM RANDOM ORBITAL POLISHER WITH 15 MM 27 M18 FROP15 STROKE 27 M18 FROP21 M18 FUELTM RANDOM ORBITAL POLISHER WITH 21 MM 27 M18 FSAG125X M18 FUELTM 125 MM ANGLE GRINDER WITH SLIDE SWITCH 26 M18 FSAG125XB M18 FUELTM 125 MM FLATHEAD BRAKING ANGLE GRINDER 26 M18 FSAGF125XB M18 FUELTM 125 MM FLATHEAD BRAKING ANGLE GRINDER 26 M18 M18 FUELTM 125 MM FLATHEAD BRAKING ANGLE GRINDER 26 M18 M18 FUELTM 125 MM VARIABLE SPEED & BRAKING ANGLE GRINDER 26 M18 M18 FUELTM 125 MM VARIABLE SPEED & BRAKING ANGLE GRINDER 26 M18 M18 FUELTM 125 MM VARIABLE SPEED & BRAKING ANGLE GRINDER 26 M18 M18 FUELTM 125 MM VARIABLE SPEED & BRAKING ANGLE GRINDER 26 M18 M18	M18 FPS55	M18 FUEL™ 55 MM PLUNGE SAW	32
M18 FRAD2 M18 FUEL™ SUPER HAWG® 2-SPEED RIGHT ANGLE DRILL 17 M18 FRAD2 DRIVER GEN II 17 M18 FROP15 M18 FUEL™ RANDOM ORBITAL POLISHER WITH 15 MM 27 M18 FROP21 M18 FUEL™ RANDOM ORBITAL POLISHER WITH 21 MM 27 M18 FOP21 M18 FUEL™ RANDOM ORBITAL POLISHER WITH 21 MM 27 M18 FSAG125X M18 FUEL™ 125 MM ANGLE GRINDER WITH SLIDE SWITCH 26 M18 FSAG125XB M18 FUEL™ 125 MM BRAKING ANGLE GRINDER WITH SLIDE 26 M18 FSAGF125XB M18 FUEL™ 125 MM FLATHEAD BRAKING ANGLE GRINDER 26 M18 FSAGF125XB M18 FUEL™ 125 MM FLATHEAD BRAKING ANGLE GRINDER 26 M18 FSAGF125XDB W118 FUEL™ 125 MM SAFETY GRINDER WITH VARIABLE SPEED 25 M18 FUEL™ 125 MM VARIABLE SPEED & BRAKING ANGLE 26 M18 FUEL™ 125 MM VARIABLE SPEED & BRAKING ANGLE 26 M18 FUEL™ 125 MM VARIABLE SPEED & BRAKING ANGLE 26 M18 FUEL™ 125 MM VARIABLE SPEED & BRAKING ANGLE 26 M18 FUEL™ 125 MM VARIABLE SPEED & BRAKING ANGLE 26 M18 FUEL™ 125 MM VARIABLE SPEED & BRAKING ANGLE 26 M18 FUEL™ MITH SCREW GUN 20 M18 FUEL™	M18 FQID	M18 FUEL™ SURGE™ 1/4" HEX HYDRAULIC IMPACT DRIVER	17
M18 HAU2 DRIVER GEN II 17 M18 FROP15 M18 FUEL™ RANDOM ORBITAL POLISHER WITH 15 MM 27 M18 FROP21 M18 FUEL™ RANDOM ORBITAL POLISHER WITH 21 MM 27 M18 FROP21 M18 FUEL™ RANDOM ORBITAL POLISHER WITH 21 MM 27 M18 FAG125X M18 FUEL™ ANDOM ORBITAL POLISHER WITH 21 MM 27 M18 FSAG125X M18 FUEL™ 125 MM RAKING ANGLE GRINDER WITH SLIDE 26 M18 FSAG125XB M18 FUEL™ 125 MM FLATHEAD BRAKING ANGLE GRINDER 26 M18 FSAGF125XB M18 FUEL™ 125 MM FLATHEAD BRAKING ANGLE GRINDER 26 M18 FSAGF125XDB WITH FUEL™ 125 MM FLATHEAD BRAKING ANGLE GRINDER 26 M18 FSAGF125XDB WITH FUEL™ 125 MM VARIABLE SPEED & BRAKING ANGLE 26 M18 FSAGSV125X M18 FUEL™ 125 MM VARIABLE SPEED & BRAKING ANGLE 26 M18 FUEL™ MITH SLIDE SWITCH 26 M18 FUEL™ 125 MM VARIABLE SPEED & BRAKING ANGLE 26 M18 FSG M18 FUEL™ 125 MM VARIABLE SPEED & BRAKING ANGLE 26 M18 FUEL™ SCREW GUN 20 M18 FSG M18 FUEL™ SCREW GUN WITH A COLLATED ATTACHMENT 20 M18 FUEL™ MARCH WITH SUDE SWITCH 33 M18 FSG M18 FUEL™ SCRE	M18 FR12	M18 FUEL™ 12 MM ROUTER	34
M18 FH0P15 STROKE 27 M18 FR0P21 M18 FUELT™ RANDOM ORBITAL POLISHER WITH 21 MM 27 M18 FSAG125X M18 FUELT™ 125 MM ANGLE GRINDER WITH SLIDE SWITCH 26 M18 FSAG125XB M18 FUELT™ 125 MM ANGLE GRINDER WITH SLIDE 26 M18 FSAG125XB M18 FUELT™ 125 MM BRAKING ANGLE GRINDER WITH SLIDE 26 M18 FSAG125XB M18 FUELT™ 125 MM FLATHEAD BRAKING ANGLE GRINDER 26 M18 FSAG5125XPDB WITH SLIDE SWITCH 26 M18 FSAG5125XPDB WITH PADDLE SWITCH 26 M18 FSAGSV0125X M18 FUELT™ 125 MM SAFETY GRINDER WITH VARIABLE SPEED AND ONE-KEYTM 25 M18 FSAGSV0125X M18 FUELT™ 125 MM VARIABLE SPEED & BRAKING ANGLE GRINDER WITH PADDLE SWITCH 26 M18 FSAGV125XPDB M18 FUELT™ 125 MM VARIABLE SPEED & BRAKING ANGLE FSAGV125XPDB 26 M18 FSG M18 FUELT™ SCREW GUN 20 M18 FSG M18 FUELT™ SCREW GUN 20 M18 FSC M18 FUELT™ SCREW GUN WITH A COLLATED ATTACHMENT 20 M18 FSC M18 FUELT™ SCREW GUN WITH A COLLATED ATTACHMENT 20 M18 FSC M18 FUELT™ MIT NOUTER WITH 8 MM/ 6 MM COLLETS AND BASES 34 M18 FSC M18 FUELT™ MIR OUTER WITH 8 MM/ 6 MM C	M18 FRAD2		17
M18 FH0P21 STROKE 27 M18 FSAG125X M18 FUELTM 125 MM ANGLE GRINDER WITH SLIDE SWITCH 26 M18 FSAG125XB M18 FUELTM 125 MM BRAKING ANGLE GRINDER WITH SLIDE 26 M18 FSAGF125XB M18 FUELTM 125 MM FLATHEAD BRAKING ANGLE GRINDER 26 M18 FSAGF125XB M18 FUELTM 125 MM FLATHEAD BRAKING ANGLE GRINDER 26 M18 FSAGF125XPDB M18 FUELTM 125 MM FLATHEAD BRAKING ANGLE GRINDER 26 M18 FSAGSV0125X M18 FUELTM 125 MM SAFETY GRINDER WITH VARIABLE SPEED 25 M18 FSAGSV0125X M18 FUELTM 125 MM VARIABLE SPEED & BRAKING ANGLE 26 M18 FSAGV125XB M18 FUELTM 125 MM VARIABLE SPEED & BRAKING ANGLE 26 M18 FSAGV125XPDB GRINDER WITH SLIDE SWITCH 20 M18 FSG M18 FUELTM 125 MM VARIABLE SPEED & BRAKING ANGLE 26 M18 FSG M18 FUELTM SCREW GUN 20 M18 FSG M18 FUELTM SCREW GUN 20 M18 FSG M18 FUELTM SUPER SAWZALLTM 33 M18 FSZ M18 FUELTM SUPER SAWZALLTM 33 M18 FSZ M18 FUELTM ONE-KEYTM TABLE SAW 30 M18 FS210 M18 FUELTM ONE-KEYTM TABLE SAW 30 M18 FUELTM INTRODUCTION 8 M18 ONEFHIWF1 M18 FUELTM ONE-KEYTM TABLE SAW M18 ONEFHIWF12 M18 FUELTM ONE-KEYTM TABLE SAW 30 </td <td>M18 FROP15</td> <td></td> <td>27</td>	M18 FROP15		27
M18 FSAG125XBM18 FUELTM 125 MM BRAKING ANGLE GRINDER WITH SLIDE SWITCH26M18 FSAGF125XBM18 FUELTM 125 MM FLATHEAD BRAKING ANGLE GRINDER WITH SLIDE SWITCH26M18M18 FUELTM 125 MM FLATHEAD BRAKING ANGLE GRINDER FSAGF125XPDB26M18 FSAGSV0125XM18 FUELTM 125 MM SAFETY GRINDER WITH VARIABLE SPEED AND ONE-KEYTM26M18 FSAGSV0125XM18 FUELTM 125 MM VARIABLE SPEED & BRAKING ANGLE GRINDER WITH SLIDE SWITCH26M18 FSAGSV0125XM18 FUELTM 125 MM VARIABLE SPEED & BRAKING ANGLE GRINDER WITH SLIDE SWITCH26M18 FSGM18 FUELTM 125 MM VARIABLE SPEED & BRAKING ANGLE FSAGV125XPDB26M18 FSGM18 FUELTM 125 MM VARIABLE SPEED & BRAKING ANGLE FSAGV125XPDB26M18 FSGM18 FUELTM SCREW GUN20M18 FSGM18 FUELTM SCREW GUN20M18 FSGM18 FUELTM SCREW GUN WITH A COLLATED ATTACHMENT20M18 FSZM18 FUELTM SCREW GUN WITH A COLLATED ATTACHMENT20M18 FSZM18 FUELTM SWIPER SAWZALLTM33M18 FTR8M18 FUELTM ONE-KEYTM TABLE SAW30M18 FTR8M18 FUELTM ONE-KEYTM TABLE SAW30M18 FUELTM INTRODUCTION8M18 ONEFH ONTM18 FUELTM ONE-KEYTM DRILL DRIVER15M18 ONEFH WF12M18 FUELTM ONE-KEYTM 17 HIGH TORQUE IMPACT WRENCH WITH FRICTION RING20M18 ONEFHIWF12M18 FUELTM ONE-KEYTM 17 HIGH TORQUE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL21M18 ONEFHIWF10M18 FUELTM ONE-KEYTM 17 HIGH TORQUE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL21M1	M18 FROP21		27
M18 FSAG125XB SWTCH 26 M18 FSAGF125XB M18 FUELT ^M 125 MM FLATHEAD BRAKING ANGLE GRINDER 26 M18 M18 FUELT ^M 125 MM FLATHEAD BRAKING ANGLE GRINDER 26 M18 M18 FUELT ^M 125 MM FLATHEAD BRAKING ANGLE GRINDER 26 M18 FSAGSV0125X M18 FUELT ^M 125 MM SAFETY GRINDER WITH VARIABLE SPEED 25 M18 FSAGSV0125X M18 FUELT ^M 125 MM VARIABLE SPEED & BRAKING ANGLE 26 M18 FSAGSV0125XB M18 FUELT ^M 125 MM VARIABLE SPEED & BRAKING ANGLE 26 M18 FSAGV125XB M18 FUELT ^M 125 MM VARIABLE SPEED & BRAKING ANGLE 26 M18 FSAGV125XPDB GRINDER WITH SLIDE SWITCH 26 M18 FSG M18 FUELT ^M SCREW GUN 20 M18 FSG M18 FUELT ^M SCREW GUN WITH A COLLATED ATTACHMENT 20 M18 FSZ M18 FUELT ^M SCREW GUN WITH A COLLATED ATTACHMENT 20 M18 FSZ M18 FUELT ^M SCREW GUN WITH A COLLATED ATTACHMENT 20 M18 FSZ M18 FUELT ^M SCREW GUN WITH A COLLATED ATTACHMENT 20 M18 FSZ M18 FUELT ^M SCREW GUN WITH A COLLATED ATTACHMENT 20 M18 FSZ M18 FUELT ^M SCREW GUN WITH A COLLATED ATTACHMENT 20 M18 FSZ M18 FUELT ^M M18 FUELT ^M MIR	M18 FSAG125X		26
MI18 FOAGET 123AB WITH SLIDE SWITCH 20 M118 M18 FUEL™ 125 MM FLATHEAD BRAKING ANGLE GRINDER 26 M18 FSAGSV0125X M18 FUEL™ 125 MM SAFETY GRINDER WITH VARIABLE SPEED AND ONE-KEY™ 25 M18 FSAGSV0125X M18 FUEL™ 125 MM VARIABLE SPEED & BRAKING ANGLE GRINDER WITH SLIDE SWITCH 26 M18 FSAGV125XB M18 FUEL™ 125 MM VARIABLE SPEED & BRAKING ANGLE GRINDER WITH SLIDE SWITCH 26 M18 FSAGV125XPDB GRINDER WITH ADDLE SWITCH 26 M18 FSG M18 FUEL™ 125 MM VARIABLE SPEED & BRAKING ANGLE FSAGV125XPDB 26 M18 FSG M18 FUEL™ SCREW GUN 20 M18 FSG M18 FUEL™ SCREW GUN WITH A COLLATED ATTACHMENT 20 M18 FSZ M18 FUEL™ SCREW GUN WITH A COLLATED ATTACHMENT 20 M18 FSZ M18 FUEL™ SCREW GUN WITH A COLLATED ATTACHMENT 20 M18 FSZ M18 FUEL™ SAWZALL™ 33 M18 FSZ M18 FUEL™ SAWZALL™ 33 M18 FTS210 M18 FUEL™ NONE-KEY™ TABLE SAW 30 M18 FTS210 M18 FUEL™ ONE-KEY™ TABLE SAW 30 M18 GG M18 TUEL™ ONE-KEY™ TABLE SAW 30 M18 GG M18 FUEL™ ONE-KEY™ TABLE SAW 30 M18 ONEFH M18 FUEL™ ONE-KEY™ TABLE SAW 30 M18 ONEFHIWF12 M18 FUEL™ ONE-KEY™ TABLE SAW 30 M	M18 FSAG125XB	SWITCH	26
FSAGF125XPDB WITH PADDLE SWITCH 26 M18 FSAGSV0125X M18 FUEL™ 125 MM SAFETY GRINDER WITH VARIABLE SPEED AND ONE-KEY™ 25 M18 FSAGSV0125XB M18 FUEL™ 125 MM VARIABLE SPEED & BRAKING ANGLE GRINDER WITH SLIDE SWITCH 26 M18 M18 FUEL™ 125 MM VARIABLE SPEED & BRAKING ANGLE GRINDER WITH PADDLE SWITCH 26 M18 M18 FUEL™ 125 MM VARIABLE SPEED & BRAKING ANGLE GRINDER WITH PADDLE SWITCH 26 M18 M18 FUEL™ 125 MM VARIABLE SPEED & BRAKING ANGLE GRINDER WITH PADDLE SWITCH 20 M18 FSG M18 FUEL™ SCREW GUN 20 M18 FSG M18 FUEL™ SCREW GUN WITH A COLLATED ATTACHMENT 20 M18 FSZ M18 FUEL™ SUPER SAWZALL™ 33 M18 FSZ M18 FUEL™ SUPER SAWZALL™ 33 M18 FSZ M18 FUEL™ ASWZALL™ 34 M18 FS2 M18 FUEL™ ATMI ROUTER WITH 8 MM/ 6 MM COLLETS AND BASES 34 M18 FS210 M18 FUEL™ ONE-KEY™ TABLE SAW 30 M18 FUEL™ INTRODUCTION 8 M18 GG M18 TUEL™ ONE-KEY™ TABLE SAW 30 M18 ONEDD3 M18 FUEL™ ONE-KEY™ MENDE 26 MM SDS-PLUS HAMMER WITH ONE-KEY™ 12 13 M18 ONEFHIWF12 M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE IMPACT WRENCH WITH FRICTION RING		WITH SLIDE SWITCH	26
M18 FSAGSV0125X AND ONE-KEY™ 25 M18 FSAGV125XB M18 FUEL™ 125 MM VARIABLE SPEED & BRAKING ANGLE GRINDER WITH SLIDE SWITCH 26 M18 M18 FUEL™ 125 MM VARIABLE SPEED & BRAKING ANGLE FSAGV125XPDB 26 M18 FSG M18 FUEL™ 125 MM VARIABLE SPEED & BRAKING ANGLE FSAGV125XPDB 26 M18 FSG M18 FUEL™ SCREW GUN 20 M18 FSG M18 FUEL™ SCREW GUN WITH A COLLATED ATTACHMENT 20 M18 FSG M18 FUEL™ SCREW GUN WITH A COLLATED ATTACHMENT 20 M18 FSG M18 FUEL™ SCREW GUN WITH A COLLATED ATTACHMENT 20 M18 FSZ M18 FUEL™ SCREW GUN WITH A COLLATED ATTACHMENT 20 M18 FSZ M18 FUEL™ SUPER SAWZALL™ 33 M18 FS2 M18 FUEL™ SAWZALL™ 33 M18 FS2 M18 FUEL™ NRIN ROUTER WITH 8 MM/ 6 MM COLLETS AND BASES 34 M18 FS210 M18 FUEL™ ONE-KEY™ TABLE SAW 30 M18 FUEL™ INTRODUCTION 8 M18 GG M18 FUEL™ ONE-KEY™ DRILL DRIVER 15 M18 ONEFH M18 FUEL™ ONE-KEY™ DRILL DRIVER 15 M18 ONEFHIWF1 M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE IMPACT WRENCH 20 M18 ONEF		WITH PADDLE SWITCH	26
M18 FSAGV125XB GRINDER WITH SLIDE SWITCH 26 M18 M18 FUEL™ 125 MM VARIABLE SPEED & BRAKING ANGLE 26 M18 FSG M18 FUEL™ 125 MM VARIABLE SPEED & BRAKING ANGLE 20 M18 FSG M18 FUEL™ SCREW GUN 20 M18 FSG M18 FUEL™ SCREW GUN WITH A COLLATED ATTACHMENT 20 M18 FSG M18 FUEL™ SCREW GUN WITH A COLLATED ATTACHMENT 20 M18 FSZ M18 FUEL™ SCREW GUN WITH A COLLATED ATTACHMENT 20 M18 FSZ M18 FUEL™ SCREW GUN WITH A COLLATED ATTACHMENT 20 M18 FSZ M18 FUEL™ SUPER SAWZALL™ 33 M18 FSZ M18 FUEL™ SAWZALL™ 33 M18 FTS210 M18 FUEL™ TRIM ROUTER WITH 8 MM/ 6 MM COLLETS AND BASES 34 M18 FIS210 M18 FUEL™ ONE-KEY™ TABLE SAW 30 M18 FUEL™ INTRODUCTION 8 8 M18 GG M18 TUEL™ ONE-KEY™ TABLE SAW 30 M18 NOEFH M18 FUEL™ ONE-KEY™ DRILL DRIVER 15 M18 ONEFH M18 FUEL™ ONE-KEY™ 0NELW PM DRILL DRIVER 15 M18 ONEFHIWF12 M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE IMPACT WRENCH 20 M18 ONEFHIWF12 M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE IMPACT WRENCH 21	M18 FSAGSV0125X	AND ONE-KEY™	25
FSAGV125XPDB GRINDER WITH PADDLE SWITCH 26 M18 FSG M18 FUEL™ SCREW GUN 20 M18 FSG M18 FUEL™ SCREW GUN WITH A COLLATED ATTACHMENT 20 M18 FSG M18 FUEL™ SCREW GUN WITH A COLLATED ATTACHMENT 20 M18 FSZ M18 FUEL™ SCREW GUN WITH A COLLATED ATTACHMENT 20 M18 FSZ M18 FUEL™ SUPER SAWZALL™ 33 M18 FSZ M18 FUEL™ SAWZALL™ 33 M18 FTS2 M18 FUEL™ ASWZALL™ 34 M18 FSZ M18 FUEL™ TRIM ROUTER WITH 8 MM/ 6 MM COLLETS AND BASES 34 M18 FTS210 M18 FUEL™ ONE-KEY™ TABLE SAW 30 M18 FUEL™ INTRODUCTION 8 M18 GG M18 TUEL™ ONE-KEY™ TABLE SAW 30 M18 ONEDD3 M18 FUEL™ ONE-KEY™ DRILL DRIVER 15 15 16 16 17 M18 ONEFH M18 FUEL™ ONE-KEY™ 1/2" HIGH TORQUE IMPACT WRENCH 20 18 12 M18 ONEFHIWF12 M18 FUEL™ ONE-KEY™ 1/2" HIGH TORQUE IMPACT WRENCH 21 18 18 21 M18 ONEFHIWF12 M18 FUEL™ ONE-KEY™ 1/2" HIGH TORQUE IMPACT WRENCH 21 18	M18 FSAGV125XB	GRINDER WITH SLIDE SWITCH	26
M18 FSG M18 FUEL™ SCREW GUN 20 M18 FSGC M18 FUEL™ SCREW GUN WITH A COLLATED ATTACHMENT 20 M18 FSGC M18 FUEL™ SCREW GUN WITH A COLLATED ATTACHMENT 20 M18 FSZ M18 FUEL™ SUPER SAWZALL™ 33 M18 FSZ M18 FUEL™ SAWZALL™ 33 M18 FSZ M18 FUEL™ SAWZALL™ 33 M18 FSZ M18 FUEL™ TRIM ROUTER WITH 8 MM/ 6 MM COLLETS AND BASES 34 M18 FTR8 M18 FUEL™ ONE-KEY™ TABLE SAW 30 M18 FS210 M18 FUEL™ ONE-KEY™ TABLE SAW 30 M18 FUEL™ INTRODUCTION 8 8 M18 GG M18 TUEL™ ONE-KEY™ DRILL DRIVER 15 M18 ONEFH M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER WITH ONE-KEY™ 12 M18 ONEFH M18 FUEL™ 0NE-KEY™ 1″ HIGH TORQUE IMPACT WRENCH WITH FRICTION RING 20 M18 ONEFHIWF12 M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL 21 M18 ONEFHIWF12E M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL 20 M18 ONEFHIWF12 M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL 20			26
M18 FSGC M18 FUEL™ SCREW GUN WITH A COLLATED ATTACHMENT 20 M18 FSZ M18 FUEL™ SUPER SAWZALL™ 33 M18 FSZ M18 FUEL™ SAWZALL™ 33 M18 FSZ M18 FUEL™ SAWZALL™ 33 M18 FSZ M18 FUEL™ TRIM ROUTER WITH 8 MM/ 6 MM COLLETS AND BASES 34 M18 FTR8 M18 FUEL™ ONE-KEY™ TABLE SAW 30 M18 FUEL™ INTRODUCTION 8 M18 GG M18™ GREASE GUN 23 M18 ONEFH M18 FUEL™ ONE-KEY™ DRILL DRIVER 15 M18 ONEFH M18 FUEL™ ONE-KEY™ DRILL DRIVER 15 M18 ONEFH M18 FUEL™ ONE-KEY™ DRILL DRIVER 12 M18 ONEFHIWF12 M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE IMPACT WRENCH WITH FRICTION RING 20 M18 ONEFHIWF12 M18 FUEL™ ONE-KEY™ 1/2″ HIGH TORQUE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL 21 M18 ONEFHIWF12E M18 FUEL™ ONE-KEY™ 1/2″ HIGH TORQUE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL 20 M18 ONEFHIWF12E M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL 20 M18 ONEFHIWF1DS M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND SHORT ANVIL <td></td> <td></td> <td>20</td>			20
M18 FSX M18 FUEL™ SUPER SAWZALL™ 33 M18 FSZ M18 FUEL™ SAWZALL™ 33 M18 FSZ M18 FUEL™ SAWZALL™ 33 M18 FSZ M18 FUEL™ TRIM ROUTER WITH 8 MM/ 6 MM COLLETS AND BASES 34 M18 FTS210 M18 FUEL™ ONE-KEY™ TABLE SAW 30 M18 FUEL™ INTRODUCTION 8 M18 GG M18 TM GREASE GUN 23 M18 ONEDD3 M18 FUEL™ ONE-KEY™ DRILL DRIVER 15 M18 ONEFH M18 FUEL™ ONE-KEY™ DRILL DRIVER 12 M18 ONEFH M18 FUEL™ ONE-KEY™ DRILL DRIVER 12 M18 ONEFHIWF1 M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE IMPACT WRENCH WITH FRICTION RING 20 M18 ONEFHIWF12 M18 FUEL™ ONE-KEY™ 1/2″ HIGH TORQUE IMPACT WRENCH WITH FRICTION RING 21 M18 ONEFHIWF12E M18 FUEL™ ONE-KEY™ 1/2″ HIGH TORQUE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL 21 M18 ONEFHIWF12E M18 FUEL™ ONE-KEY™ 1/2″ HIGH TORQUE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL 20 M18 ONEFHIWF1DS M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL 20 M18 ONEFHIWF1DS M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE D-HANDLE IMPACT WRENCH WITH			
M18 FSZ M18 FUEL™ SAWZALL™ 33 M18 FTR8 M18 FUEL™ TRIM ROUTER WITH 8 MM/ 6 MM COLLETS AND BASES 34 M18 FTS210 M18 FUEL™ ONE-KEY™ TABLE SAW 30 M18 FTS210 M18 FUEL™ ONE-KEY™ TABLE SAW 30 M18 FUEL™ INTRODUCTION 8 M18 GG M18 TM GREASE GUN 23 M18 ONEDD3 M18 FUEL™ ONE-KEY™ DRILL DRIVER 15 M18 ONEFH M18 FUEL™ ONE-KEY™ DRILL DRIVER 15 M18 ONEFH M18 FUEL™ ONE-KEY™ DRILL DRIVER 12 M18 ONEFHIWF1 M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE IMPACT WRENCH WITH FRICTION RING 20 M18 ONEFHIWF12 M18 FUEL™ ONE-KEY™ 1/2″ HIGH TORQUE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL 21 M18 ONEFHIWF12 M18 FUEL™ ONE-KEY™ 1/2″ HIGH TORQUE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL 21 M18 ONEFHIWF12 M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE D-HANDLE IMPACT WITH FRICTION RING AND EXTENDED ANVIL 20 M18 ONEFHIWF1DS M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND SHORT ANVIL 20 M18 ONEFHIWF1DS M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND SHORT ANVIL 20 <			
M18 FTR8 M18 FUEL™ TRIM ROUTER WITH 8 MM/ 6 MM COLLETS AND BASES 34 M18 FTS210 M18 FUEL™ ONE-KEY™ TABLE SAW 30 M18 FUEL™ INTRODUCTION 8 31 M18 GG M18™ GREASE GUN 23 M18 ONEDD3 M18 FUEL™ ONE-KEY™ DRILL DRIVER 15 M18 ONEFH M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER WITH 12 M18 ONEFH M18 FUEL™ 0NE-KEY™ 1″ HIGH TORQUE IMPACT WRENCH 20 M18 ONEFHIWF1 M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE IMPACT WRENCH 21 M18 ONEFHIWF12 M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE IMPACT WRENCH 21 M18 ONEFHIWF12E M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE IMPACT WRENCH 21 M18 ONEFHIWF12 M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE D-HANDLE IMPACT 20 M18 ONEFHIWF1DS M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE D-HANDLE IMP	3		
M18 FTS210 M18 FUEL™ ONE-KEY™ TABLE SAW 30 M18 FUEL™ INTRODUCTION 8 M18 GG M18™ GREASE GUN 23 M18 ONEDD3 M18 TW GREASE GUN 23 M18 ONEFH M18 TUEL™ ONE-KEY™ DRILL DRIVER 15 M18 ONEFH M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER WITH ONE-KEY™ 12 M18 ONEFHIWF1 M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE IMPACT WRENCH WITH FRICTION RING 20 M18 ONEFHIWF12 M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE IMPACT WRENCH WITH FRICTION RING 21 M18 ONEFHIWF12E M18 FUEL™ ONE-KEY™ 1/2″ HIGH TORQUE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL 21 M18 ONEFHIWF12E M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE DHANDLE IMPACT WITH FRICTION RING AND EXTENDED ANVIL 20 M18 ONEFHIWF1DS M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL 20 M18 ONEFHIWF1DS M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND SHORT ANVIL 20 M18 ONEFHIWF1DS M18 FUEL™ ONE-KEY™ 3/4″ HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND SHORT ANVIL 20 M18 ONEFHIWF1DS M18 FUEL™ ONE-KEY™ 3/4″ HIGH TORQUE IMPACT WRENCH 20 <td></td> <td>M18 FUEL™ TRIM ROUTER WITH 8 MM/ 6 MM COLLETS AND</td> <td></td>		M18 FUEL™ TRIM ROUTER WITH 8 MM/ 6 MM COLLETS AND	
M18 FUEL™ INTRODUCTION 8 M18 GG M18™ GREASE GUN 23 M18 ONEDD3 M18 FUEL™ ONE-KEY™ DRILL DRIVER 15 M18 ONEFH M18 FUEL™ ONE-KEY™ DRILL DRIVER 15 M18 ONEFH M18 FUEL™ ONE-KEY™ DRILL DRIVER 12 M18 ONEFH M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE IMPACT WRENCH 20 M18 ONEFHIWF1 M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE IMPACT WRENCH 21 M18 ONEFHIWF12 M18 FUEL™ ONE-KEY™ 1/2″ HIGH TORQUE IMPACT WRENCH 21 M18 ONEFHIWF12 M18 FUEL™ ONE-KEY™ 1/2″ HIGH TORQUE IMPACT WRENCH 21 M18 ONEFHIWF12 M18 FUEL™ ONE-KEY™ 1/2″ HIGH TORQUE DHANCL WRENCH 21 M18 ONEFHIWF12 M18 FUEL™ ONE-KEY™ 1/2″ HIGH TORQUE DHANDLE IMPACT WRENCH 21 M18 ONEFHIWF12 M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE DHANDLE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL 20 M18 ONEFHIWF1DS M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND SHORT ANVIL 20 M18 ONEFHIWF1DS M18 FUEL™ ONE-KEY™ 3/4″ HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND SHORT ANVIL 20 M18 ONEFHIWF1DS M18 FUEL™ ONE-KEY™ 3/4″ HIGH TORQUE IMPACT WRENCH 20	M18 FTS210		30
M18 GG M18™ GREASE GUN 23 M18 ONEDD3 M18 FUEL™ ONE-KEY™ DRILL DRIVER 15 M18 ONEFH M18 FUEL™ 0NE-KEY™ DRILL DRIVER 15 M18 ONEFH M18 FUEL™ 0NE-KEY™ DRILL DRIVER 12 M18 ONEFH M18 FUEL™ 0NE-KEY™ 12 M18 ONEFHIWF1 M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE IMPACT WRENCH 20 M18 ONEFHIWF12 M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE IMPACT WRENCH 21 M18 ONEFHIWF12 M18 FUEL™ ONE-KEY™ 1/2″ HIGH TORQUE IMPACT WRENCH 21 M18 ONEFHIWF12 M18 FUEL™ ONE-KEY™ 1/2″ HIGH TORQUE IMPACT WRENCH 21 M18 ONEFHIWF12 M18 FUEL™ ONE-KEY™ 1/2″ HIGH TORQUE DHANDLE IMPACT WRENCH 21 M18 ONEFHIWF12 M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE DHANDLE IMPACT WRENCH 20 M18 ONEFHIWF10 M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL 20 M18 ONEFHIWF1DS M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND SHORT ANVIL 20 M18 ONEFHIWF1DS M18 FUEL™ ONE-KEY™ 3/4″ HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND SHORT ANVIL 20			
M18 ONEDD3 M18 FUEL™ ONE-KEY™ DRILL DRIVER 15 M18 ONEFH M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER WITH ONE-KEY™ 12 M18 ONEFHIWF1 M18 FUEL™ 0NE-KEY™ 1″ HIGH TORQUE IMPACT WRENCH WITH FRICTION RING 20 M18 ONEFHIWF12 M18 FUEL™ ONE-KEY™ 1/2″ HIGH TORQUE IMPACT WRENCH WITH FRICTION RING 21 M18 ONEFHIWF12E M18 FUEL™ ONE-KEY™ 1/2″ HIGH TORQUE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL 21 M18 ONEFHIWF12E M18 FUEL™ ONE-KEY™ 1/2″ HIGH TORQUE D-HANDLE IMPACT WITH FRICTION RING AND EXTENDED ANVIL 20 M18 ONEFHIWF1D M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL 20 M18 ONEFHIWF1DS M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND SHORT ANVIL 20 M18 ONEFHIWF1DS M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND SHORT ANVIL 20 M18 ONEFHIWF1DS M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND SHORT ANVIL 20 M18 ONEFHIWF1DS M18 FUEL™ ONE-KEY™ 3/4″ HIGH TORQUE IMPACT WRENCH 20			
M18 ONEFH M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER WITH ONE-KEY™ 12 M18 ONEFHIWF1 M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE IMPACT WRENCH WITH FRICTION RING 20 M18 ONEFHIWF12 M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE IMPACT WRENCH WITH FRICTION RING 21 M18 ONEFHIWF12E M18 FUEL™ ONE-KEY™ 1/2″ HIGH TORQUE IMPACT WRENCH WITH FRICTION RING 21 M18 ONEFHIWF12E M18 FUEL™ ONE-KEY™ 1/2″ HIGH TORQUE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL 21 M18 ONEFHIWF1D M18 FUEL™ ONE-KEY™ 1/2″ HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL 20 M18 ONEFHIWF1D M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL 20 M18 ONEFHIWF1DS M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND SHORT ANVIL 20 M18 ONEFHIWF1DS M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND SHORT ANVIL 20 M18 ONEFHIWF1DS M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND SHORT ANVIL 20 M18 ONEFHIWF1DS M18 FUEL™ ONE-KEY™ 3/4″ HIGH TORQUE IMPACT WRENCH 20			
M18 ONEFHIWF1 M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE IMPACT WRENCH WITH FRICTION RING 20 M18 ONEFHIWF12 M18 FUEL™ ONE-KEY™ 1/2″ HIGH TORQUE IMPACT WRENCH WITH FRICTION RING 21 M18 ONEFHIWF12E M18 FUEL™ ONE-KEY™ 1/2″ HIGH TORQUE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL 21 M18 ONEFHIWF12E M18 FUEL™ ONE-KEY™ 1/2″ HIGH TORQUE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL 21 M18 ONEFHIWF1D M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL 20 M18 ONEFHIWF1DS M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND SHORT ANVIL 20 M18 ONEFHIWF1AE M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND SHORT ANVIL 20 M18 ONEFHIWF1AE M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND SHORT ANVIL 20 M18 ONEFHIWF1AE M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND SHORT ANVIL 20		M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER WITH	
M18 ONEFHIWF12 M18 FUEL™ ONE-KEY™ 1/2″ HIGH TORQUE IMPACT WRENCH WITH FRICTION RING 21 M18 ONEFHIWF12E M18 FUEL™ ONE-KEY™ 1/2″ HIGH TORQUE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL 21 M18 ONEFHIWF12E M18 FUEL™ ONE-KEY™ 1/2″ HIGH TORQUE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL 21 M18 ONEFHIWF1D M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL 20 M18 ONEFHIWF1DS M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND SHORT ANVIL 20 M18 ONEFHIWF1AE M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND SHORT ANVIL 20 M18 ONEFHIWF1AE M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND SHORT ANVIL 20	M18 ONEFHIWF1	M18 FUEL™ ONE-KEY™ 1" HIGH TORQUE IMPACT WRENCH	20
M18 ONEFHIWF12E M18 FUEL™ ONE-KEY™ 1/2″ HIGH TORQUE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL 21 M18 ONEFHIWF1D M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL 20 M18 ONEFHIWF1DS M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL 20 M18 ONEFHIWF1DS M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND SHORT ANVIL 20 M18 ONEFHIWF1AS M18 FUEL™ ONE-KEY™ 3/4″ HIGH TORQUE IMPACT WRENCH 20	M18 ONEFHIWF12	M18 FUELTM ONE-KEYTM 1/2" HIGH TORQUE IMPACT WRENCH	21
M18 ONEFHIWF1D M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND EXTENDED ANVIL 20 M18 ONEFHIWF1DS M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND SHORT ANVIL 20 M18 ONEFHIWF1Q4 M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE IMPACT ANVIL 20	M18 ONEFHIWF12E	M18 FUEL TM ONE-KEY TM 1/2" HIGH TORQUE IMPACT WRENCH	21
M18 ONEFHIWF1DS M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE D-HANDLE IMPACT WRENCH WITH FRICTION RING AND SHORT ANVIL 20 M18 ONEFHIWF34 M18 FUEL™ ONE-KEY™ 3/4″ HIGH TORQUE IMPACT WRENCH 20	M18 ONEFHIWF1D	M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE D-HANDLE IMPACT	20
M18 ONEEHIWE34 M18 FUEL™ ONE-KEY™ 3/4″ HIGH TORQUE IMPACT WRENCH 20	M18 ONEFHIWF1DS	M18 FUEL™ ONE-KEY™ 1″ HIGH TORQUE D-HANDLE IMPACT	20
		M18 FUEL™ ONE-KEY™ 3/4" HIGH TORQUE IMPACT WRENCH	20



MX FUEL[™] BATTERIES AND CHARGER KITS

4 - 7

7

7

7

MX FUEL[™] RANGE

MX FUEL[™] BATTERIES

MX FUEL™ CHARGERS

WWW.MILWAUKEETOOL.EU O MILWAUKEETOOLEU

M18 ONEFHIWH716	M18 FUEL ^{TM 7} /16" HEX UTILITY HIGH TORQUE IMPACT WRENCH WITH ONE-KEY TM	21
M18 ONEFHIWP12	M18 FUEL™ ONE-KEY™ 1/2" HIGH TORQUE IMPACT WRENCH WITH PIN DETENT	21
M18 ONEFHP	M18 FUEL™ HIGH PERFORMANCE 4-MODE 32 MM SDS-PLUS HAMMER WITH ONE-KEY™	11
M18 ONEFHPX	M18 FUEL™ HIGH PERFORMANCE 4-MODE 32 MM SDS-PLUS HAMMER WITH ONE-KEY™ AND FIXTEC™ CHUCK	11
M18 ONEFHPXDEL	M18 FUEL™ HIGH PERFORMANCE SDS-PLUS HAMMER WITH DEDICATED DUST EXTRACTOR	11
M18 ONEFHX	M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER WITH FIXTEC™ CHUCK AND ONE-KEY™	12
M18 ONEFHXDEL	M18 FUEL™ 4-MODE 26 MM SDS-PLUS HAMMER WITH FIXTEC™ CHUCK, ONE-KEY™ AND WITH DEDICATED DUST EXTRACTOR	12
M18 ONEFLAG230XPDB	M18 FUEL™ ONE-KEY™ 230 MM BRAKING ANGLE GRINDER WITH PADDLE SWITCH	25
M18 ONEFLT	M18 FUEL™ LOCKBOLT TOOL WITH ONE-KEY™	23
M18 ONEFPRT	M18 FUEL™ RIVET TOOL WITH ONE-KEY™	23
M18 ONEFSAG125XB	M18 FUEL™ ONE-KEY™ 125 MM BRAKING ANGLE GRINDER WITH SLIDE SWITCH	26
M18 ONEFSAG125XPDB	M18 FUEL™ ONE-KEY™ 125 MM BRAKING ANGLE GRINDER WITH PADDLE SWITCH	25
M18 ONEFSZ	M18 FUELTM ONE-KEYTM SAWZALLTM	33
M18 ONEID3	M18 FUEL™ ONE-KEY™ 1/4" HEX IMPACT DRIVER	17
M18 ONEIWF12	M18 FUEL TM ONE-KEY TM $1/2^{\prime\prime}$ IMPACT WRENCH WITH FRICTION RING	22
M18 ONEIWP12	M18 FUELTM ONE-KEYTM 1/2" IMPACT WRENCH WITH PIN DETENT	22
M18 ONEPD3	M18 FUEL™ ONE-KEY™ PERCUSSION DRILL	15
M18 ONEPP2A3	M18 FUELTM ONE-KEYTM POWERPACK	39
M18 PRCDAB+	M18™ PACKOUT™ RADIO CHARGER	38
M18 RADDAB+G2	M18™ JOBSITE RADIO DAB+	38
M18 RC	M18™ JOBSITE RADIO CHARGER WITH BLUETOOTH®	38
M18 VC2	M18™ WET/ DRY VACUUM	37
MITRE SAW EXTEND	ABLE LEGSTANDS	29
MSL 1000	MITRE SAW STAND EXTENDABLE UP TO 2 M	30
MSL 2000	MITRE SAW STAND EXTENDABLE UP TO 2.5 M	30
MSL 3000	MITRE SAW STAND EXTENDABLE UP TO 3 M	30
MSUV 280	MITRE SAW STAND EXTENDABLE UP TO 2.8 M	30
ONE-KEY™ INTRODU	JCTION	9
TSS 1000	TABLE SAW STAND	32

M12[™] RANGE

etool.eu

MIZ KANGE		40 - 51
C12 HZ	M12 TM SUB COMPACT HACKZALL TM	49
C12 MT	M12 [™] SUB COMPACT MULTI-TOOL	49
C12 PN	M12 [™] SUB COMPACT PALM NAILER	50
C12 RAD	M12 [™] SUB COMPACT RIGHT ANGLE DRILL	42
C12 RT	M12 [™] SUB COMPACT ROTARY TOOL	47
GET THE RIGHT RAT	CHET FOR THE JOB	44
M12 AF	M12™ AIR FAN	51
M12 ATB	M12 [™] AUTOMOTIVE TECHNICIAN BORESCOPE	46
M12 AUN	M12 [™] AIR-TIP [™] UTILITY NOZZLE	50
M12 BBL	M12 [™] BLOWER	50
M12 BCST	M12 [™] SUB COMPACT CABLE STAPLER	49
M12 BD	M12 [™] SUB COMPACT DRIVER	42
M12 BDDX	M12 [™] SUB COMPACT DRILL DRIVER WITH REMOVABLE CHUCK	41
M12 BI	M12 [™] SUB COMPACT INFLATOR	47
M12 BIW12	M12 [™] SUB COMPACT 1/2" IMPACT WRENCH	43
M12 BIW38	M12 [™] SUB COMPACT ³ /8″ IMPACT WRENCH	43
M12 BLP	M12 [™] BRUSHLESS PLANER	48
M12 BLROT	M12 [™] BRUSHLESS ROTARY TOOL	47
M12 BPP2B	M12 [™] POWERPACK	51
M12 BPRT	M12 [™] SUB COMPACT RIVET TOOL	43
M12 BPS	M12 [™] SUB COMPACT POLISHER / SANDER	48
M12 BRAID	M12 [™] SUB COMPACT RIGHT ANGLE IMPACT DRIVER	42
M12 BS	M12 [™] SUB COMPACT BANDSAW	47
M12 BSD	M12 [™] SUB COMPACT SINGLE SPEED DRIVER	42
M12 BST	M12 [™] SUB COMPACT STAPLER	50
M12 CD	M12 FUEL [™] SUB COMPACT DRIVER	42
M12 CH	M12 FUEL [™] SUB COMPACT SDS-PLUS HAMMER	41



M12 [™] RANGE		40 - 51
M12 CHZ	M12 FUEL [™] SUB COMPACT HACKZALL [™]	49
M12 FBFL10	M12 FUEL [™] BAND FILE 10 MM	48
M12 FBFL13	M12 FUEL™ BAND FILE 13 MM	48
M12 FBS64	M12 FUEL [™] SUB COMPACT BAND SAW WITH 64 MM CUTTING CAPACITY	47
M12 FCN18GS	M12 FUEL™ 18 GA STRAIGHT BRAD NAILER	49
M12 FCOT	M12 FUEL™ SUB COMPACT MULTI-MATERIAL CUT-OFF TOOL	47
M12 FCS442	M12 FUEL™ SUB COMPACT CIRCULAR SAW	49
M12 FDD2	M12 FUEL™ SUB COMPACT DRILL DRIVER	41
M12 FDDX	M12 FUEL™ INSTALLATION DRILL/DRIVER WITH INTERCHANGEABLE HEADS	41
M12 FDGA	M12 FUEL™ ANGLED DIE GRINDER	48
M12 FDGS	M12 FUEL™ STRAIGHT DIE GRINDER	48
M12 FDSS	M12 FUEL [™] SUB COMPACT SPOT SANDER	48
M12 FHIR14	M12 FUEL™ 1/4" HIGH SPEED RATCHET	45
M12 FHIR14LR	M12 FUEL ^{™ 1} /4" EXTENDED REACH HIGH SPEED RATCHET	45
M12 FHIR38	M12 FUEL [™] 3/8" HIGH SPEED RATCHET	45
M12 FHIR38LR	M12 FUEL [™] 3/8" EXTENDED REACH HIGH SPEED RATCHET	45
M12 FID2	M12 FUEL [™] SUB COMPACT ¹ /4 [″] IMPACT DRIVER	42
M12 FIR12	M12 FUEL [™] SUB COMPACT ¹ /2 [°] RATCHET	46
M12 FIR38	M12 FUEL [™] SUB COMPACT 3/8" RATCHET	46
M12 FIR38LR	M12 FUEL [™] 3/8" EXTENDED REACH RATCHET	45
M12 FIW14	M12 FUEL [™] SUB COMPACT 1/4 IMPACT WRENCH	43
M12 FIW38	M12 FUEL™ SUB COMPACT 3/8" IMPACT WRENCH	42
M12 FIWF12	M12 FUEL [™] SUB COMPACT 1/2" IMPACT WRENCH	43
M12 FJS	M12 FUEL™ BODYGRIP JIGSAW	49
M12 FMT	M12 FUEL™ MULTI-TOOL	49
M12 FNB16	M12 FUEL™ 1.6 MM NIBBLER	48
M12 FPD2	M12 FUEL [™] SUB COMPACT PERCUSSION DRILL	41
M12 FPDX	M12 FUEL™ SUB COMPACT PERCUSSION DRILL WITH REMOVABLE CHUCK	41
M12 FPP2A2	M12 [™] POWERPACK	51
M12 FPP2E2	M12 FUEL™ POWERPACK	51
M12 FPP2F2	M12 FUEL [™] POWERPACK	51
M12 FPTR	M12 FUEL™ INSIDER™ PASS-THROUGH RATCHET	45
M12 FQID	M12 FUEL [™] SURGE [™] 1/4" HEX HYDRAULIC IMPACT DRIVER	42
M12 FRAIWF12	M12 FUEL™ 1/2" RIGHT ANGLE IMPACT WRENCH WITH FRICTION RING	43
M12 FRAIWF38	M12 FUEL™ 3/8" RIGHT ANGLE IMPACT WRENCH WITH FRICTION RING	43
M12 FTB	M12 FUEL [™] LOW SPEED TYRE BUFFER	47
M12 FUEL™ INTRO		40
M12 FVCL	M12 FUEL™ WET/ DRY VACUUM	50
M12 GG	M12 [™] SUB COMPACT GREASE GUN	46
M12 HV	M12 [™] SUB COMPACT STICK VAC	50
M12 IR	M12 [™] SUB COMPACT RATCHET	46
M12 JSSP	M12™ JOBSITE BLUETOOTH [®] SPEAKER	51
M12 ONEFTR12	M12 FUEL [™] ONE-KEY [™] 1/2 ["] DIGITAL TORQUE WRENCH	43
M12 ONEFTR38	M12 FUEL™ ONE-KEY™ 3/8″ DIGITAL TORQUE WRENCH	45
M12 PCG/310	M12 [™] SUB COMPACT CAULK GUN WITH 310 ML CARTRIDGE HOLDER	46
M12 PCG/400	M12 [™] SUB COMPACT CAULK GUN WITH 400 ML TUBE	46
M12 PCG/600	M12 [™] SUB COMPACT CAULK GUN WITH 600 ML TUBE	46
M12 RCDAB+	M12 [™] RADIO CHARGER DAB+	51
M12 SI	M12 [™] SUB COMPACT SOLDERING IRON	47
M12 UDEL	M12™ UNIVERSAL DUST EXTRACTOR	41
M12-18 JSSP	M12 [™] - M18 [™] BLUETOOTH [®] SPEAKER	38, 51

WORK GEAR		52 - 54
L4 HBLB	USB RECHARGEABLE HEATED WORKSKIN™ BASE LAYER	54
M12 HHBL4	M12™ HEATED HOODIE - BLACK	54
M12 HHGREY4	M12™ HEATED HOODIE - GREY	54
M12 HHLBL1	M12™ HEATED LADIES HOODIE - BLACK	54
M12 HJ BL5	M12™ HEATED JACKET - BLACK	52
M12 HJ CAM06	M12™ HEATED CAMOUFLAGE JACKET	52
M12 HJ GREY5	M12™ HEATED JACKET - GREY	52
M12 HPJBL2	M12 [™] HEATED PUFFER JACKET - BLACK	53

LASERS RANG	E	55 - 58
CLL	ALKALINE GREEN CROSS LINE LASER	56
HI-VIST	HIGH VISIBILITY LASER TARGET PLATE	57
L4 CLL	USB RECHARGEABLE GREEN CROSS LINE LASER	56
L4 CLLP	USB RECHARGEABLE GREEN CROSS LINE LASER WITH PLUMB POINTS	56
LDM 100	100 M LASER DISTANCE METER	58
LDM 30	30 M LASER DISTANCE METER	58
LDM 45	45 M LASER DISTANCE METER	58
LDM 50	50 M LASER DISTANCE METER	58
LLD50	LASER LINE DETECTOR	57
LM360	360° LASER MOUNT	57
LMP	3.6 M TELESCOPING LASER POLE	57
LRD100	LINE/ ROTARY LASER DETECTOR	56
LWM	LASER WALL MOUNT	57
M12 3PL	M12 [™] GREEN 360° 3 PLANE LASER	55
M12 CLL4P	M12 [™] CROSS LINE LASER WITH 4 POINTS	55
M12 CLLP	M12 [™] GREEN CROSS LINE LASER WITH PLUMB POINTS	55
M18 RL0H600	M18™ 600 M HORIZONTAL ROTARY LASER WITH ONE-KEY™	58
M18 RLOHV1200	M18™ 1200 M HORIZONTAL VERTICAL AUTO DUAL GRADE ROTARY LASER WITH ONE-KEY™	55
M18 RLOHVG300	M18 [™] 300 M GREEN HORIZONTAL VERTICAL ROTARY LASER WITH ONE-KEY [™]	5
RD1200	ROTARY LASER DETECTOR 1200 M	56
RD300G	ROTARY LASER DETECTOR 300 M GREEN	56
RD600	ROTARY LASER DETECTOR 600 M	56
ROD500	500 CM GRADE ROD	58
SR240	240 CM STAFF ROD	58
TRP120	1.2 METER COMPACT LASER TRIPOD	5
TRP160	1.6 METRE LASER TRIPOD	58
TRP180	1.8 METER LASER TRIPOD	5
TRP300	3.0 METRE LASER TRIPOD	57
WLB	WIRELESS LASER ALIGNMENT BASE	57

ELECTRICAL		59 - 62
2200-40	VOLTAGE DETECTOR	62
2205-40	FORK METER FOR ELECTRICIANS	62
2212-20	AUTO VOLTAGE / CONTINUITY TESTER	62
2216-40	LIGHT COMMERCIAL MULTIMETER	62
2217-40	DIGITAL MULTIMETER	62
2235-40	LIGHT COMMERCIAL CLAMP METER	62
2267-40	10:1 INFRARED TEMP-GUN™	62, 66
M12 CC	M12 [™] SUB COMPACT CABLE CUTTER	59
M18 BLTRC	M18 [™] BRUSHLESS THREADED ROD CUTTER	61
M18 BSBT	M18 [™] SHEAR BOLT TOOL	61
M18 FPFT	M18 FUEL [™] POWERED FISH TAPE	60
M18 HCC125	M18™ FORCE LOGIC™ HYDRAULIC 125 MM CABLE CUTTER	59
M18 HCC45	M18 [™] FORCE LOGIC [™] HYDRAULIC 44 MM CABLE CUTTER	59
M18 HCC75	M18 [™] FORCE LOGIC [™] HYDRAULIC UNDERGROUND CABLE CUTTER	59
M18 HCC75R	M18™ FORCE LOGIC™ HYDRAULIC REMOTE UNDERGROUND CABLE CUTTER	59
M18 HCCT	M18™ FORCE LOGIC™ HYDRAULIC 53 KN CABLE CRIMPER	61
M18 HCCT109/42	M18 [™] FORCE LOGIC [™] HYDRAULIC 109 KN CABLE CRIMPER	61
M18 HDCT	M18 [™] FORCE LOGIC [™] HYDRAULIC DIELESS CRIMPER	61
M18 HKP	M18 [™] FORCE LOGIC [™] HYDRAULIC KNOCKOUT PUNCH	60
M18 HSFC125R	M18™ FORCE LOGIC™ HYDRAULIC 125 MM SAFETY CABLE CUTTER	59
M18 HUP700	M18™ HYDRAULIC UTILITY PUMP	60
M18 ONEHCC	M18™ FORCE LOGIC™ HYDRAULIC 35 MM CABLE CUTTER	60
M18 ONEHCCT60	M18™ FORCE LOGIC™ HYDRAULIC 60 KN CABLE CRIMPER	61
M18 UBL	M18™ LED UTILITY BUCKET LIGHT	62

M12 HPJLBL2	M12 [™] HEATED PUFFER JACKET LADIES - BLACK	53
M12 HPVBL2	M12 [™] HEATED PUFFER VEST	53
M12 HVGREY1	M12 [™] HEATED VEST - GREY	53

10:1 INFRARED TEMP-GUN™ 62,66 M12[™] SUB COMPACT COPPER PIPE CUTTER 65 M12[™] SUB COMPACT PEX CUTTER 65 M12[™] SUB COMPACT UPONOR[™] Q&E EXPANSION TOOL 66 M18™ UPONOR™ Q&E EXPANSION TOOL 66 M12[™] HYDROPASS[™] BRUSHED STICK WATER PUMP 65 M12 FUEL[™] SUB COMPACT UPONOR[™] Q&E EXPANSION TOOL 66 M12[™] SUB COMPACT FORCE LOGIC[™] HYDRAULIC PRESS 64 TOOL M12[™] RAPTOR[™] PIPE CUTTER STAINLESS STEEL 65 M18[™] FORCE LOGIC[™] BRUSHLESS PRESSTOOL 63 M18™ FORCE LOGIC™ BRUSHLESS XL PRESS TOOL 63 M18[™] COMPACT TRANSFER PUMP 65 M18 FUEL™ PIPE THREADER 1 ¹/4" WITH ONE-KEY™ 64 M18 FUEL™ PIPE THREADER 2" WITH ONE-KEY™ 64 M18 FUEL™ UPONOR™ Q&E EXPANSION TOOL 66 M18 FUEL[™] VACUUM PUMP 5 CFM 66 M18™ FORCE LOGIC™ BRUSHLESS PRESS TOOL WITH 63 ONE-KEY™ M18[™] ONE-KEY[™] FORCE LOGIC[™] UPONOR[™] Q&E M18 ONEBLPXPL 66 HYDRAULIC PIPE EXPANDING TOOL M18™ FORCE LOGIC™STRUT SHEAR 65 MILWAUKEE® PIPE STAND 65 MX FUELTM PIPE THREADING MACHINE 2" WITH ONE-KEYTM 6,64

63 - 66

INDEX

PLUMBING

2267-40

C12 PC

C12 PPC

C12 PXP

HD18 PXP

M12 BSWP

M12 FPXP

M12 HPT

M12 PCSS

M18 BLHPT

M18 BTP

M18 FPT114

M18 FPT2

M18 FPXP

M18 FVP5

M18 STSO

MXF PTR2

MPS

M18 ONEBLHPT

M18 BLHPTXL

DRAIN CLEAN	NING AND INSPECTION	67 - 70
AIC2	ALKALINE INSPECTION CAMERA 2ND GEN	69
INSPECTION CAM	ERAS	70
M12 360IC12	M12 [™] 360° INSPECTION CAMERA 1.2 M 2ND GEN	69
M12 360IC32	M12 [™] 360° INSPECTION CAMERA 3 M 2ND GEN	69
M12 BDC6	M12™ SUB COMPACT DRAIN CLEANER WITH SPIRAL DIAMETER 6 MM	68
M12 BDC8	M12™ SUB COMPACT DRAIN CLEANER WITH SPIRAL DIAMETER 8 MM	68
M12 PL	M12 [™] PLUMBING LOCATOR	69
M18 FCSSM	M18 FUEL [™] COMPACT SECTIONAL SEWER MACHINE	68
M18 FDCPF10	M18 FUEL [™] DRAIN CLEANER - POWER FEED 10 MM	67
M18 FDCPF8	M18 FUEL™ DRAIN CLEANER - POWER FEED 8 MM	68
M18 FFSDC10	M18 FUEL™ FREE STANDING DRAIN CLEANER 10 MM	67
M18 FFSDC13	M18 FUEL™ FREE STANDING DRAIN CLEANER 13 MM	67
M18 FFSDC16	M18 FUEL™ FREE STANDING DRAIN CLEANER 16 MM	67
M18 FSSM	M18 FUEL [™] SECTIONAL SEWER MACHINE	68
M18 HSFSM	M18™ HIGH SPEED FLEXIBLE SHAFT MACHINE	69
M18 SIC30	M18 [™] SEWER INSPECTION CAMERA 30 M	70
M18 SIC36	M18™ SEWER INSPECTION CAMERA 36 M	70
M18 SIC60	M18™ SEWER INSPECTION CAMERA 60 M	70
M18 SIC60SC	M18 [™] SEWER INSPECTION SMALL CAMERA 60 M	70
M18 SIM	M18 [™] SEWER INSPECTION MONITOR	70
M18 SISH	M18 [™] SEWER INSPECTION SMART HUB	70
MXF LSDP	MX FUEL™ LARGE SEWER DRUM MACHINE WITH POWERTREDZ™	6, 67
OPE		71 - 75
M12 BHCS3L	M12™ HANDHELD CHEMICAL SPRAYER 3.7 L	74
M12 BLPRS	M12 [™] BRUSHLESS PRUNING SHEARS	73
M12 FHS	M12 FUEL™ HATCHET™ PRUNING SAW 15 CM	73
M12 FHT20	M12 FUEL™ HEDGE TRIMMER 20 CM	72

OPE		71 - 75
M12 BHCS3L	M12 [™] HANDHELD CHEMICAL SPRAYER 3.7 L	74
M12 BLPRS	M12 [™] BRUSHLESS PRUNING SHEARS	73
M12 FHS	M12 FUEL™ HATCHET™ PRUNING SAW 15 CM	73
M12 FHT20	M12 FUEL™ HEDGE TRIMMER 20 CM	72
M18 BLLT	M18™ BRUSHLESS GRASS TRIMMER	71
M18 BPFP-CST	M18™ SWITCH TANK™ 15L CHEMICAL SPRAYER	74
M18 BPFP-WST	M18™ SWITCH TANK™ 15L WATER SUPPLY	74
M18 BPFPH	M18™ SWITCH TANK™	74
M18 F2BL	M18 FUEL™ DUAL BATTERY BLOWER	74
M18 F2BPB	M18 FUEL™ DUAL BATTERY BACKPACK BLOWER	73
M18 F2LM46	M18 FUEL TM DUAL BATTERY SELF-PROPELLED LAWN MOWER 46 CM	71
M18 F2LM53	M18 FUEL TM DUAL BATTERY SELF-PROPELLED LAWN MOWER 53 CM	71
M18 FBCU	M18 FUEL™ BRUSH CUTTER	71

For further technical specifications, including noise and vibration data, please visit our website: www.milwaukeetool.eu

WWW.MILWAUKEETOOL.EU O MILWAUKEETOOLEU

M18 FBL	M18 FUEL [™] BLOWER	74
M18 FCHS	M18 FUEL™ CHAINSAW WITH 40 CM BAR	72
M18 FCHS35	M18 FUEL™ CHAINSAW WITH 35 CM BAR	72
M18 FCHSC	M18 FUEL™ CHAINSAW WITH 30 CM BAR	72
M18 FHET45	M18 FUEL™ HEDGE TRIMMER 45 CM	72
M18 FHET60	M18 FUEL™ HEDGE TRIMMER 60 CM	72
M18 FHS20	M18 FUEL™ HATCHET™ PRUNING SAW 20 CM	73
M18 FOPH	M18 FUEL™ OUTDOOR POWER HEAD WITH QUIK-LOK™	75
M18 FOPH ATTACH	IMENTS	75
M18 FOPHLTKIT	M18 FUEL™ OUTDOOR POWER HEAD - GRASS TRIMMER KIT	75
M18 FTHCHS30	M18 FUEL™ TOP HANDLE CHAINSAW WITH 30 CM BAR	73
M18 FTHCHS35	M18 FUEL™ TOP HANDLE CHAINSAW WITH 35 CM BAR	73
M18 FTPS30	M18 FUEL™ TELESCOPING POLE SAW 30 CM	74

TRUEVIEW [™] HI	GH DEFINITION LIGHTING	76 - 80
M12 AL	M12™ LED AREA LIGHT	78
M12 CML	M12 [™] COLOUR MATCHING LIGHT	79
M12 LL	M12 [™] LED LANTERN LIGHT	79
M12 PAL	M12 ™ PIVOT AREA LIGHT	78
M12 POAL	M12 [™] PACKOUT [™] AREA LIGHT 1400 LUMENS	77
M12 SAL	M12 [™] STAND LIGHT	77
M12 SL	M12 [™] LED STICK LIGHT	78
M12 SLED	M12 [™] LED SPOT LIGHT	78
M12 TLED	M12 [™] LED TORCH	79
M12 UCL	M12 [™] UNDERCARRIAGE LIGHT	79
M12 UHL	M12 [™] LED UNDERHOOD LIGHT	79
M18 AL	M18™ LED AREA LIGHT	78
M18 HOAL	M18™ HIGH OUTPUT AREA LIGHT	77
M18 HOSALC	M18™ HIGH OUTPUT STAND AREA LIGHT CHARGER	77
M18 IL	M18™ LED INSPECTION LIGHT	78
M18 LL	M18™ LED LANTERN LIGHT	79
M18 ONERSAL	M18™ ONE-KEY™ LED REMOTE STAND LIGHT	77
M18 ONESLDP	M18™ ONE-KEY™ LED COMPACT SITE LIGHT CHARGER	76
M18 ONESLSP	M18™ ONE-KEY™ LED COMPACT SITE LIGHT	76
M18 PAL	M18™ PIVOTING AREA LIGHT	78
M18 POALC	M18™ PACKOUT™ AREA LIGHT CHARGER	77
M18 SAL2	M18™ LED STAND LIGHT	77
M18 SLED	M18™ LED SEARCH LIGHT	78
M18 TAL	M18™ TRADESMAN AREA LIGHT	76
M18 TLED	M18™ LED TORCH	79
MXF TL	MX FUEL™ TOWER LIGHT	6, 76
PERSONAL LIGHTS		80

BATTERIES & CHARGERS	81 - 83
BATTERIES	81
CHARGERS	82
PROMOTIONAL BATTERIES AND CHARGER KITS	83
BATTERIES AND CHARGER KITS	83

CONSTRUCTION	N	84 - 87
AGV 12 DEC	1200 W ANGLE GRINDER WITH DUST MANAGEMENT (28 MM DOC)	87
AGV 12 DEG	1200 W ANGLE GRINDER WITH DUST MANAGEMENT	87
AGV 15 DEC	1550 W ANGLE GRINDER WITH DUST MANAGEMENT (28 MM DOC)	87
AGV 15 DEG	1550 W ANGLE GRINDER WITH DUST MANAGEMENT	87
BREAKERS		84 - 85
BRT	BREAKER TROLLEY	86
COMBI HAMMERS		84 - 85
DD 2-160 XE	2-SPEED DRY DIAMOND DRILL	86
DD 3-152	3-SPEED COMBI DIAMOND DRILL	86
IPWE 400 R	½" DRIVE IMPACT WRENCH	86
IPWE 520 R	3/4" DRIVE IMPACT WRENCH	86
ROTARY DRILLS AND	D DRIVERS	86 - 87
WCE 30	1500 W 125 MM (30 MM DOC) WALL CHASER	87



DG 30 E

DG 7 E

DGL 30 E

DGL 34

MCS 66

MDE 41

CONSTRUCTION		84 - 87	
WCS 45	1900 W 150 MM (45 MM DOC) WALL CHASER	87	
METAL WORKI	NG	88 - 90	
AGS 15-125 C	1500 W GRINDER/SANDER	90	
ANGLE GRINDERS		88 - 90	
AP 12 E	1200 W POLISHER WITH ELECTRONIC VARIABLE SPEED	90	
AP 14-2 200 E	1450 W POLISHER	90	
AS 12 E	1200 W SANDER WITH ELECTRONIC VARIABLE SPEED	90	
BS 125	DEEP CUT BAND SAW	90	
CHS 355	2300 W CHOPSAW	90	
DE 10 RX	630 W SINGLE HIGH SPEED ROTARY DRILL	90	

VARIABLE SPEED SINGLE HANDED DIE GRINDER

VARIABLE SPEED 2-HANDED DIE GRINDER

SINGLE HIGH SPEED 2-HANDED DIE GRINDER

MAGNETIC DRILLING PRESS WITH ELECTRO MAGNET

LOW SPEED DIE GRINDER

DRY CUT METAL CIRCULAR SAW

90

90

90

90

90

MDP 41	MAGNETIC DRIILING PRESS WITH PERMANENT MAGNET	90
WOODWORKING		91 - 92
CIRCULAR SAWS		91
JIGSAWS		91
RCO	REMOTE SOCKET CONTROLLER	92
RCS	REMOTE CONTROL SOCKET AND CONTROLLER KIT	92
SANDERS		92
SAWZALL™		91
DUST EXTRACTORS	3	92



Techtronic Industries GmbH

Postfach 320 D-71361 Winnenden Germany Tel +497195120 Fax +49719512666



Trgostal-Lubenjak d.o.o. Kovinska 4a • 10090 Zagreb • Hrvatska info@trgostal-lubenjak.hr +385 1 3777964 • +385 1 3777965 www.profialat.hr

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc., and any use of such marks by TTI is under licence. Other trademarks and trade names are those of their respective owners. All data incl. service and warranty conditions as well as product range are subject to change without notice. Pictures not binding. No liability for printing errors or mistakes. (4939 7764 00) Copyright 2024 - Milwaukee Electric Tools